

JAERI-M
9 8 2 3

NEANDC(J)-77/U
INDC(JAP) -64/L

**EVALUATION OF RESONANCE PARAMETERS OF
 ^{233}U , ^{235}U , ^{238}U , ^{239}Pu , ^{240}Pu , ^{241}Pu AND ^{242}Pu**

November 1981

Tsuneo NAKAGAWA, Yasuyuki KIKUCHI,
Atsushi ZUKERAN*, Tadashi YOSHIDA**,
Masayoshi KAWAI** and Akira ASAMI***

日本原子力研究所
Japan Atomic Energy Research Institute

この報告書は、日本原子力研究所が JAERI-M レポートとして、不定期に刊行している研究報告書です。入手、複製などのお問い合わせは、日本原子力研究所技術情報部（茨城県那珂郡東海村）あて、お申しこしください。

JAERI-M reports, issued irregularly, describe the results of research works carried out in JAERI. Inquiries about the availability of reports and their reproduction should be addressed to Division of Technical Information, Japan Atomic Energy Research Institute, Tokai-mura, Naka-gun, Ibaraki-ken, Japan.

JAERI-M 9823

Evaluation of Resonance Parameters of
 ^{233}U , ^{235}U , ^{238}U , ^{239}Pu , ^{240}Pu , ^{241}Pu and ^{242}Pu

Tsuneo NAKAGAWA, Yasuyuki KIKUCHI, Atsushi ZUKERAN^{*}
Tadashi YOSHIDA^{**}, Masayoshi KAWAI^{**} and Akira ASAMI^{***}

Working Group on Heavy-Nuclide Nuclear Data

Japanese Nuclear Data Committee

Tokai Research Establishment, JAERI

(Received November 9, 1981)

This report contains two papers entitled "Evaluation of Resonance Parameters of ^{233}U , ^{235}U , ^{239}Pu and ^{241}Pu " and "Evaluation of Resonance Parameters of ^{238}U , ^{240}Pu and ^{242}Pu ", which were submitted to IAEA Consultants Meeting on Uranium and Plutonium Isotope Resonance Parameters held on the 28th Sept. - 2nd Oct., 1981 at Vienna as contributed papers. Summaries of the contributed papers will be quoted in the IAEA proceedings.

These two parts describe the evaluation of the resonance parameters of main fissile and fertile materials for JENDL-2, and discuss briefly the problems encountered in the evaluation. In part III of this report, the presently evaluated resonance parameters were tabulated.

Keywords : Evaluation, Resonance Parameters, JENDL-2, Uranium-233, Uranium-235, Uranium-238, Plutonium-239, Plutonium-240, Plutonium-241, Plutonium-242.

* Energy Research Laboratory, Hitachi, Ltd.

** Nippon Atomic Industry Group Co., Ltd.

*** National Laboratory for High Energy Physics

^{233}U , ^{235}U , ^{238}U , ^{239}Pu , ^{240}Pu , ^{241}Pu , ^{242}Pu の共鳴パラメータの評価

日本原子力研究所東海研究所シグマ研究委員会重核評価ワーキンググループ

中川 康雄・菊池 康之・瑞慶覧 篤*・吉田 正**

川合 将義・浅見 明***

(1981年11月9日受理)

本報告書は2編の論文より成る。その各々の標題は「 ^{233}U , ^{235}U , ^{239}Pu , ^{241}Pu の共鳴パラメータの評価」と「 ^{238}U , ^{240}Pu , ^{242}Pu の共鳴パラメータの評価」であり、1981年9月28日～10月2日にウィーンで開催された「ウラン・フルトニウム同位体の共鳴パラメータに関する IAEA コンサルタント会議」に寄稿したものである。寄稿論文の要旨は IAEA 発行の報文集に掲載されるが、ここではその全体を発刊する。これら2編の論文は、JENDL-2 のために行なった主な核燃料および親物質核種の共鳴パラメータの評価と、その際に指摘された諸問題を述べている。本報告書の第3部には、今回の評価結果のパラメータが与えられている。

* 株日立製作所 エネルギー研究所
** 株日本原子力事業・NAG 総合研究所
*** 高エネルギー物理学研究所

Contents

| | |
|---|----|
| Part I Evaluation of Resonance Parameters of ^{233}U , ^{235}U , ^{239}Pu and ^{241}Pu | 1 |
| 1. Introduction | |
| 2. Evaluation Method | |
| 3. Evaluation and Discussion | |
| 4. Concluding Remarks | |
| References | |
| Part II Evaluation of Resonance Parameters of ^{238}U , ^{240}Pu and ^{242}Pu | 17 |
| 1. Introduction | |
| 2. Evaluation of Resolved Resonance Parameters | |
| 3. Concluding Remarks | |
| References | |
| Part III Appendix: List of Resonance Parameters Adopted in JENDL-2 | 41 |

Part I

Evaluation of Resonance Parameters of ^{233}U , ^{235}U , ^{239}Pu and ^{241}Pu

Yasuyuki KIKUCHI[†]

Akira ASAMI^{*}

and

Tadashi YOSHIDA^{**}

Japanese Nuclear Data Committee

Tokai Research Establishment

Japan Atomic Energy Research Institute

[†] Japan Atomic Energy Research Institute

^{*} National Laboratory for High Energy Physics

^{**} Nippon Atomic Industry Group Co., Ltd.

Evaluation of Resonance Parameters of ^{233}U , ^{235}U , ^{239}Pu and ^{241}Pu Yasuyuki KIKUCHI[†], Akira ASAMI^{*} and Tadashi YOSHIDA^{**}

Japanese Nuclear Data Committee, Japan Atomic Energy Research Institute

Abstract

The resonance parameters of ^{233}U , ^{235}U , ^{239}Pu and ^{241}Pu were evaluated for Japanese Evaluated Nuclear Data Library Version 2 (JENDL-2). The evaluation was made by two steps. At first, the parameters were evaluated on the basis of the reported measured data with a suitable method which depends on the status of measured data. The most reliable parameter set could be found after some simple examinations for ^{233}U , ^{239}Pu and ^{241}Pu , since total number of measured parameter sets is limited for these nuclides. On the other hand, numerous measurements exist for ^{235}U , and the evaluation was made by taking a suitable average, considering the fission and capture areas. Secondly, the cross sections were calculated with the parameters thus obtained, and were compared with the measured cross sections. Then the parameters were so modified that the calculated cross sections well reproduced the measured data. After modifying the resonance parameters, the remaining discrepancies between the calculated and measured cross sections, which are mainly caused by the interference among levels and are inevitable with the single-level Breit-Wigner formula, were corrected by applying slight background cross sections. The resonance integrals calculated from the presently evaluated parameters agree well with the measured data.

[†] Japan Atomic Energy Research Institute^{*} National Laboratory for High Energy Physics^{**} Nippon Atomic Industry Group Co., Ltd.

1. Introduction

Evaluation of resonance parameters for main fissile and fertile materials has been made for several years by a working group of Japanese Nuclear Data Committee in order to provide the evaluated resonance parameters to Japanese Evaluated Nuclear Data Library (JENDL). The evaluation of resonance parameters is a very complicated problem, and the working group recommended some existing evaluated data such as those of ENDF/B-IV for the first version of JENDL (JENDL-1)¹⁾ in 1975.

After that the evaluation was continued and finished in 1979, and the presently evaluated resonance parameters were adopted in the second version of JENDL (JENDL-2). The present paper describes the evaluation for the fissile materials, while the evaluation for the fertile materials is reported in another paper²⁾ presented in this meeting. The general evaluation method is described in Chapter 2. The detailed evaluation procedure is given in Chapter 3 for each nuclide. The presently evaluated resonance parameters are tabulated in Appendix.

2. Evaluation Method

Experimental data of resonance parameters were surveyed through CINDA³⁾ up to CINDA 78. The collected resonance parameters were stored in the resonance parameter storage system REPSTOR⁴⁾. In this system many types of resonance parameters including complicated forms such as $g\Gamma_n/\Gamma$ or $\sigma_0\Gamma$ can be stored and can be compared with one another in simple tabulation forms.

Experimental cross section data were also surveyed through CINDA. Most of numerical data were obtained from NEA Data Bank, and were stored in the neutron data storage and retrieval system NESTOR⁴⁾.

In evaluating nuclear cross sections, a common procedure is to plot at first all the experimental data as a function of neutron energy, and then deduce the most reasonable curve by carefully comparing the different sets of data and studying the accuracy and errors of the data. In the resonance region, however, this procedure is not always adequate, because a resonance shape usually depends on the resolution function of the spectrometer used for the measurement but this function is not well known in many cases. Furthermore, it is not practical to apply this procedure in the case where many resonances exist in a limited region.

In the present evaluation, therefore, two steps were taken. Firstly, the resonance parameters were evaluated on the basis of the reported measured parameters with a suitable method which depends on the status of measured data. As total number of measured parameter sets is limited for ^{233}U , ^{239}Pu and ^{241}Pu , the most reliable set could be found after some simple examinations for these nuclides. On the other hand, numerous measurements exist for ^{235}U , and the evaluation was made by taking a suitable average of the measured parameters.

Secondly, the cross sections were calculated with the parameters thus obtained, and were compared with the measured cross sections. Then the parameters were so modified that the calculated cross sections well reproduced the measured data. This process was made by using NDES⁵⁾ (Neutron Data Evaluation System) in which conversation with the computer is made from a terminal having a cathode ray tube. The calculated cross sections are displayed on the cathode ray tube with the experimental data, and the cross sections calculated with the modified parameters can be also displayed and compared. At present NDES has no function of automatic search for the resonance parameters, and the fitting procedure above mentioned was done by trial and error.

Even after modifying the resonance parameters, the calculated fission cross section failed to reproduce the measured data in limited energy ranges particularly in valleys between resonances. This is caused by the interference among resonances. The multi-level formula is essentially required for fissile nuclides. In the present work, however, the discrepancy was corrected by applying a positive or negative background cross section to the fission cross section. This work was made also by using NDES which has a function to record the X-Y coordinates of any point in the graph displayed on the cathode ray tube into computer memory by using a cross hair cursor.

The thermal cross sections below 1 eV cannot be well reproduced with the resonance parameters for the fissile nuclides because of the interference among levels. Hence the cross sections were given as point-wise data below 1 eV for these 4 nuclides.

3. Evaluation and Discussion

3.1 Uranium-233

This nuclide was not contained in JENDL-1. The resolved resonance region is defined between 1 and 100 eV. Details of the evaluation were described in Ref. (6).

A total of six parameter sets have so far been reported. After examining their experimental conditions and comparing the calculated areas and cross sections, it was concluded that the parameter set deduced by Nizamuddin and Blons⁷⁾ was the most reliable. Their parameters were deduced from both the high resolution measurements of fission cross section by Blons⁸⁾ and the transmission measurements by Kolar et al.⁹⁾ Nizamuddin and Blons gave the parameters for 169 levels, 33 of which are artificial levels added to partially compensate the interference effects among levels. In the energy range below 6 eV, where Nizamuddin and Blons did not give the parameters, the recommended data in BNL-325, 3rd edition¹⁰⁾ were adopted as the initial guess.

The cross sections were calculated from the parameters by assuming the effective scattering radius of 9.93 fm. The calculated total and fission cross sections agree well with the measured data within their scatters in most of energy ranges. It should be noted that the calculated capture cross section agreed well with the measured data by Weston et al.¹¹⁾, though the resonance parameters were deduced by Nizamuddin and Blons without considering the capture data. This suggests reliability of the parameters of Nizamuddin and Blons. In some energy ranges, however, agreement was not satisfactory between the calculated and measured cross sections. The resonance parameters were modified to improve the agreement in such energy ranges by using NDES⁵⁾.

After modifying the parameters, the remaining discrepancies between the calculated and measured fission cross sections were corrected by applying positive or negative background cross sections. Figure 1 shows the fission cross sections calculated with and without the background cross section as well as the measured data in the energy range between 13 and 16 eV. No background correction was applied to the capture and elastic scattering cross sections.

As shown in Table 1 the fission and capture resonance integrals calculated from the present parameters agree with the recommended values in BNL-325, 3rd edition¹⁰⁾ within the quoted errors. They also agree with those calculated from the ENDF/B-IV parameters.

3.2 Uranium-235

The parameters of ENDF/B-IV were recommended in JENDL-1. In JENDL-2, the presently evaluated parameters were applied in the energy region between 1 and 100 eV.

Tremendous number of measurements were made for the resonance parameters of ^{235}U , since this nuclide is one of the most important nuclide in nuclear reactor development. In the present evaluation only the data reported in the last twenty years were collected and stored in REPSTOR.

The evaluation of the resonance parameters at the first step was made in the following way. Since $2g\Gamma_n$ values do not differ appreciably among those of different experiments, a simple average was taken over them to give the evaluated values. In determining Γ_γ values, a weighted average was taken, where a weight of a half was given to those data which were obtained indirectly by analyzing the fission and total cross sections. The evaluation of Γ_f values seems to require a special care, as the reported values are considerably discrepant with one another. Hence the fission area $A_f = g\Gamma_n \Gamma_f / \Gamma$ was first calculated in this case. In the case where only Γ_f values were given, A_f is calculated using the Γ_f and evaluated $g\Gamma_n$ and Γ_γ values. Discrepancy of A_f is usually less than that of Γ_f . A resonance area is, as is well known, independent of the resolution of the spectrometer, and therefore is one of the most suitable quantities to be used in the resonance parameter evaluation. The value of fission width was calculated from the average of fission areas.

The fission, capture and total cross sections were calculated from these parameters thus obtained and were compared with the experimental data. As to the experimental data, we mainly relied on the data of Michaudon et al.¹²⁾, Cao et al.¹³⁾ and Blons et al.¹⁴⁾ for fission, those of de Saussure et al.¹⁵⁾ and Perez et al.¹⁶⁾ for capture and those of Garg et al.¹⁷⁾ and Michaudon et al.¹²⁾ for the total cross section. In the region where the difference is appreciable between the two, correction of the parameters was made for resonances responsible for this difference. If the magnitudes of the total and either of fission or capture areas were considered to deviate from the experimental values, the $g\Gamma_n$ value was varied. If only the capture area was unsuitable, small corrections $\Delta\Gamma_\gamma$ and $\Delta\Gamma_f$ were obtained by

$$\Delta\Gamma_{\gamma} = \frac{\Delta A_{\gamma}}{A_{\gamma}} \frac{1 + r_1}{1 - r_1 - 2r_1/r_2}, \quad (1)$$

$$\Delta\Gamma_f = \Delta\Gamma_{\gamma}/r_2,$$

where

$$r_1 = \frac{\Gamma_{\gamma}}{\Gamma_f}, \text{ and } r_2 = \frac{1}{2}(r_1 - 1). \quad (2)$$

If the fission cross section is to be varied, similar corrections are obtained by exchanging suffix γ and f . With these corrected parameters, the cross sections were calculated and compared again with the experimental values.

Figure 2 shows an example of the results thus obtained. All the experimental data of the capture and total cross sections available are shown, whereas only some typical data are shown for the fission cross sections. As is seen in the figure, there is a good agreement. In the calculation the Doppler broadening effect is included, which is essential to obtain good fit to the experimental data for most of the resonances in this nuclide. At some energies, particularly at the valleys of resonances, discrepancies still remain. The difference was corrected by the background cross sections. Table 2 compares the fission and capture resonance integrals with the recommended values in BNL-325, 3rd edition¹⁰⁾. The calculated integrals agree well with the recommended values.

3.3 Plutonium-239

In the compilation of JENDL-1, a set of resonance parameters evaluated by Ribon¹⁸⁾ was adopted, for it is a complete set of parameters which reproduces experimental data fairly well. This parameter set covers the energy range between 1 and 600 eV. Since then, no complete set of resonance parameters has been evaluated on the basis of new extensive cross section measurements.

For JENDL-2, Ribon's set was adopted again as the initial guess values. Modification of parameters was limited to several resonances, since his parameter set well reproduces the measured cross sections as a whole. Background cross sections were also added to improve agreement between the calculated and measured cross sections. We fitted the calculated data mainly to the fission cross section measured by Derrien et al.¹⁹⁾ and the capture cross section by Gwin et al.^{20,21)} by using NDES.

Figure 3 shows the fission cross section of JENDL-2 with those of JENDL-1 and ENDF/B-IV as well as the experimental data. The difference between JENDL-2 and JENDL-1 was mainly caused by the background cross section.

Table 3 compares the averaged values of the fission cross section and the capture to fission ratio (α -value) between the evaluated and the measured data. The fission cross section of JENDL-2 seems to be too small in the interval between 200 and 300 eV and too large between 300 and 400 eV. This is reflected on overestimate of the α -value between 200 and 300 eV. The present background correction was made by comparing the resonance cross sections without considering the average cross sections. This drawback on the average cross sections is left for future improvement. Table 2 also compares the fission and capture resonance integrals with those recommended in BNL-325, 3rd edition¹⁰⁾. Satisfactory agreement is observed for both the integrals.

3.4 Plutonium-241

In JENDL-1, the resonance parameters recommended in BNL-325, 3rd edition¹⁰⁾ were adopted²⁴⁾ in the energy range from 1 eV to 100 eV. These parameters were mainly taken from analyses by Blons et al.²⁵⁾ and by Kolar et al.²⁶⁾. These parameters satisfactorily reproduce the total and fission cross sections but a little underestimate the capture cross section²⁴⁾.

In the evaluation of JENDL-2, the same parameters were adopted as the initial guess values, since no extensive measurements have so far been reported on the resonance parameters of ^{241}Pu after JENDL-1.

The cross sections were calculated by assuming the effective scattering radius of 10.0 fm. The resonance parameters were modified so that the calculated total, fission and capture cross sections might reproduce the measured data by Kolar and Carraro²⁷⁾, by Blons⁸⁾ and by Weston and Todd²⁸⁾, respectively. As the numerical data of Weston and Todd were not available at the time of the present evaluation, the fitting to the capture cross section was made to the resonances below 20 eV for which the peak values of Weston and Todd were read from graphs in Ref. (28).

The background cross sections were applied to both the fission and capture cross sections. The background fission cross section was determined by NDES so as to compensate the remaining discrepancies between the calculated and measured data due to the interference among levels.

As was pointed out previously, the present resonance parameters a little underestimate the capture cross section and the discrepancy was corrected by the smooth background cross section. Table 4 shows the average fission and capture cross sections calculated with and without the background cross sections as well as the average values of measured data. Figure 4 shows the calculated fission and capture cross sections with the measured data as an example.

Table 4 also compares the calculated resonance integrals with the measured data by Eiland et al.³¹⁾ The present parameters slightly overestimate the capture integral and underestimate the fission integral, but give better results than JENDL-1 and ENDF/B-IV. Further improvement is required for the lowest few resonances taking account of the numerical cross section data of Weston and Todd.

4. Concluding Remarks

The resonance parameters were evaluated for ^{233}U , ^{235}U , ^{239}Pu and ^{241}Pu , and were adopted in JENDL-2. In the present work, the resonance parameters were first evaluated on the basis of the measured parameter data, and then were adjusted by fitting the calculated cross sections to the measured ones. Hence the presently evaluated parameters can reproduce the measured total, fission and capture cross sections very well. The agreement was further improved by applying slight background corrections. Moreover the calculated resonance integrals agree well with the measured ones. Hence the data of JENDL-2 are expected to well predict the thermal reactor characteristics.

The authors wish to thank to members of Working Group on Heavy-Nuclide Nuclear Data of JNDC for their helpful discussion. They particularly acknowledge T. Nakagawa for his advice in using NDES and for his aid in treating the evaluated data files. One of the authors (A.A.) would like to express his sincere thanks to M. Sugimoto for his assistance in the evaluation.

References

- 1) IGARASI, S., NAKAGAWA, T., KIKUCHI, Y., ASAMI, T. and NARITA, T.: "Japanese Evaluated Nuclear Data Library, Version-1 - JENDL-1 -", JAERI-1261 (1979), NEANDC(J)-59/L, INDC(JAP)-45/L.
- 2) NAKAGAWA, T., ZUKERAN, A. and KAWAI, M.: "Evaluation of Resonance Parameters of ^{238}U , ^{240}Pu and ^{242}Pu ", Contributed paper to IAEA Consultants Meeting on Uranium and Plutonium Isotope Resonance Parameters, 28 Sept. - 2 Oct., 1981, Vienna.
- 3) IAEA: An Index to the Literature on Microscopic Neutron Data.
- 4) NAKAGAWA, T.: Proc. 1978 Seminar on Nuclear Data, Dec. 20 - 21, 1978, Tokai, p.51, JAERI-M 8163 (1979) [in Japanese].
- 5) NAKAGAWA, T.: J. At. Energy Soc. Jpn., 22, 559 (1980) [in Japanese].
- 6) KIKUCHI, Y.: "Evaluation of Neutron Nuclear Data for ^{233}U in Thermal and Resonance Regions", JAERI-M 9318 (1981), NEANDC(J)-69/U, INDC(JAP)-56/L.
- 7) NIZAMUDDIN, S. and BLONS, J.: Nucl. Sci. Eng., 54, 116 (1974).
- 8) BLONS, J.: Nucl. Sci. Eng., 51, 130 (1973).
- 9) KOLAR, W., CARRARO, G., NASTRI, G.: "Nuclear Data for Reactors", Conf. Proc., Helsinki, 15 - 19 June 1970, Vol. 1, p. 387 (1970), IAEA.
- 10) MUGHABGAB, S. F. and GARBER, D. I.: "Neutron Cross Sections, Vol. 1, Resonance Parameters", BNL-325, 3rd Edition (1973).
- 11) WESTON, L. W., GWIN, R., DE SAUSSURE, G., FULLWOOD, R. R. and HOCKENBURY, R. W.: Nucl. Sci. Eng., 34, 1 (1968).
- 12) MICHAUDON, A., DERRIEN, H., RIBON, P. and SANCHE, M.: Nucl. Phys., 69, 545 (1965).
- 13) CAO, M. G., MIGNECO, E., THEOBALD, J. P., WARTENA, J. A. and WINTER, J.: J. Nucl. Energy, 22, 211 (1968).
- 14) BLONS, J., DERRIEN, H. and MICHAUDON, A.: "Neutron Cross Sections and Technology", Proc. Conf., Knoxville, Mar. 15 - 19, 1971, CONF-710301, p. 829 (1971).
- 15) DE SAUSSURE, G., WESTON, L. W., GWIN, R., INGLE, R. W., TODD, J. H., HOCKENBURY, R. W., FULLWOOD, R. R. and LOTTIN, A.: "Nuclear Data for Reactors", Conf. Proc. Paris, 17 - 21 Oct. 1966, Vol. II, p. 233 (1967), IAEA.
- 16) PEREZ, R. B., DE SAUSSURE, G., SILVER, E. G., INGLE, R. W. and WEAVER, H.: Nucl. Sci. Eng., 52, 46 (1973).
- 17) GARG, J. B., HAVENS, W. W., Jr. and RAINWATER, J.: Taken from SCISRS Data (1964).
- 18) RIBON, P. and LE COQ, G.: "Evaluation des Données Neutroniques de ^{239}Pu ", CEA - N - 1484 (1971).
- 19) DERRIEN, H., BLONS, J. and MICHAUDON, A.: "Nuclear Data for Reactors", Conf. Proc., Helsinki, 15 - 19 June 1970, Vol. 1, p. 481 (1970), IAEA.
- 20) GWIN, R., WESTON, L. W., DE SAUSSURE, G., INGLE, R. W., TODD, J. H., GILLESPIE, F. E., HOCKENBURY, R. W. and BLOCK, R. C.: Nucl. Sci. Eng., 45, 25 (1971).

- 21) GWIN, R., SILVER, E. G., INGLE, R. W. and WEAVER, H.: Nucl. Sci. Eng., 59, 79 (1976).
- 22) WESTON, L. W. and TODD, J. H.: Private Communication to Chrien (1972). Data Taken from Table III of Ref. (20).
- 23) SOWERBY, M. G. and KONSHIN, V. A.: At. Energy Rev., 10, 453 (1972).
- 24) KIKUCHI, Y.: J. Nucl. Sci. Technol., 14, 467 (1977).
- 25) BLONS, J., DERRIEN, H. and MICHAUDON, A.: "Neutron Cross Sections and Technology", Proc. Conf. Knoxville, Mar. 15 - 17, 1971, CONF-710301, p. 836 (1971).
- 26) KOLAR, W., THEOBALD, J. P. and WARTENA, J. A.: ibid., p. 823.
- 27) KOLAR, W. and CARRARO, G.: ibid., p. 707.
- 28) WESTON, L. W. and TODD, J. H.: Nucl. Sci. Eng., 65, 454 (1978).
- 29) MIGNECO, E., THEOBALD, J. P. and WARTENA, J. A.: "Nuclear Data for Reactors", Conf. Proc., Helsinki, 15 - 19 June 1970, Vol. 1, p. 437 (1970), IAEA.
- 30) JAMES, G. D.: ibid., Vol. 1, p. 267.
- 31) EILAND, H. M., ESCH, L. J., FEINER, F. and MEWHERTER, J. L.: Nucl. Sci. Eng., 44, 180 (1971).

Table 1 Resonance Integrals of ^{233}U .

| | (barns) | | |
|---------|---------|-----------|------------------------|
| | JENDL-2 | ENDF/B-IV | BNL-325 ¹⁰⁾ |
| fission | 771 | 763 | 764 \pm 13 |
| capture | 138 | 135 | 140 \pm 6 |

Table 2 Resonance integrals of ^{235}U .

| | (barns) | | |
|---------|---------|------------------------|------------------------|
| | JENDL-2 | ENDF/B-IV (JENDL-1) | BNL-325 ¹⁰⁾ |
| fission | 279 | 284 | 275 \pm 5 |
| capture | 146 | 139 | 144 \pm 6 |

Table 3 Average cross sections and resonance integrals of ^{239}Pu .

| (barns) | | | | | | |
|-----------------|------------|---------|-----------|-------------|----------------|---------------|
| | JENDL-2 | JENDL-1 | ENDF/B-IV | Gwin 76(21) | Weston 72(22) | |
| σ_F | 0.05 ~ 0.1 | 60.17 | 60.30 | 56.94 | 56.96 | 58.76 |
| | 0.1 ~ 0.2 | 18.67 | 18.42 | 18.38 | 17.96 ± 0.04 | 18.41 |
| | 0.2 ~ 0.3 | 17.21 | 17.49 | 17.64 | 17.90 ± 0.05 | 17.77 |
| | 0.3 ~ 0.4 | 9.09 | 9.50 | 8.35 | 8.48 ± 0.03 | 8.43 |
| | 0.4 ~ 0.5 | 9.64 | 9.66 | 9.55 | 9.40 ± 0.05 | 9.47 |
| | 0.5 ~ 0.6 | 15.70 | 16.20 | 15.44 | 15.46 ± 0.09 | 15.64 |
| | | | | | | |
| | | | | | | |
| Energy (keV) | JENDL-2 | JENDL-1 | ENDF/B-IV | Gwin 76(21) | Sowerby 72(23) | Weston 72(22) |
| α | 0.05 ~ 0.1 | 0.62 | 0.61 | 0.64 | 0.63 | - |
| | 0.1 ~ 0.2 | 0.92 | 0.82 | 0.93 | 0.87 ± 0.015 | 0.845 ± 0.077 |
| | 0.2 ~ 0.3 | 0.98 | 0.89 | 0.99 | 0.94 ± 0.010 | 0.912 ± 0.094 |
| | 0.3 ~ 0.4 | 1.11 | 0.91 | 1.13 | 1.16 ± 0.014 | 1.15 ± 0.099 |
| | 0.4 ~ 0.5 | 0.51 | 0.40 | 0.46 | 0.44 ± 0.013 | 0.483 ± 0.058 |
| | 0.5 ~ 0.6 | 0.69 | 0.57 | 0.73 | 0.72 ± 0.040 | 0.704 ± 0.069 |
| | | | | | | |
| | | | | | | |
| | JENDL-2 | JENDL-1 | ENDF/B-IV | BNL-325(10) | | |
| R.I. | fission | 302 | 302 | 304 | 301 ± 10 | |
| | capture | 195 | 193 | 194 | 200 ± 20 | |

Table 4 Average cross sections and resonance integrals of ^{241}Pu .

| Fission cross section | | (barns) | | | | | |
|-----------------------|--------------------|-------------|----------------|----------------------|------------------------|----------------------|-----------------------|
| E_{\min} (eV) | E_{\max} (eV) | Calculated | | Experimental | | | |
| | | with B.C.S. | without B.C.S. | Blons ^{8)*} | Migneco ²⁹⁾ | James ³⁰⁾ | Weston ²⁸⁾ |
| 10 | 20 | 149.1 | 147.2 | 145.9 | 146.8 | - | 151.7 |
| 20 | 30 | 83.9 | 86.3 | 81.5 | 82.9 | 74.9 | 86.2 |
| 30 | 40 | 49.1 | 50.1 | 46.6 | 46.5 | 45.0 | 49.3 |
| 40 | 50 | 40.6 | 41.5 | 38.9 | 36.5 | 41.0 | 43.7 |
| 50 | 60 | 16.7 | 17.3 | 15.9 | 16.8 | 20.3 | 17.5 |
| 60 | 70 | 56.7 | 59.1 | 53.8 | 56.5 | 59.0 | 58.7 |
| 70 | 80 | 22.6 | 21.6 | 24.8 | 28.9 | 28.7 | 25.7 |
| 80 | 90 | 68.9 | 68.3 | 65.6 | 68.6 | 64.5 | 73.7 |
| 90 | 100 | 25.4 | 25.4 | 24.9 | 27.7 | 31.3 | 27.2 |

* Average value of the results with 11 and 50 m flight paths.

| Capture cross section | | (barns) | | | | | |
|-----------------------|--------------------|-------------|----------------|---|--------------|------------|--|
| E_{\min} (eV) | E_{\max} (eV) | Calculated | | Experimental (Weston and Todd ²⁸⁾) | | | |
| | | with B.C.S. | without B.C.S. | α | σ_c^* | σ_c | |
| 10 | 20 | 81.1 | 69.7 | 0.559 | 83.3 | \pm 5.0 | |
| 20 | 30 | 18.7 | 16.7 | 0.213 | 17.9 | \pm 1.1 | |
| 30 | 40 | 10.7 | 10.7 | 0.216 | 10.6 | \pm 0.6 | |
| 40 | 50 | 7.38 | 4.49 | 0.184 | 7.47 | \pm 0.44 | |
| 50 | 60 | 3.01 | 1.35 | 0.198 | 3.31 | \pm 0.20 | |
| 60 | 70 | 14.2 | 7.49 | 0.279 | 15.8 | \pm 0.9 | |
| 70 | 80 | 15.2 | 15.2 | 0.572 | 12.9 | \pm 0.8 | |
| 80 | 90 | 22.7 | 20.6 | 0.337 | 23.2 | \pm 1.4 | |
| 90 | 100 | 5.42 | 4.92 | 0.207 | 5.26 | \pm 0.32 | |

* Deduced from α -values using the present evaluated fission cross section. Errors are quoted 6 % errors in α -values.

| Resonance integral with cut-off energy of 3 eV | | | | (barns) | |
|--|---------|---------|-----------|------------------------------|--|
| Quantity | JENDL-2 | JENDL-1 | ENDF/B-IV | Eiland et al. ³¹⁾ | |
| fission | 531 | 524 | 527 | 569 \pm 37 | |
| capture | 172 | 138 | 115 | 162 \pm 8 | |




Fig. 1 Fission cross sections of ^{233}U in the energy range between 13 and 16 eV. The solid and dash-dotted lines are calculated from the present resonance parameters with and without the background cross section, respectively. The dotted line represents the value of ENDF/B-IV.




Fig. 2 Total, fission and capture cross sections of ^{235}U in the energy range between 50 and 60 eV. Note that the capture cross section is multiplied by the square root of neutron energy ($\sigma_c \sqrt{E}$ in barn eV $^{1/2}$ unit)




Fig. 3 Fission cross sections of ^{239}Pu in the energy range between 60 and 70 eV. The solid line represents the value of JENDL-2, the dotted line JENDL-1 and the dot-dashed line ENDF/B-IV.




Fig. 4 Fission and capture cross sections of ²⁴¹Pu in the energy range between 40 and 50 eV. The thick solid and dotted lines are calculated from the present parameters with and without the background cross sections, respectively. The thin solid and dotted lines represent the values of JENDL-1 and ENDF/B-IV, respectively.

Part II

Evaluation of Resonance Parameters of ^{238}U , ^{240}Pu and ^{242}Pu

Tsuneo NAKAGAWA[†]

Atsushi ZUKERAN^{*}

and

Masayoshi KAWAI^{**}

Japanese Nuclear Data Committee

Tokai Research Establishment

Japan Atomic Energy Research Institute

[†] Japan Atomic Energy Research Institute

^{*} Energy Research Laboratory, Hitachi, Ltd.

^{**} Nippon Atomic Industry Group Co., Ltd.

Evaluation of Resonance Parameters of ^{238}U , ^{240}Pu and ^{242}Pu T. Nakagawa[†], A. Zukeran^{*} and M. Kawai^{**}

Japanese Nuclear Data Committee, Japan Atomic Energy Research Institute

Abstract

The evaluation of the resolved resonance parameters of ^{238}U , ^{240}Pu and ^{242}Pu was performed for the second version of Japanese Evaluated Nuclear Data Library JENDL-2. In this work, all the resonance parameters measured so far were compiled and examined. The evaluation was made by mainly using recent measurements for each isotope. The presently evaluated resonances are 183 s-wave and 265 p-wave resonances up to 4.73 keV for ^{238}U , 267 s-wave resonances up to 5.69 keV for ^{240}Pu and 95 s-wave resonances up to 1.89 keV for ^{242}Pu . For ^{238}U and ^{240}Pu , negative resonances were also recommended. The multi-level Breit-Wigner formula was applied, and the their resolved resonance regions were chosen to be from 10^{-5} eV to 4 keV for ^{238}U and ^{240}Pu and from 10^{-5} eV to 1.29 keV for ^{242}Pu . Furthermore, background cross sections were determined to correct the cross sections calculated from the evaluated resonance parameters.

[†] Japan Atomic Energy Research Institute^{*} Energy Research Laboratory, Hitachi, Ltd.^{**} Nippon Atomic Industry Group Co., Ltd.

1. Introduction

The first version of Japanese Evaluated Nuclear Data Library JENDL-1¹⁾ was released in 1977. In JENDL-1, the resolved resonance parameters of ^{238}U and ^{240}Pu were mainly taken from ENDF/B-IV²⁾ because our own evaluation work had not been completed. The data of ^{242}Pu were not contained in JENDL-1.

New experimental data of resonance parameters for these three nuclides have been accumulated after the compilation of JENDL-1. For ^{238}U , low lying resonances were particularly investigated, because benchmark tests³⁾ for thermal reactors indicated that the underprediction of criticality was due to too large capture widths of the low lying resonances. Transmission measurements were carried out also at various laboratories in wide energy ranges. New measurements of the sub-threshold fission were also performed for ^{238}U , ^{240}Pu and ^{242}Pu . These new data are different from the evaluated parameters adopted in JENDL-1 more or less. This indicates the necessity for a new evaluation work of resolved resonance parameters for JENDL-2.

Our evaluation work of resolved resonance parameters was started around 1975. At first, measured resonance parameters were compiled by using the Resonance Parameter Storage and Retrieval System REPSTOR⁴⁾. Evaluation was performed on the basis of these compiled data. The present evaluation of resonance parameters was mainly based on the recent experiments. The evaluation and results are described in this paper. The results are tabulated in Appendix. The presently evaluated data were compiled in JENDL-2 with ENDF/B format⁵⁾.

2. Evaluation of Resolved Resonance Parameters

2.1 Uranium-238

At the time of the JENDL-1 compilation, the most reliable evaluated data were those by McCrosson⁶⁾ for ENDF/B-IV who took account of data measured until about 1973. Many new experiments, however, have been made by various experiments since then.

In the present evaluation, the resolved resonance parameters measured until 1980⁷⁻⁴⁴⁾ were compiled by using REPSTOR. By comparing them with one another, it was found that there were discrepancies among resonance energies and parameters. The present evaluation was carried out as follows.

Resonance energy

Systematic discrepancies were found in resonance energies reported by various experimenters. These discrepancies can be interpreted in terms of systematic errors of flight-path length and initial time delay in time-of-flight spectrometers. Neutron energies are represented as follows by using flight-path length $L(m)$, time of flight $t(sec)$ and initial time delay $t_0(sec)$,

$$E(eV) = \left(\frac{72.2977 L}{t - t_0} \right)^2. \quad (1)$$

A systematic error of E caused by errors of L and t_0 can be written as

$$\Delta E(eV) = \frac{2\Delta L}{L} E + \frac{2\Delta t_0}{72.2977 L} E^{3/2}. \quad (2)$$

In the present evaluation, measured resonance energies were compared with those of Olsen et al.³⁹⁾ which were adopted as standards. An example of energy discrepancies between Rahn et al.²⁸⁾ and Olsen et al. is shown in Fig. 1 where these discrepancies were reproduced by Eq. (2) with the least squares method. The solid curves in Fig. 1 give the fitted one and one standard deviations. After correction of resonance energies in each measurement by using Eq. (2), the resonance energies were averaged over all the measurements in order to obtain an evaluated value. In the present work, resonance levels reported by neither Poortmans et al.³⁸⁾, Olsen et al.^{36,39)} nor Nakajima⁴⁴⁾ were abandoned.

Finally we adopted 187 s-wave resonances including 4 negative ones and 265 p-wave resonances in the energy range from -113 eV to 4728.0 eV. The energy range where the cross sections are calculated from the resonance parameters was selected to be from 10^{-5} eV to 4 keV.

Neutron and capture widths

The neutron and capture widths were determined by taking account of resonance areas. In the case of ^{238}U , the resonance areas can be approximated as follows, because the sub-threshold fission widths are negligibly small.

(1) Thin sample transmission area

$$A_1 = 2\pi\lambda^2 g\Gamma_n. \quad (3)$$

(2) Thick sample transmission area

$$A_2 = 2\pi\lambda \sqrt{g\Gamma_n(\Gamma_n + \Gamma_\gamma)}. \quad (4)$$

(3) Thin sample capture area

$$A_3 = 2\pi^2 \lambda^2 g \Gamma_n \Gamma_\gamma / (\Gamma_n + \Gamma_\gamma) . \quad (5)$$

(4) Thin sample scattering area

$$A_4 = 2\pi^2 \lambda^2 g \Gamma_n^2 / (\Gamma_n + \Gamma_\gamma) . \quad (6)$$

For a certain resonance energy, these relations are essentially expressed as

$$a_1 = \Gamma_n , \quad (3')$$

$$a_2 = \sqrt{\Gamma_n (\Gamma_n + \Gamma_\gamma)} , \quad (4')$$

$$a_3 = \Gamma_n \Gamma_\gamma / (\Gamma_n + \Gamma_\gamma) , \quad (5')$$

$$a_4 = \Gamma_n^2 / (\Gamma_n + \Gamma_\gamma) . \quad (6')$$

In the present evaluation, the values of a_1 , a_2 , a_3 and a_4 were calculated from the reported values of Γ_n and Γ_γ for each measurement. The values of a_1 , a_2 , a_3 and a_4 are less discrepant than the values of Γ_n and Γ_γ among the different measurements. Then, averaged values of a_1 , a_2 , a_3 and a_4 were obtained, by giving especially high weights to new data measured after 1977. The best values of Γ_n and Γ_γ were so obtained as to minimize the following sum of squares of residuals.

$$\begin{aligned} I = & w_1 [\langle a_1 \rangle - \Gamma_n]^2 + w_2 [\langle a_2 \rangle - \sqrt{\Gamma_n (\Gamma_n + \Gamma_\gamma)}]^2 \\ & + w_3 [\langle a_3 \rangle - \frac{\Gamma_n \Gamma_\gamma}{\Gamma_n + \Gamma_\gamma}]^2 + w_4 [\langle a_4 \rangle - \frac{\Gamma_n^2}{\Gamma_n + \Gamma_\gamma}]^2, \end{aligned} \quad (7)$$

where w_1 , w_2 , w_3 and w_4 are weights for residuals, and $\langle a_1 \rangle$, $\langle a_2 \rangle$, $\langle a_3 \rangle$ and $\langle a_4 \rangle$ stand for averaged values of a_1 , a_2 , a_3 and a_4 , respectively.

Figure 2 shows an example of the evaluation of Γ_n and Γ_γ of a resonance at 66.01 eV. Measured resonance parameters are shown in the figure together with errors, and four solid curves give the relations between Γ_n and Γ_γ corresponding to $\langle a_1 \rangle$, $\langle a_2 \rangle$, $\langle a_3 \rangle$ and $\langle a_4 \rangle$. In this example, the best values of Γ_n and Γ_γ were determined to be 24.9 and 22.9 meV, respectively. This method was applied to determine the neutron and capture widths of all the resonances where more than one experiments existed.

As the results of the present work, smaller capture widths were obtained for the low lying s-wave resonances on the basis of small values in recent measurements. An average capture width obtained from the present parameters is (23.6 ± 1.9) meV which agrees well with (23.5 ± 1.2) meV which is a weighted average of the reported values.

Sub-threshold fission width

The sub-threshold fission widths were determined from the fission resonance areas measured by Difilippo et al.⁴³⁾ Finally, a total of 28 s-wave resonances were given their sub-threshold fission widths.

Effective scattering radius and formula

Olsen et al.³⁹⁾ analyzed their transmission data with a shape analysis code by the multi-level Breit-Wigner formula in various energy intervals and obtained effective scattering radii for those intervals. We adopted the multi-level Breit-Wigner formula and the effective scattering radius of 9.48 fm obtained by averaging the values of Olsen et al. below 2.2 keV.

Correction of calculated cross sections

In order to take account of contributions from negative resonances, four s-wave resonances were added artificially. The first negative resonance was located at -41 eV and its neutron width was determined so as to reproduce at 0.0253 eV the capture cross section of (2.7 ± 0.02) barns, the elastic scattering cross section of (8.90 ± 0.16) barns and the total cross section of (11.60 ± 0.16) barns recommended in BNL-325 3rd edition⁴⁵⁾.

Contributions from the resonances lying outside of the presently considered resonance range (truncation effects) were taken into account by using the picket-fence model. The truncation effects were approximated by

$$\Delta\sigma_{\text{tot}} = \frac{4\pi}{k^2} S_0 \sqrt{E} \left[\frac{\langle T \rangle}{4} - \frac{E^+ - E^- + D}{(E^+ - E + 0.5D)(E - E^- + 0.5D)} \right. \\ \left. - \frac{1}{2} \ln \left(\frac{E - E^- + 0.582D}{E^+ - E + 0.582D} \right) kR \right], \quad (8)$$

$$\Delta\sigma_{\text{cap}} = \frac{\pi}{k^2} S_0 \sqrt{E} \langle T \rangle \gamma \frac{E^+ - E^- + D}{(E^+ - E + 0.5D)(E - E^- + 0.5D)}, \quad (9)$$

$$\Delta\sigma_{\text{el}} = \Delta\sigma_{\text{tot}} - \Delta\sigma_{\text{cap}}, \quad (10)$$

where E^+ and E^- are the upper and lower limit energies, respectively, of the presently considered resonances. Equation (8) was derived by de Saussure et al.⁴⁶⁾ and Eq. (9) was obtained in this work with the same procedure. The following values were applied to calculate Eqs. (8), (9) and (10).

$$\begin{aligned} S_0 &= 1.1 \times 10^{-4}, & D &= 23.92 \text{ eV}, \\ E^+ &= 4278.0 \text{ eV}, & E^- &= -113.0 \text{ eV}, \\ R &= 9.48 \text{ fm}, & \langle \Gamma_\gamma \rangle &= 23.5 \text{ meV}. \end{aligned}$$

It was found out from a plotting of cumulative numbers of p-wave resonances that the number of p-wave resonances decreased above 1.5 keV. Taking account of contributions from the missed p-wave resonances, the capture cross section above 1.5 keV was corrected by adding small background cross section calculated by the following equation.

$$\Delta\sigma_{\text{cap}} = 3.2 \times 10^{-3} \sqrt{E} - 4.8126 \frac{1}{\sqrt{E}}. \quad (11)$$

Figure 3 shows an example of the comparison of the calculated total cross section with measured one. The solid curve shows the present value and the dashed curve JENDL-1. Table 1 lists the thermal properties of the present results. The resonance integral of the capture cross section agrees with the recommended value within the quoted error. The thermal fission cross section also agrees with measured values of $(3 \pm 5) \times 10^{-6}$ barns by Silbert and Bergen²⁵⁾ and $(2.7 \pm 0.3) \times 10^{-6}$ barns by Slovacek et al.³⁷⁾

2.2 Plutonium-240

JENDL-1 adopted the resonance parameters of ENDF/B-IV²⁾ up to 3.91 keV, which used the multi-level Breit-Wigner formula in order to avoid the negative values of the elastic scattering cross section. The parameters were given for 201 s-wave resonances including a negative resonance at -4.099 eV, 20 of which were given the sub-threshold fission widths. The present evaluation of ²⁴⁰Pu resonance parameters was made by using all the experimental data⁴⁷⁻⁶⁶⁾ reported so far.

Resonance energy

The resonance energy of the lowest level was determined to be 1.056 eV on the basis of the measurement by Pattenden and Rainey⁵¹⁾. The other resonance energies above 20 eV were based on the transmission measurement by Kolar and Böckhoff⁵⁸⁾. A negative resonance at -4.099 eV was taken from ENDF/B-IV. Finally a total of 268 resonances from -4.099 eV to 5.692 keV were adopted, and the resolved resonance energy region was defined to be from 10^{-5} eV to 4 keV.

Neutron and capture widths

The resonance parameters of the first resonance at 1.056 eV were taken from the total cross section measurement made by Pattenden and Rainey, and those of the negative resonance from the ENDF/B-IV evaluation.

The neutron and capture widths of resonances from 20 eV to 500 eV were based on the experimental data by Hockenbury et al.⁶³⁾ which agree with those by Kolar and Böckhoff. For the resonances from 500 eV to 5.7 keV, the neutron widths obtained by Kolar and Böckhoff were adopted. For the resonances whose capture widths were not reported, the value of 29.5 meV was assumed by averaging the data of Hockenbury et al. This assumed value is higher than the average value of 23.2 meV obtained by Weigmann and Schmid⁵⁹⁾. Weigmann and Theobald⁶⁴⁾, however, reanalyzed the experimental data by Weigmann and Schmid, and obtained the higher average capture width of (32 ± 2) meV. The ENDF/B-IV evaluation also assumed the value of 29.5 meV.

Sub-threshold fission width

The sub-threshold fission widths were taken from the measured data by Auchampaugh and Weston⁶⁶⁾ in the energy range of 500 eV to 10 keV with the ORELA neutron facility. They obtained the sub-threshold fission widths for 82 resonances with the area and shape analyses by assuming the neutron widths deduced by Kolar and Böckhoff. Furthermore, Auchampaugh and Weston estimated the minimum fission width $\Gamma_{f,\min}$ with the formula^{66,67)} by Gai et al. in terms of the penetrabilities through the inner and outer fission barriers,

$$\Gamma_{f,\min} = \frac{1}{2} \pi \left(\frac{\Gamma^+ \Gamma^\uparrow}{D_{II}} \right) D_I, \quad (12)$$

where $\Gamma^+ = \frac{P_A}{2\pi} D_{II}$, $\Gamma^\uparrow = \frac{P_B}{2\pi} D_{II}$,

P_A, P_B = penetrabilities for the inner and outer barriers,
 D_I, D_{II} = average class-I and class-II level spacing.

Auchampaugh and Weston obtained the $\Gamma_{f,\min}$ value of (0.22 ± 0.17) meV which was a little higher than 0.20 meV of the ENDF/B-IV value. These 82 sub-threshold fission widths and the minimum fission width of 0.22 meV were used in the present work.

Correction of calculated cross sections

The average capture cross section is compared in Table 2 with the measured data by Weston and Todd⁶⁸⁾. The differences between them were corrected by applying the background cross sections.

The multi-level Breit-Wigner formula was adopted together with the effective scattering radius of 9.184 fm which is the same as that of ENDF/B-IV. Figure 4 shows the fission cross sections calculated from the present and ENDF/B-IV parameters as well as experimental data. The capture and fission cross sections at 0.0253 eV and their resonance integrals are compared with the recommended values of BNL-325 3rd edition in Table 1. All the values are in agreement with the recommended ones in the quoted errors.

2.3 Plutonium-242

In the case of ^{242}Pu , resolved resonance parameters are given to only eleven levels up to 390 eV in ENDF/B-IV²⁾. They were evaluated on the basis of the data⁶⁹⁻⁷⁴⁾ measured until 1971. After the ENDF/B-IV evaluation, several new measurements were performed. Bergen and Fullwood⁷⁵⁾ measured the sub-threshold fission cross section by using nuclear explosion and obtained the fission widths of 23 resonances lying from 53.4 to 788.2 eV. Poortmans et al.⁷⁶⁾ determined Γ_n and Γ_γ of 72 levels from 2.68 eV to 1286 eV on the basis of the scattering capture and transmission data measured with the CBNM linac. Harvey et al.⁷⁷⁾, Hockenbury et al.⁷⁸⁾ and Auchampaugh and Bowman⁷⁹⁾ obtained

Γ_n values of resonances from 22.57 eV to 494.75 eV, from 205.0 eV to 382.4 eV and from 595.2 eV to 3836 eV, respectively, by using their transmission data. Auchampaugh and Bowman gave also the sub-threshold fission widths on the basis of another measurement⁸⁰⁾ of the sub-threshold fission cross section.

In the present evaluation, the measured data mentioned above were compiled together with old ones by using REPSTOR and examined, and a complete set of resolved resonance parameters was determined up to 1891 eV. The multi-level Breit-Wigner formula was applied.

Resonance energy

Resonance energies up to 1891 eV were taken from the recommended values of BNL-325 3rd edition⁴⁵⁾, but the resolved resonance energy region was determined to be from 10^{-5} eV to 1290 eV because resonance parameters were not given between 1290 to 1700 eV.

Neutron and capture widths

The neutron and capture widths were determined by averaging the measured values. The obtained neutron widths are close to those of Poortmans et al.⁷⁶⁾ and Auchampaugh and Bowman⁷⁹⁾. For the resonances whose capture widths were not measured, the value of 24.2 meV was applied.

Sub-threshold fission width

The sub-threshold fission widths were deduced from the fission areas given by Bergen and Fullwood⁷⁵⁾ and by Auchampaugh and Bowman⁷⁹⁾. In order to give the sub-threshold fission widths to the resonances whose fission widths were not measured, an average was taken over the resonances locating outside an intermediate fission resonance near 750 eV. The average value of 0.116 meV was thus obtained in the energy range from 200 to 900 eV, and was applied in this energy region. For the other energy regions, $\Gamma_f = 0.05$ meV was assumed, by taking account of the neutron energy dependence of the sub-threshold fission width near the intermediate fission resonance.

Correction of calculated cross sections

Using the resonance parameters thus obtained and the effective scattering radius of 9.6 fm recommended in BNL-325 3rd edition, the

cross sections were calculated. It was found that the thermal capture cross section agreed well with the experimental values^{70,73,74,81,82)}, and the thermal fission cross section fell below the experimental upper limit of 0.2 barns. The elastic scattering and total cross sections, however, were lower than recommended values of BNL-325 3rd edition. We corrected them by adding the background cross sections of 0.67 barns so as to reproduce the measured data of the elastic⁸³⁾ and total cross sections^{73,74)}.

Table 1 shows comparison of thermal cross sections and resonance integrals with values recommended in BNL-325 3rd edition. The present resonance integral for capture agrees well with the BNL-325 data and the measured data by Young et al.^{73,74)}, and the value for fission is slightly larger than the BNL-325 recommendation. Figure 5 displays the total cross section in the energy range of 1 eV to 100 eV. The present result shown with a thick solid line slightly underestimates the total cross section at off-resonance energies. The same problems are also found in the other evaluations. This disagreement may be diminished by the adjustment of the scattering radius. The evaluated fission cross sections are shown in Fig. 6 below 10 keV. There are very large discrepancies among the present results, ENDF/B-V⁸⁴⁾, KEDAK-3⁸⁵⁾ and ENDL-78⁸⁶⁾. Particularly the present fission cross section is higher than the others by an order of magnitude below 0.5 eV as seen in Fig. 6.

Average resonance parameters were obtained from the presently evaluated parameters below 500 eV which were regarded as s-wave resonances. They are $D_0 = 13.04$ eV, $S_0 = 0.85 \times 10^{-4}$ and $\bar{\Gamma}_\gamma = 24.2$ meV.

3. Concluding Remarks

The evaluation of the resolved resonance parameters of ^{238}U , ^{240}Pu and ^{242}Pu was performed for the second version of Japanese Evaluated Nuclear Data Library JENDL-2 by using all the experimental data reported so far. The evaluated parameters are listed in Appendix. The multi-level Breit-Wigner formula was adopted to avoid the negative values in the elastic scattering cross section.

The neutron and capture widths of ^{238}U were determined by applying the least squares method to resonance areas. The capture widths of the low lying resonances became smaller than those of ENDF/B-IV. The

evaluated fission widths were based on the measured fission areas. The resonance energies were determined by averaging the values of recent measurements after correction of their systematic errors. Finally 183 s-wave and 265 p-wave resonances were recommended up to 4.73 keV.

A total of 267 resonances up to 5.69 keV were recommended for ^{240}Pu . Their sub-threshold fission widths were obtained by taking account of the ORELA measurement by Auchampaugh and Weston. The resonance parameters of ^{242}Pu were determined for 95 resonances up to 1.89 keV. Their neutron and capture widths were obtained by averaging the measured values, and the sub-threshold fission widths were given to all the resonances on the basis of measured fission areas. All the resonances were assigned as s-wave resonances for ^{240}Pu and ^{242}Pu . This seems improbable taking account of the situation of ^{238}U . Probably some p-wave resonances were misassigned as s-wave ones and some p-wave resonances might be missing.

The energy region where the cross sections are calculated from the parameters were determined to be from 10^{-5} eV to 4 keV for ^{238}U and ^{240}Pu , and from 10^{-5} eV to 1.29 keV for ^{242}Pu . The background cross sections were also evaluated in order to reproduce well the measured cross sections. The thermal fission and capture cross sections and their resonance integrals agree with the recommended values in BNL-325 3rd edition.

The authors thank to the members of Working Group on Heavy-Nuclide Nuclear Data for their useful discussion during the present work.

References

- 1) Igarasi, S., Nakagawa, T., Kikuchi, Y., Asami, T. and Narita, T.: "Japanese Evaluated Nuclear Data Library, Version-1, --JENDL-1--", JAERI 1261 (1979).
- 2) Compiled by Garber, D.: "ENDF/B Summary Documentation", ENDF-201 (1975).
- 3) Edited by Pearlstein, S.: "Seminar on ^{238}U Resonance Capture", BNL-NCS-50451 (1975).
- 4) Nakagawa, T.: "Computer Codes for Neutron Data Evaluation", JAERI-M 8163, 51 (1979) [in Japanese].
- 5) Garber, D., Dunford, C. and Pearlstein, S.: "Data Formats and Procedures for the Evaluated Nuclear Data File, ENDF", ENDF-102 (1975).
- 6) McCrosson, F. J.: "Evaluation of ^{238}U cross sections for ENDF/B-IV", Seminar on ^{238}U Resonance Capture, BNL-NCS-50451, p. 122 (1975).
- 7) Harvey, J. A., Hughes, D. J., Carter, R. S. and Pilcher, V. E.: Phys. Rev. 99, 10 (1955).

- 8) Lynn, J. E. and Pattenden, N. J.: "The Slow Neutron Cross Sections of the Uranium Isotopes", Proc. of the International Conference on the Peaceful Uses of Atomic Energy, Geneva (1955), vol. 4, 210.
- 9) Fluharty, R. G., Simpson, F. B. and Simpson, O. D.: Phys. Rev. 103, 1778 (1956).
- 10) Levin, J. S. and Hughes, D. J.: Phys. Rev. 101, 1328 (1956).
- 11) Bollinger, L. M., Cote, R. E., Dahlberg, D. A. and Thomas, G. E.: Phys. Rev. 105, 661 (1957).
- 12) Radkevich, I. A., Vladimirska, V. V. and Sokolovsky, V. V.: J. Nucl. Energy 5, 107 (1957).
- 13) Leonard, Jr. B. R. and Odegaard, R. H.: "Sub-threshold Fission - ^{236}U , ^{238}U , ^{240}Pu , ^{241}Pu , ^{231}Pa ", HW-67219 (1960).
- 14) Rosen, J. L., Desjardins, J. S., Rainwater, J. and Havens, Jr. W. W.: Phys. Rev. 118, 687 (1960).
- 15) Jackson, H. E. and Lynn, J. E.: Phys. Rev. 127, 461 (1962).
- 16) Moxon, M. C. and Mycock, C. M.: Quoted from BNL 325 (2nd edition).
- 17) Firk, F. W. K., Lynn, J. E. and Moxon, M. C.: Nucl. Phys. 41, 614 (1963).
- 18) Garg, J. B., Rainwater, J., Peterson, J. S. and Havens, Jr. W. W.: Phys. Rev. 134, B985 (1964).
- 19) Asghar, M., Chaffey, C. M. and Moxon, M. C.: Nucl. Phys. 85, 305 (1966).
- 20) Bollinger, L. M. and Thomas, G. E.: Phys. Rev. 171, 1293 (1968).
- 21) Glass, N. W., Schelberg, A. D., Tatro, L. D. and Warren, J. H.: " ^{238}U Neutron Capture Results from Bomb Source Neutrons", Proc. of the Second Conference on Neutron Cross Sections and Technology, Washington (1968), Vol. 1, 573.
- 22) Carraro, G. and Kolar, W.: "Neutron Widths of ^{238}U from 60 eV to 5.7 keV", Proc. of the Conference on Nuclear Data for Reactors, Helsinki (1970), Vol. 1, 403.
- 23) Rohr, G., Weigmann, H. and Winter, J.: "Resonance Parameters from Neutron Radiative Capture in ^{238}U ", Proc. of the Conference on Nuclear Data for Reactors, Helsinki (1970), Vol. 1, 413.
- 24) Carraro, G. and Kolar, W.: "Total Neutron Cross Section Measurements of ^{238}U ", Proc. of the Third Conference on Neutron Cross Section and Technology, Knoxville (1971), Vol. 2, 701.
- 25) Silbert, M. G. and Bergen, D. W.: Phys. Rev. C4, 220 (1971).
- 26) Wasson, O. A., Chrien, R. E., Slaughter, G. G. and Harvey, J. A.: Phys. Rev. C4, 900 (1971).
- 27) Malecki, H., Pikel'ner, L. B., Salamatin, M. and Sharapov, F. I.: Atomnaya Energiya 32, 49 (1972).
- 28) Rahn, F., Camarda, H. S., Hacken, G., Hevens, Jr. W. W., Liou, H. I., Rainwater, J., Slagowitz, M. and Wynchank, S.: Phys. Rev. C6, 1854 (1972).
- 29) Block, R. C., Hockenbury, R. W., Slovacek, R. E., Bean, E. B. and Cramer, D. S.: Phys. Rev. Letters 31, 247 (1973).

- 30) de Saussure, G., Silver, E. G., Perez, R. B., Ingle, R. and Weaver, H.: Nucl. Sci. Eng. 51, 385 (1973).
- 31) Ceulemans, H.: "Resonance Scattering Cross-Section of ^{238}U below 220 eV", Proc. of the Specialist Meeting on Resonance Parameters of Fertile Nuclei and ^{239}Pu , Saclay (1974), 145.
- 32) Corvi, F., Rohr, G. and Weigmann, H.: "p-wave Assignment of ^{238}U Resonances", Proc. of a Conference on Nuclear Cross Sections and Technology, Washington (1975), Vol. 2, 732.
- 33) Wartena, J. A., Weigmann, H. and Migneco, E.: "On Sub-barrier Fission in ^{238}U ", Proc. of a Conference on Nuclear Cross Sections and Technology, Washington (1975), Vol. 2, 597.
- 34) Difilippo, F. C., Perez, R. B., de Saussure, G., Olsen, D. K. and Ingle, R. W.: Nucl. Sci. Eng. 63, 153 (1977).
- 35) Liou, H. I. and Chrien, R. E.: Nucl. Sci. Eng. 62, 463 (1977).
- 36) Olsen, D. K., de Saussure, G., Perez, R. B., Silver, E. G., Difilippo, F. C., Ingle, R. W. and Weaver, H.: Nucl. Sci. Eng. 62, 479 (1977).
- 37) Slovacek, R. E., Cramer, D. S., Bean, E. B., Valentine, J. R., Hockenbury, R. W. and Block, R. C.: Nucl. Sci. Eng. 62, 455 (1977).
- 38) Poortmans, F., Cornelis, E., Mewissen, L., Rohr, G., Shelley, R., van der Veen, T., Vanpraet, G. and Weigmann, H.: "Cross Sections and Neutron Resonance Parameters for ^{238}U below 4 keV", Proc. of the International Conference on the Interactions of Neutrons with Nuclei, Lowell (1976), 1264.
- 39) Olsen, D. K., de Saussure, G., Perez, R. B., Difilippo, F. C., Ingle, R. W. and Weaver, H.: Nucl. Sci. Eng. 69, 202 (1979).
- 40) Stavealoz, P., Poortmans, F., Mewissen, L. and Cornelis, E.: Nucl. Sci. Eng. 66, 349 (1978).
- 41) Block, R. C., Harris, D. R., Kim, S. H. and Kobayashi, K.: " ^{238}U Resonance Self-Indication Capture Measurements and Analysis", EPRI NP-996 (1979).
- 42) Haste, T. J. and Moxon, M. C.: "Resonance Parameters of ^{238}U below a Neutron Energy of 520 eV", Proc. of an International Conference on Neutron Physics and Nuclear Data, Harwell (1978), 337.
- 43) Difilippo, F. C., Perez, R. B., de Saussure, G., Olsen, D. K. and Ingle, R. W.: Phys. Rev. C21, 1400 (1980).
- 44) Nakajima, Y.: Ann. Nucl. Energy 7, 25 (1980).
- 45) Mughabghab, S. F. and Garber, D. I.: "Neutron Cross Sections Vol. 1, Resonance Parameters", BNL-325, 3rd Edition Vol. 1 (1973).
- 46) de Saussure, G., Olsen, D. K. and Perez, R. B.: Nucl. Sci. Eng. 61, 496 (1976).
- 47) Estwood, T. A., Baerg, A. P., Bigham, C. B., Brown, F., Cabell, M. J., Grummitt, W. E., Roy, J. C., Roy, L. P. and Schuman, R. P.: "Radiochemical Methods Applied to the Determination of Cross Sections of Reactor Interest", Proc. of the Second United Nations International Conference on the Peaceful Uses of Atomic Energy, Geneva (1958), Vol. 16, 54.

- 48) Fields, P. R., Ryle, G. L., Ingram, M. G., Diamond, H., Studier, M. H. and Manning, W. H.: Nucl. Sci. Eng. 1, 62 (1956).
- 49) Roose, H., Cooper, W. A. and Tattersall, R. B.: "The Use of the Pile Oscillator in Thermal Reactor Problems", Proc. of the Second United Nations International Conference on the Peaceful Uses of Atomic Energy, Geneva (1958), Vol. 16, 34.
- 50) Halperin, J. H., Oliver, J. O. and Pamerance, H. S.: J. Inorg. Nucl. Chem. 2, 1 (1959).
- 51) Pattenden, N. J. and Rainey, V. S.: J. Nucl. Energy 11, 14 (1959).
- 52) Block, R. C., Slaughter, G. G., Pattenden, N. J. and Harvey, J. A.: "The ORNL Fast-Chopper Time-of-Flight Neutron Spectrometer", Proc. of IAEA Symposium on Pile Neutron Research, Vienna (1960), 535.
- 53) Block, R. C., Slaughter, G. G. and Harvey, J. A.: Nucl. Sci. Eng. 8, 112 (1960).
- 54) Cabell, M. J. and Wilkins, M.: J. Inorg. Nucl. Chem. 28, 2467 (1966).
- 55) Lounsbury, M., Durham, R. W. and Hanna, G. C.: "Measurements of Alpha and Fission Cross Section Ratios for U-233, U-235 and Pu-239 at thermal Energies", Proc. of the Conference on Nuclear Data for Reactors, Helsinki (1970), Vol. 1, 287.
- 56) Ramakrishna, D. V. S. and Navalkar, M. P.: "Determination of Resonance Parameters of Pu-240 using a Crystal Spectrometer", Proc. of the Conference on Nuclear Data for Reactors, Helsinki (1970),
- 57) Asghar, M., Moxon, M. C. and Pattenden, N. J.: "Neutron Resonance Parameters of ²⁴⁰Pu", Proc. of Conference on Nuclear Data for Reactors, Paris (1966), Vol. 2, 145.
- 58) Kolar, W. and Böckhoff, K. H.: J. Nucl. Energy 22, 299 (1968).
- 59) Weigmann, H. and Schmid, H.: J. Nucl. Energy 22, 317 (1968).
- 60) Migneco, E. and Theobald, J. P.: "Resonance Grouping Structure in Neutron Induced Sub-threshold Fission of Pu-240", Proc. of the Second Conference on Neutron Cross Sections and Technology, Washington (1968), Vol. 1, 527.
- 61) Cao, M. G., Migneco, E., Theobald, J. P. and Wartena, J. A.: "Scattering Cross Section of Pu-240", Proc. of the Second Conference on Neutron Cross Sections and Technology, Washington (1968), Vol. 1, 513.
- 62) Asghar, M., Moxon, M. C. and Pattenden, N. J.: "Neutron Capture Measurements in the Resonance Parameters of Pu-240", FANDC(UK) 103AL (1968).
- 63) Hockenbury, R. W., Moyer, W. R. and Block, R. C.: Nucl. Sci. Eng. 49, 153 (1972).
- 64) Weigmann, H. and Theobald, J. P.: J. Nucl. Energy 26, 643 (1972).
- 65) Moxon, M. C.: private communication to Weigmann, H. and Theobald, J. P., see Ref. 64.
- 66) Auchampaugh, G. F. and Weston, L. W.: Phys. Rev. C12, 1850 (1975).
- 67) Lynn, J. E.: "Structure in Sub-threshold Fission Modes", AERE-R 5891 (1968).
- 68) Weston, L. W. and Todd, J. H.: Nucl. Sci. Eng. 63, 143 (1977).
- 69) Egelstaff, P. A., Gayther, D. B. and Nicholson, K. P.: J. Nucl. Energy 6, 303 (1958).

- 70) Coté, R. E., Bollinger, L. M., Barnes, R. F. and Diamond, H.: Phys. Rev. 114, 505 (1959).
- 71) Pattenden, N. J.: "Slow Neutron Transmission Measurements on Pu-242", Proc. of the International Conference on the study of Nuclear Structure with Neutrons, Antwerp (1965), 93.
- 72) Auchampaugh, G. F., Bowman, C. D., Coops, M. S. and Fultz, S. C.: Phys. Rev. 146, 840 (1966).
- 73) Young, T. E. and Reeder, S. D.: Nucl. Sci. Eng. 40, 389 (1970).
- 74) Young, T. E., Simpson, F. B. and Tate, R. E.: Nucl. Sci. Eng. 43, 341 (1971).
- 75) Bergen, D. W. and Fullwood, R. R.: Nucl. Phys. A163, 577 (1971).
- 76) Poortmans, F., Rohr, G., Theobald, J. P., Weigmann, H. and Vanpraet, G. J.: Nucl. Phys. A207, 342 (1973).
- 77) Harvey, J. A., Hill, N. W., Benjamin, R. W., Ahlfeld, C. E., Simpson, F. B., Simpson, O. D. and Miller, H. G.: "Neutron Total Cross Section of ^{248}Cm and ^{242}Pu from 0.5 to 5000 eV", ORNL-4844, 90 (1973).
- 78) Hockenbury, R. W., Sanislo, A. J. and Kaushal, N. N.: "KeV Capture Cross Section of ^{242}Pu ", Proc. of Fourth International Conference on Nuclear Cross Sections and Technology, Washington (1975), 584.
- 79) Auchampaugh, G. F. and Bawman, C. D.: Phys. Rev. C7, 2085 (1973).
- 80) Auchampaugh, G. F., Farrell, J. A. and Bergen, D. W.: Nucl. Phys. A171, 31 (1971).
- 81) Durham, R. W. and Molson, F.: Can. J. Phys. 48, 716 (1970).
- 82) Butler, J. P., Lousbury, M. and Merritt, J. S.: Can. J. Phys. 35, 147 (1957).
- 83) Lander, G. H. and Mueller, M. H.: Acta Crystallographica B27, 2284 (1971).
- 84) Mann, F. M. and Schenter, R. E.: "HEDL Evaluation of Actinide Cross Sections for ENDF/B-V", HEDL-TME 77-54 (1977).
- 85) Goel, B.: Contribution to the NEANDC Specialist Meeting on Nuclear Data of Higher Plutonium and Americium Isotopes for Reactor Applications, BNL (1978).
- 86) Howerton, R. J. and MacGregor, M. H.: "The LLL Evaluated Nuclear Data Library (ENDL) Descriptions of Individual Evaluations for Z = 0 - 98", UCRL-50400, Vol. 15, Part D (1978).

Table 1 Comparison of thermal properties*

| Isotope | Quantity | BNL-325 (3rd) | JENDL-2 |
|-------------------|-----------------------|-------------------|-----------------------|
| ^{238}U | σ_{cap} | 2.70 ± 0.02 | 2.699 |
| | σ_f | | 3.86×10^{-6} |
| | I_γ | 275 ± 5 | 279 |
| | I_f | | 2.05 |
| ^{240}Pu | σ_{cap} | 289.5 ± 1.4 | 288.5 |
| | σ_f | 0.030 ± 0.045 | 0.0676 |
| | I_γ | 8013 ± 960 | 8454 |
| | I_f | | 10.1 |
| ^{242}Pu | σ_{cap} | 18.5 ± 0.4 | 18.43 |
| | σ_f | < 0.2 | 0.013 |
| | I_γ | 1130 ± 60 | 1117 |
| | I_f | 5 | 6.3 |

* All the values are given in barns.

Table 2 Background values for the ^{240}Pu capture cross section*

| E (keV) | experiment ⁶⁸⁾ (E) | calculated (C) | E-C | adopted background** |
|-----------|-------------------------------|----------------|-------|----------------------|
| 0.1 - 0.3 | 8.71 ± 0.61 | 7.15 | 1.56 | |
| 0.3 - 0.4 | 10.27 ± 0.72 | 8.00 | 2.27 | 1.92 |
| 0.4 - 0.5 | 6.60 ± 0.46 | 6.24 | 0.36 | |
| 0.5 - 0.6 | 7.14 ± 0.50 | 6.34 | 0.80 | 0.80 |
| 0.6 - 0.7 | 5.09 ± 0.36 | 3.85 | 1.24 | |
| 0.7 - 0.8 | 2.63 ± 0.18 | 1.71 | 0.92 | |
| 0.8 - 0.9 | 6.63 ± 0.46 | 3.73 | 2.92 | 1.60 |
| 0.9 - 1.0 | 5.53 ± 0.39 | 4.55 | 0.98 | |
| 1.0 - 1.5 | 3.50 ± 0.25 | 2.44 | 1.06 | |
| 1.5 - 2.0 | 3.03 ± 0.21 | 2.01 | 1.02 | 1.04 |
| 2.0 - 3.0 | 2.42 ± 0.17 | 1.43 | 0.99 | 0.99 |
| 3.0 - 4.0 | 1.89 ± 0.13 | 0.798 | 1.092 | 1.092 |

* All the values are given in barns.

** Average values of (E-C) were adopted as background cross sections.




Fig. 1 Resonance energy discrepancies in ^{238}U between the measurements by Rahn et al. and by Olsen et al. Solid curves show the fitted values with the least squares method and its one standard deviations.




Fig. 2 Typical example of relations between neutron and capture widths of ^{238}U resonance at 66.01 eV. Four curves a_1 , a_2 , a_3 and a_4 represent the relations by Eqs. (3'), (4'), (5') and (6') , respectively, corresponding to the average values obtained from the reported resonance parameters.





Fig. 3 Total cross sections of ^{238}U in the energy range from 50 eV to 100 eV.

Fig. 4 Fission cross sections of ^{240}Pu up to 100 eV.




Fig. 5 Total cross sections of ^{242}Pu in the energy range from 1 to 100 eV.




Fig. 6 Average fission cross sections of ^{242}Pu in the energy range from 0.01 eV to 10 keV.

Part III

Appendix

List of Resonance Parameters Adopted in JENDL-2

U-233

1

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| -2.81 | 0 | 2.5 | 754.5 | 4.5 | 30.0 | 720.0 | JENDL-2 |
| 0.17 | 0 | 2.5 | 100.0 | 0.0002 | 40.0 | 60.0 | JENDL-2 |
| 1.45 | 0 | 2.5 | 530.11 | 0.11 | 30.0 | 500.0 | JENDL-2 |
| 1.78 | 0 | 2.5 | 260.334 | 0.334 | 50.0 | 210.0 | JENDL-2 |
| 2.17 | 0 | 2.5 | 125.03 | 0.03 | 10.0 | 115.0 | JENDL-2 |
| 2.29 | 0 | 2.5 | 110.17 | 0.17 | 50.0 | 60.0 | JENDL-2 |
| 3.49 | 0 | 2.5 | 500.07 | 0.07 | 45.0 | 455.0 | JENDL-2 |
| 3.62 | 0 | 2.5 | 185.1 | 0.1 | 50.0 | 135.0 | JENDL-2 |
| 4.76 | 0 | 2.5 | 900.31 | 0.31 | 45.0 | 855.0 | JENDL-2 |
| 5.89 | 0 | 2.5 | 320.133 | 0.13282 | 39.0 | 281.0 | JENDL-2 |
| 6.27 | 0 | 2.5 | 538.052 | 6.178-2 | 39.0 | 499.0 | JENDL-2 |
| 6.64 | 0 | 2.5 | 500.313 | 0.31264 | 39.0 | 461.0 | JENDL-2 |
| 6.82 | 0 | 2.5 | 138.796 | 0.79645 | 39.0 | 99.0 | JENDL-2 |
| 7.5 | 0 | 2.5 | 200.028 | 0.028 | 39.0 | 161.0 | JENDL-2 |
| 8.0 | 0 | 2.5 | 2039.08 | 0.08 | 39.0 | 2000.0 | JENDL-2 |
| 8.64 | 0 | 2.5 | 339.05 | 0.05 | 39.0 | 300.0 | JENDL-2 |
| 9.26 | 0 | 2.5 | 298.12 | 0.12 | 39.0 | 259.0 | JENDL-2 |
| 9.71 | 0 | 2.5 | 500.06 | 0.06 | 39.0 | 461.0 | JENDL-2 |
| 10.39 | 0 | 2.5 | 316.662 | 1.6618 | 57.0 | 258.0 | JENDL-2 |
| 10.66 | 0 | 2.5 | 1000.01 | 8.606-3 | 39.0 | 961.0 | JENDL-2 |
| 11.31 | 0 | 2.5 | 439.2 | 0.2 | 39.0 | 400.0 | JENDL-2 |
| 11.89 | 0 | 2.5 | 2000.5 | 0.5 | 39.0 | 1951.0 | JENDL-2 |
| 12.79 | 0 | 2.5 | 310.446 | 1.4457 | 55.0 | 254.0 | JENDL-2 |
| 13.45 | 0 | 2.5 | 144.056 | 5.619-2 | 39.0 | 105.0 | JENDL-2 |
| 13.73 | 0 | 2.5 | 255.309 | 0.30863 | 39.0 | 216.0 | JENDL-2 |
| 15.33 | 0 | 2.5 | 122.464 | 0.46448 | 30.0 | 92.0 | JENDL-2 |
| 15.47 | 0 | 2.5 | 255.473 | 0.47292 | 39.0 | 218.0 | JENDL-2 |
| 15.82 | 0 | 2.5 | 200.02 | 0.02 | 39.0 | 161.0 | JENDL-2 |
| 16.2 | 0 | 2.5 | 426.896 | 0.89638 | 39.0 | 387.0 | JENDL-2 |
| 16.56 | 0 | 2.5 | 219.706 | 0.70587 | 39.0 | 180.0 | JENDL-2 |
| 17.97 | 0 | 2.5 | 208.32 | 0.32005 | 39.0 | 169.0 | JENDL-2 |
| 18.28 | 0 | 2.5 | 379.015 | 0.015 | 39.0 | 340.0 | JENDL-2 |
| 18.48 | 0 | 2.5 | 135.158 | 0.15834 | 39.0 | 96.0 | JENDL-2 |
| 18.96 | 0 | 2.5 | 317.754 | 1.7538 | 22.0 | 294.0 | JENDL-2 |
| 19.63 | 0 | 2.5 | 2500.39 | 0.39487 | 39.0 | 2461.0 | JENDL-2 |
| 20.59 | 0 | 2.5 | 364.773 | 0.77279 | 39.0 | 325.0 | JENDL-2 |
| 21.58 | 0 | 2.5 | 2000.59 | 0.58669 | 39.0 | 1961.0 | JENDL-2 |
| 21.86 | 0 | 2.5 | 255.062 | 1.0621 | 39.0 | 215.0 | JENDL-2 |
| 22.34 | 0 | 2.5 | 415.332 | 3.3317 | 48.0 | 364.0 | JENDL-2 |
| 22.9 | 0 | 2.5 | 692.554 | 0.55448 | 39.0 | 653.0 | JENDL-2 |
| 23.75 | 0 | 2.5 | 453.554 | 0.55419 | 39.0 | 414.0 | JENDL-2 |
| 24.3 | 0 | 2.5 | 1000.52 | 0.51997 | 39.0 | 961.0 | JENDL-2 |
| 25.25 | 0 | 2.5 | 274.74 | 0.73993 | 39.0 | 235.0 | JENDL-2 |
| 25.78 | 0 | 2.5 | 660.522 | 0.52169 | 39.0 | 621.0 | JENDL-2 |
| 26.25 | 0 | 2.5 | 495.239 | 0.23672 | 39.0 | 456.0 | JENDL-2 |
| 26.62 | 0 | 2.5 | 260.358 | 0.35778 | 39.0 | 221.0 | JENDL-2 |
| 26.88 | 0 | 2.5 | 592.154 | 0.15398 | 39.0 | 553.0 | JENDL-2 |
| 27.76 | 0 | 2.5 | 900.508 | 0.5083 | 39.0 | 861.0 | JENDL-2 |
| 28.07 | 0 | 2.5 | 168.028 | 2.784-2 | 39.0 | 129.0 | JENDL-2 |
| 28.28 | 0 | 2.5 | 230.233 | 0.23343 | 39.0 | 191.0 | JENDL-2 |
| 29.04 | 0 | 2.5 | 541.764 | 1.7641 | 39.0 | 501.0 | JENDL-2 |
| 29.58 | 0 | 2.5 | 112.138 | 0.13826 | 39.0 | 73.0 | JENDL-2 |
| 30.35 | 0 | 2.5 | 396.154 | 0.15384 | 39.0 | 357.0 | JENDL-2 |
| 30.72 | 0 | 2.5 | 261.627 | 0.52701 | 37.0 | 224.0 | JENDL-2 |
| 31.33 | 0 | 2.5 | 325.298 | 0.29827 | 39.0 | 286.0 | JENDL-2 |
| 31.69 | 0 | 2.5 | 600.465 | 0.46464 | 39.0 | 561.0 | JENDL-2 |
| 32.01 | 0 | 2.5 | 217.951 | 0.95107 | 39.0 | 178.0 | JENDL-2 |
| 33.14 | 0 | 2.5 | 740.719 | 0.71939 | 39.0 | 701.0 | JENDL-2 |
| 33.95 | 0 | 2.5 | 1301.79 | 1.786 | 39.0 | 1261.0 | JENDL-2 |
| 34.51 | 0 | 2.5 | 648.192 | 1.1924 | 48.0 | 599.0 | JENDL-2 |
| 35.25 | 0 | 2.5 | 395.238 | 0.2383 | 39.0 | 356.0 | JENDL-2 |
| 35.75 | 0 | 2.5 | 900.683 | 0.68306 | 39.0 | 861.0 | JENDL-2 |
| 36.53 | 0 | 2.5 | 197.798 | 0.79785 | 39.0 | 158.0 | JENDL-2 |
| 37.2 | 0 | 2.5 | 420.094 | 9.369-2 | 39.0 | 381.0 | JENDL-2 |
| 37.48 | 0 | 2.5 | 395.697 | 0.69679 | 39.0 | 356.0 | JENDL-2 |
| 39.33 | 0 | 2.5 | 686.794 | 0.794 | 39.0 | 647.0 | JENDL-2 |
| 39.83 | 0 | 2.5 | 445.266 | 0.26599 | 39.0 | 406.0 | JENDL-2 |
| 40.41 | 0 | 2.5 | 901.062 | 1.0616 | 39.0 | 861.0 | JENDL-2 |
| 41.03 | 0 | 2.5 | 175.34 | 0.34 | 39.0 | 136.0 | JENDL-2 |
| 41.79 | 0 | 2.5 | 392.035 | 3.534-2 | 39.0 | 353.0 | JENDL-2 |
| 42.09 | 0 | 2.5 | 592.137 | 0.13727 | 39.0 | 553.0 | JENDL-2 |
| 42.62 | 0 | 2.5 | 209.77 | 0.77 | 57.0 | 152.0 | JENDL-2 |
| 43.5 | 0 | 2.5 | 341.4 | 0.4 | 20.0 | 321.0 | JENDL-2 |
| 44.52 | 0 | 2.5 | 519.3 | 0.3 | 19.0 | 500.0 | JENDL-2 |
| 45.25 | 0 | 2.5 | 138.025 | 0.025 | 39.0 | 99.0 | JENDL-2 |
| 45.45 | 0 | 2.5 | 150.025 | 0.025 | 39.0 | 111.0 | JENDL-2 |
| 46.1 | 0 | 2.5 | 192.39 | 0.39 | 39.0 | 153.0 | JENDL-2 |
| 46.53 | 0 | 2.5 | 245.08 | 0.08 | 39.0 | 206.0 | JENDL-2 |
| 47.22 | 0 | 2.5 | 507.88 | 0.88 | 39.0 | 468.0 | JENDL-2 |
| 48.68 | 0 | 2.5 | 172.6 | 1.6 | 40.0 | 131.0 | JENDL-2 |
| 49.1 | 0 | 2.5 | 516.5 | 0.5 | 39.0 | 477.0 | JENDL-2 |
| 50.4 | 0 | 2.5 | 1100.84 | 0.84 | 39.0 | 1061.0 | JENDL-2 |
| 51.0 | 0 | 2.5 | 500.114 | 0.114 | 39.0 | 461.0 | JENDL-2 |
| 51.85 | 0 | 2.5 | 150.021 | 0.021 | 39.0 | 111.0 | JENDL-2 |
| 52.1 | 0 | 2.5 | 280.055 | 0.055 | 39.0 | 241.0 | JENDL-2 |
| 53.03 | 0 | 2.5 | 240.47 | 0.47 | 39.0 | 201.0 | JENDL-2 |
| 53.32 | 0 | 2.5 | 360.44 | 0.44 | 39.0 | 321.0 | JENDL-2 |

U-233

2

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | Fission Width (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 53.94 | 0 | 2.5 | 230.198 | 0.19788 | 39.0 | 191.0 | JENDL-2 |
| 54.05 | 0 | 2.5 | 501.3 | 1.3 | 39.0 | 461.0 | JENDL-2 |
| 54.41 | 0 | 2.5 | 295.095 | 9.550-2 | 39.0 | 256.0 | JENDL-2 |
| 54.78 | 0 | 2.5 | 264.1 | 1.1 | 39.0 | 224.0 | JENDL-2 |
| 55.2 | 0 | 2.5 | 490.137 | 0.13703 | 39.0 | 451.0 | JENDL-2 |
| 55.95 | 0 | 2.5 | 862.678 | 2.6782 | 39.0 | 821.0 | JENDL-2 |
| 56.44 | 0 | 2.5 | 374.04 | 1.04 | 42.0 | 331.0 | JENDL-2 |
| 56.88 | 0 | 2.5 | 1501.25 | 1.2454 | 39.0 | 1461.0 | JENDL-2 |
| 57.48 | 0 | 2.5 | 782.36 | 2.36 | 49.0 | 731.0 | JENDL-2 |
| 58.18 | 0 | 2.5 | 1301.51 | 1.5075 | 39.0 | 1261.0 | JENDL-2 |
| 58.52 | 0 | 2.5 | 225.56 | 0.56 | 39.0 | 186.0 | JENDL-2 |
| 60.95 | 0 | 2.5 | 940.87 | 0.87 | 39.0 | 901.0 | JENDL-2 |
| 61.38 | 0 | 2.5 | 401.45 | 1.45 | 39.0 | 361.0 | JENDL-2 |
| 62.59 | 0 | 2.5 | 213.5 | 1.5 | 52.0 | 160.0 | JENDL-2 |
| 63.49 | 0 | 2.5 | 1000.2 | 0.2 | 39.0 | 961.0 | JENDL-2 |
| 64.03 | 0 | 2.5 | 370.763 | 0.76317 | 39.0 | 331.0 | JENDL-2 |
| 64.44 | 0 | 2.5 | 240.466 | 1.4662 | 39.0 | 200.0 | JENDL-2 |
| 65.09 | 0 | 2.5 | 238.593 | 0.59289 | 39.0 | 199.0 | JENDL-2 |
| 65.49 | 0 | 2.5 | 630.478 | 0.47853 | 39.0 | 591.0 | JENDL-2 |
| 66.56 | 0 | 2.5 | 770.641 | 0.64077 | 39.0 | 731.0 | JENDL-2 |
| 67.3 | 0 | 2.5 | 940.396 | 0.39572 | 39.0 | 901.0 | JENDL-2 |
| 67.98 | 0 | 2.5 | 333.469 | 0.46914 | 39.0 | 294.0 | JENDL-2 |
| 69.23 | 0 | 2.5 | 1002.3 | 2.3044 | 39.0 | 961.0 | JENDL-2 |
| 70.19 | 0 | 2.5 | 534.989 | 1.9892 | 46.0 | 487.0 | JENDL-2 |
| 71.75 | 0 | 2.5 | 349.246 | 0.24608 | 39.0 | 310.0 | JENDL-2 |
| 72.22 | 0 | 2.5 | 800.52 | 0.5204 | 39.0 | 761.0 | JENDL-2 |
| 73.43 | 0 | 2.5 | 126.707 | 1.707 | 39.0 | 86.0 | JENDL-2 |
| 74.03 | 0 | 2.5 | 514.762 | 4.762 | 39.0 | 471.0 | JENDL-2 |
| 75.0 | 0 | 2.5 | 258.673 | 0.67293 | 39.0 | 219.0 | JENDL-2 |
| 75.49 | 0 | 2.5 | 293.255 | 3.255 | 39.0 | 251.0 | JENDL-2 |
| 76.77 | 0 | 2.5 | 872.551 | 0.55086 | 39.0 | 833.0 | JENDL-2 |
| 78.18 | 0 | 2.5 | 571.981 | 1.9814 | 39.0 | 531.0 | JENDL-2 |
| 78.46 | 0 | 2.5 | 900.375 | 0.37478 | 39.0 | 861.0 | JENDL-2 |
| 79.0 | 0 | 2.5 | 1200.58 | 0.68408 | 39.0 | 1161.0 | JENDL-2 |
| 79.78 | 0 | 2.5 | 598.536 | 2.5356 | 39.0 | 557.0 | JENDL-2 |
| 81.47 | 0 | 2.5 | 1301.5 | 1.5992 | 39.0 | 1261.0 | JENDL-2 |
| 82.35 | 0 | 2.5 | 741.721 | 1.7214 | 39.0 | 701.0 | JENDL-2 |
| 82.78 | 0 | 2.5 | 137.129 | 2.1278 | 39.0 | 96.0 | JENDL-2 |
| 84.75 | 0 | 2.5 | 815.475 | 0.47454 | 39.0 | 776.0 | JENDL-2 |
| 85.22 | 0 | 2.5 | 400.791 | 0.79108 | 39.0 | 361.0 | JENDL-2 |
| 85.73 | 0 | 2.5 | 590.349 | 0.34957 | 39.0 | 551.0 | JENDL-2 |
| 86.78 | 0 | 2.5 | 295.076 | 7.616-2 | 39.0 | 256.0 | JENDL-2 |
| 87.13 | 0 | 2.5 | 150.359 | 0.3587 | 39.0 | 111.0 | JENDL-2 |
| 87.7 | 0 | 2.5 | 68.012 | 1.199-2 | 39.0 | 49.0 | JENDL-2 |
| 88.89 | 0 | 2.5 | 344.139 | 2.1396 | 39.0 | 303.0 | JENDL-2 |
| 89.76 | 0 | 2.5 | 558.588 | 0.588 | 39.0 | 519.0 | JENDL-2 |
| 90.55 | 0 | 2.5 | 260.256 | 7.2564 | 39.0 | 214.0 | JENDL-2 |
| 91.72 | 0 | 2.5 | 740.59 | 0.58993 | 39.0 | 701.0 | JENDL-2 |
| 92.57 | 0 | 2.5 | 518.298 | 1.2977 | 39.0 | 478.0 | JENDL-2 |
| 93.25 | 0 | 2.5 | 590.38 | 0.38024 | 39.0 | 551.0 | JENDL-2 |
| 93.77 | 0 | 2.5 | 105.6 | 1.5997 | 39.0 | 65.0 | JENDL-2 |
| 95.22 | 0 | 2.5 | 102.654 | 1.6539 | 39.0 | 62.0 | JENDL-2 |
| 96.42 | 0 | 2.5 | 1603.31 | 3.3119 | 39.0 | 1561.0 | JENDL-2 |
| 97.81 | 0 | 2.5 | 233.759 | 4.7586 | 39.0 | 190.0 | JENDL-2 |
| 98.58 | 0 | 2.5 | 316.971 | 1.9708 | 39.0 | 276.0 | JENDL-2 |
| 99.3 | 0 | 2.5 | 541.386 | 1.3858 | 39.0 | 501.0 | JENDL-2 |
| 99.95 | 0 | 2.5 | 542.626 | 2.6256 | 39.0 | 501.0 | JENDL-2 |
| 101.29 | 0 | 2.5 | 1000.24 | 0.24082 | 39.0 | 961.0 | JENDL-2 |
| 102.89 | 0 | 2.5 | 226.517 | 1.5167 | 39.0 | 186.0 | JENDL-2 |
| 104.79 | 0 | 2.5 | 46140.6 | 1.5581 | 39.0 | 46100.0 | JENDL-2 |
| 105.23 | 0 | 2.5 | 430.088 | 8.813-2 | 39.0 | 391.0 | JENDL-2 |
| 105.95 | 0 | 2.5 | 192.437 | 2.4368 | 39.0 | 151.0 | JENDL-2 |
| 106.51 | 0 | 2.5 | 273.034 | 3.0341 | 39.0 | 231.0 | JENDL-2 |
| 106.95 | 0 | 2.5 | 327.869 | 2.8894 | 39.0 | 286.0 | JENDL-2 |
| 107.83 | 0 | 2.5 | 351.479 | 1.4788 | 39.0 | 311.0 | JENDL-2 |
| 108.2 | 0 | 2.5 | 400.822 | 0.82178 | 39.0 | 361.0 | JENDL-2 |
| 108.84 | 0 | 2.5 | 220.402 | 0.40228 | 39.0 | 181.0 | JENDL-2 |
| 109.36 | 0 | 2.5 | 419.045 | 4.0449 | 39.0 | 376.0 | JENDL-2 |
| 109.98 | 0 | 2.5 | 520.815 | 0.81499 | 39.0 | 481.0 | JENDL-2 |
| 110.88 | 0 | 2.5 | 409.234 | 5.2344 | 39.0 | 365.0 | JENDL-2 |
| 112.53 | 0 | 2.5 | 1203.37 | 3.3662 | 39.0 | 1161.0 | JENDL-2 |
| 113.55 | 0 | 2.5 | 1003.78 | 3.7796 | 39.0 | 961.0 | JENDL-2 |

U-235

1

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| -1.49 | 0 | 3.5 | 245.881 | 3.68 | 35.2015 | 207.0 | JENDL-2 |
| 0.273 | 0 | 3.5 | 135.003 | 0.0032 | 36.0 | 99.0 | JENDL-2 |
| 1.14 | 0 | 3.5 | 162.015 | 0.0154 | 41.0 | 121.0 | JENDL-2 |
| 2.035 | 0 | 3.5 | 48.0081 | 0.0091 | 37.0 | 11.0 | JENDL-2 |
| 2.84 | 0 | 3.5 | 191.005 | 0.0048 | 40.0 | 151.0 | JENDL-2 |
| 3.14 | 0 | 3.5 | 131.021 | 0.021 | 36.0 | 95.0 | JENDL-2 |
| 3.61 | 0 | 3.5 | 90.0469 | 0.047 | 36.0 | 54.0 | JENDL-2 |
| 4.85 | 0 | 3.5 | 39.462 | 0.062 | 36.0 | 3.4 | JENDL-2 |
| 5.45 | 0 | 3.5 | 90.0029 | 0.003 | 60.0 | 30.0 | JENDL-2 |
| 5.6 | 0 | 3.5 | 620.033 | 0.033 | 20.0 | 600.0 | JENDL-2 |
| 6.21 | 0 | 3.5 | 269.056 | 0.056 | 42.0 | 227.0 | JENDL-2 |
| 6.39 | 0 | 3.5 | 49.27 | 0.27 | 38.0 | 11.0 | JENDL-2 |
| 7.08 | 0 | 3.5 | 51.125 | 0.125 | 35.0 | 26.0 | JENDL-2 |
| 8.79 | 0 | 3.5 | 131.15 | 1.15 | 33.0 | 97.0 | JENDL-2 |
| 9.29 | 0 | 3.5 | 137.182 | 0.182 | 42.0 | 95.0 | JENDL-2 |
| 9.73 | 0 | 3.5 | 245.046 | 0.046 | 45.0 | 200.0 | JENDL-2 |
| 10.2 | 0 | 3.5 | 95.063 | 0.063 | 41.0 | 54.0 | JENDL-2 |
| 10.8 | 0 | 3.5 | 927.093 | 0.093 | 67.0 | 860.0 | JENDL-2 |
| 11.65 | 0 | 3.5 | 48.103 | 0.603 | 42.0 | 5.5 | JENDL-2 |
| 12.4 | 0 | 3.5 | 69.28 | 1.28 | 43.0 | 25.0 | JENDL-2 |
| 12.86 | 0 | 3.5 | 79.0448 | 0.0448 | 31.0 | 48.0 | JENDL-2 |
| 13.28 | 0 | 3.5 | 98.047 | 0.047 | 36.0 | 62.0 | JENDL-2 |
| 13.69 | 0 | 3.5 | 115.046 | 0.046 | 34.0 | 81.0 | JENDL-2 |
| 14.0 | 0 | 3.5 | 469.48 | 0.48 | 36.0 | 433.0 | JENDL-2 |
| 14.51 | 0 | 3.5 | 63.135 | 0.135 | 40.0 | 23.0 | JENDL-2 |
| 15.4 | 0 | 3.5 | 85.245 | 0.245 | 43.0 | 42.0 | JENDL-2 |
| 16.08 | 0 | 3.5 | 51.36 | 0.36 | 35.0 | 16.0 | JENDL-2 |
| 16.69 | 0 | 3.5 | 124.283 | 0.283 | 34.0 | 90.0 | JENDL-2 |
| 18.07 | 0 | 3.5 | 169.37 | 0.37 | 40.0 | 129.0 | JENDL-2 |
| 18.96 | 0 | 3.5 | 91.095 | 0.095 | 48.0 | 43.0 | JENDL-2 |
| 19.31 | 0 | 3.5 | 104.14 | 3.14 | 42.0 | 59.0 | JENDL-2 |
| 20.13 | 0 | 3.5 | 260.12 | 0.12 | 31.0 | 229.0 | JENDL-2 |
| 20.61 | 0 | 3.5 | 92.2 | 0.2 | 44.0 | 48.0 | JENDL-2 |
| 21.08 | 0 | 3.5 | 67.49 | 1.49 | 42.0 | 24.0 | JENDL-2 |
| 22.94 | 0 | 3.5 | 84.47 | 0.47 | 40.0 | 44.0 | JENDL-2 |
| 23.42 | 0 | 3.5 | 37.66 | 0.66 | 30.0 | 7.0 | JENDL-2 |
| 23.63 | 0 | 3.5 | 185.77 | 0.77 | 45.0 | 140.0 | JENDL-2 |
| 24.25 | 0 | 3.5 | 70.322 | 0.322 | 37.0 | 33.0 | JENDL-2 |
| 24.37 | 0 | 3.5 | 88.1399 | 0.14 | 35.0 | 53.0 | JENDL-2 |
| 25.2 | 0 | 3.5 | 770.5 | 0.5 | 40.0 | 730.0 | JENDL-2 |
| 25.59 | 0 | 3.5 | 414.66 | 0.66 | 24.0 | 390.0 | JENDL-2 |
| 26.48 | 0 | 3.5 | 192.48 | 0.48 | 32.0 | 160.0 | JENDL-2 |
| 27.15 | 0 | 3.5 | 115.12 | 0.12 | 40.0 | 75.0 | JENDL-2 |
| 27.82 | 0 | 3.5 | 129.68 | 0.68 | 44.0 | 85.0 | JENDL-2 |
| 28.38 | 0 | 3.5 | 146.17 | 0.17 | 35.0 | 111.0 | JENDL-2 |
| 28.71 | 0 | 3.5 | 202.055 | 0.055 | 50.0 | 152.0 | JENDL-2 |
| 29.54 | 0 | 3.5 | 68.18 | 0.18 | 40.0 | 28.0 | JENDL-2 |
| 30.59 | 0 | 3.5 | 149.21 | 0.21 | 50.0 | 99.0 | JENDL-2 |
| 30.86 | 0 | 3.5 | 60.5 | 0.5 | 39.0 | 21.0 | JENDL-2 |
| 32.07 | 0 | 3.5 | 114.04 | 2.04 | 46.0 | 66.0 | JENDL-2 |
| 33.53 | 0 | 3.5 | 59.82 | 1.82 | 36.0 | 22.0 | JENDL-2 |
| 34.39 | 0 | 3.5 | 83.2199 | 2.22 | 44.0 | 37.0 | JENDL-2 |
| 34.83 | 0 | 3.5 | 118.95 | 0.95 | 40.0 | 78.0 | JENDL-2 |
| 35.2 | 0 | 3.5 | 134.6 | 3.6 | 43.0 | 88.0 | JENDL-2 |
| 35.3 | 0 | 3.5 | 691.57 | 1.57 | 40.0 | 650.0 | JENDL-2 |
| 36.4 | 0 | 3.5 | 1540.12 | 0.12 | 40.0 | 1500.0 | JENDL-2 |
| 37.5 | 0 | 3.5 | 1540.17 | 0.17 | 40.0 | 1500.0 | JENDL-2 |
| 38.3 | 0 | 3.5 | 308.34 | 0.34 | 42.0 | 266.0 | JENDL-2 |
| 39.41 | 0 | 3.5 | 94.4999 | 2.5 | 38.0 | 54.0 | JENDL-2 |
| 39.9 | 0 | 3.5 | 112.29 | 0.29 | 28.0 | 84.0 | JENDL-2 |
| 40.54 | 0 | 3.5 | 222.43 | 0.43 | 36.0 | 186.0 | JENDL-2 |
| 41.35 | 0 | 3.5 | 347.98 | 0.38 | 37.0 | 310.0 | JENDL-2 |
| 41.59 | 0 | 3.5 | 165.224 | 0.224 | 31.0 | 134.0 | JENDL-2 |
| 41.88 | 0 | 3.5 | 72.4 | 1.4 | 47.0 | 24.0 | JENDL-2 |
| 42.23 | 0 | 3.5 | 139.3 | 0.3 | 53.0 | 86.0 | JENDL-2 |
| 42.7 | 0 | 3.5 | 62.3 | 0.3 | 47.0 | 15.0 | JENDL-2 |
| 43.39 | 0 | 3.5 | 68.7 | 0.7 | 44.0 | 24.0 | JENDL-2 |
| 43.9 | 0 | 3.5 | 103.17 | 0.17 | 28.0 | 75.0 | JENDL-2 |
| 43.97 | 0 | 3.5 | 250.34 | 0.34 | 20.0 | 230.0 | JENDL-2 |
| 44.6 | 0 | 3.5 | 186.93 | 0.93 | 40.0 | 146.0 | JENDL-2 |
| 45.0 | 0 | 3.5 | 535.76 | 0.76 | 31.0 | 504.0 | JENDL-2 |
| 45.79 | 0 | 3.5 | 105.188 | 0.188 | 26.0 | 79.0 | JENDL-2 |
| 46.79 | 0 | 3.5 | 152.65 | 0.65 | 34.0 | 118.0 | JENDL-2 |
| 47.01 | 0 | 3.5 | 140.96 | 0.96 | 39.0 | 101.0 | JENDL-2 |
| 47.95 | 0 | 3.5 | 78.8799 | 0.88 | 41.0 | 37.0 | JENDL-2 |
| 48.3 | 0 | 3.5 | 165.771 | 0.771 | 25.0 | 140.0 | JENDL-2 |
| 48.8 | 0 | 3.5 | 79.87 | 0.87 | 29.0 | 50.0 | JENDL-2 |
| 49.0 | 0 | 3.5 | 240.177 | 0.177 | 20.0 | 220.0 | JENDL-2 |
| 49.43 | 0 | 3.5 | 60.82 | 0.82 | 40.0 | 20.0 | JENDL-2 |
| 50.14 | 0 | 3.5 | 53.27 | 0.27 | 32.0 | 21.0 | JENDL-2 |
| 50.49 | 0 | 3.5 | 96.09 | 1.09 | 43.0 | 52.0 | JENDL-2 |
| 51.27 | 0 | 3.5 | 190.57 | 3.67 | 51.0 | 136.0 | JENDL-2 |
| 51.72 | 0 | 3.5 | 62.29 | 0.29 | 36.0 | 26.0 | JENDL-2 |
| 52.22 | 0 | 3.5 | 353.25 | 2.25 | 26.0 | 325.0 | JENDL-2 |
| 53.46 | 0 | 3.5 | 100.61 | 0.61 | 22.0 | 78.0 | JENDL-2 |
| 54.13 | 0 | 3.5 | 142.23 | 0.23 | 36.0 | 106.0 | JENDL-2 |
| 55.08 | 0 | 3.5 | 107.16 | 3.16 | 48.0 | 56.0 | JENDL-2 |

U-235

2

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 55.84 | 0 | 3.5 | 335.5 | 2.5 | 45.0 | 286.0 | JENDL-2 |
| 56.5 | 0 | 3.5 | 125.92 | 4.92 | 43.0 | 78.0 | JENDL-2 |
| 57.8 | 0 | 3.5 | 221.13 | 1.13 | 35.0 | 185.0 | JENDL-2 |
| 58.06 | 0 | 3.5 | 69.36 | 1.36 | 32.0 | 36.0 | JENDL-2 |
| 58.7 | 0 | 3.5 | 127.25 | 1.25 | 30.0 | 96.0 | JENDL-2 |
| 59.76 | 0 | 3.5 | 267.245 | 0.245 | 41.0 | 226.0 | JENDL-2 |
| 60.19 | 0 | 3.5 | 129.9 | 0.9 | 18.0 | 111.0 | JENDL-2 |
| 60.85 | 0 | 3.5 | 148.51 | 0.51 | 25.0 | 123.0 | JENDL-2 |
| 61.18 | 0 | 3.5 | 100.35 | 0.35 | 30.0 | 70.0 | JENDL-2 |
| 61.57 | 0 | 3.5 | 540.23 | 0.23 | 40.0 | 500.0 | JENDL-2 |
| 61.9 | 0 | 3.5 | 540.17 | 0.17 | 40.0 | 500.0 | JENDL-2 |
| 62.4 | 0 | 3.5 | 460.26 | 0.26 | 60.0 | 400.0 | JENDL-2 |
| 63.02 | 0 | 3.5 | 240.091 | 0.091 | 40.0 | 200.0 | JENDL-2 |
| 63.32 | 0 | 3.5 | 250.102 | 0.102 | 50.0 | 200.0 | JENDL-2 |
| 63.69 | 0 | 3.5 | 592.8 | 0.8 | 16.0 | 576.0 | JENDL-2 |
| 64.31 | 0 | 3.5 | 54.25 | 1.25 | 45.0 | 8.0 | JENDL-2 |
| 65.82 | 0 | 3.5 | 83.42 | 0.42 | 40.0 | 43.0 | JENDL-2 |
| 66.38 | 0 | 3.5 | 81.4699 | 0.47 | 39.0 | 42.0 | JENDL-2 |
| 67.25 | 0 | 3.5 | 97.0809 | 0.0809 | 48.0 | 49.0 | JENDL-2 |
| 68.53 | 0 | 3.5 | 150.12 | 0.12 | 60.0 | 90.0 | JENDL-2 |
| 69.29 | 0 | 3.5 | 200.72 | 0.72 | 40.0 | 160.0 | JENDL-2 |
| 70.4 | 0 | 3.5 | 182.8 | 2.8 | 50.0 | 130.0 | JENDL-2 |
| 70.75 | 0 | 3.5 | 229.3 | 2.3 | 36.0 | 191.0 | JENDL-2 |
| 71.61 | 0 | 3.5 | 110.25 | 0.25 | 15.0 | 95.0 | JENDL-2 |
| 72.4 | 0 | 3.5 | 141.7 | 2.7 | 31.0 | 108.0 | JENDL-2 |
| 72.91 | 0 | 3.5 | 571.33 | 0.33 | 40.0 | 531.0 | JENDL-2 |
| 74.57 | 0 | 3.5 | 103.9 | 2.9 | 46.0 | 55.0 | JENDL-2 |
| 75.17 | 0 | 3.5 | 258.9 | 0.9 | 45.0 | 213.0 | JENDL-2 |
| 75.54 | 0 | 3.5 | 237.27 | 1.27 | 28.0 | 208.0 | JENDL-2 |
| 76.75 | 0 | 3.5 | 110.081 | 0.081 | 36.0 | 74.0 | JENDL-2 |
| 77.53 | 0 | 3.5 | 147.01 | 1.01 | 39.0 | 107.0 | JENDL-2 |
| 78.11 | 0 | 3.5 | 162.23 | 1.23 | 45.0 | 116.0 | JENDL-2 |
| 78.7 | 0 | 3.5 | 86.13 | 0.13 | 48.0 | 38.0 | JENDL-2 |
| 79.69 | 0 | 3.5 | 137.78 | 0.78 | 46.0 | 91.0 | JENDL-2 |
| 80.37 | 0 | 3.5 | 203.8 | 0.8 | 35.0 | 168.0 | JENDL-2 |
| 81.46 | 0 | 3.5 | 128.83 | 0.93 | 36.0 | 92.0 | JENDL-2 |
| 82.06 | 0 | 3.5 | 64.05 | 0.05 | 40.0 | 24.0 | JENDL-2 |
| 82.76 | 0 | 3.5 | 82.9 | 1.9 | 56.0 | 25.0 | JENDL-2 |
| 83.59 | 0 | 3.5 | 111.17 | 1.17 | 55.0 | 55.0 | JENDL-2 |
| 84.05 | 0 | 3.5 | 285.65 | 1.65 | 36.0 | 248.0 | JENDL-2 |
| 84.37 | 0 | 3.5 | 234.1 | 2.1 | 29.0 | 203.0 | JENDL-2 |
| 85.04 | 0 | 3.5 | 403.66 | 1.66 | 35.0 | 367.0 | JENDL-2 |
| 85.57 | 0 | 3.5 | 390.6 | 0.6 | 40.0 | 350.0 | JENDL-2 |
| 86.14 | 0 | 3.5 | 118.05 | 0.05 | 40.0 | 78.0 | JENDL-2 |
| 86.88 | 0 | 3.5 | 127.58 | 0.58 | 41.0 | 86.0 | JENDL-2 |
| 87.54 | 0 | 3.5 | 208.47 | 0.47 | 43.0 | 165.0 | JENDL-2 |
| 88.75 | 0 | 3.5 | 340.28 | 2.28 | 18.0 | 320.0 | JENDL-2 |
| 89.11 | 0 | 3.5 | 135.18 | 0.18 | 50.0 | 85.0 | JENDL-2 |
| 89.85 | 0 | 3.5 | 134.79 | 0.79 | 45.0 | 89.0 | JENDL-2 |
| 90.44 | 0 | 3.5 | 60.23 | 4.83 | 46.0 | 9.4 | JENDL-2 |
| 91.28 | 0 | 3.5 | 286.96 | 2.96 | 33.0 | 251.0 | JENDL-2 |
| 92.08 | 0 | 3.5 | 119.72 | 0.72 | 44.0 | 75.0 | JENDL-2 |
| 92.6 | 0 | 3.5 | 94.53 | 2.53 | 48.0 | 44.0 | JENDL-2 |
| 93.23 | 0 | 3.5 | 83.33 | 0.33 | 26.0 | 57.0 | JENDL-2 |
| 94.12 | 0 | 3.5 | 75.4999 | 4.0 | 62.0 | 9.5 | JENDL-2 |
| 94.76 | 0 | 3.5 | 107.5 | 0.5 | 41.0 | 66.0 | JENDL-2 |
| 95.58 | 0 | 3.5 | 481.96 | 0.96 | 34.0 | 447.0 | JENDL-2 |
| 96.5 | 0 | 3.5 | 255.59 | 0.69 | 18.0 | 237.0 | JENDL-2 |
| 98.13 | 0 | 3.5 | 219.5 | 2.5 | 34.0 | 183.0 | JENDL-2 |
| 99.6 | 0 | 3.5 | 145.53 | 0.53 | 35.0 | 110.0 | JENDL-2 |
| 100.4 | 0 | 3.5 | 133.66 | 0.66 | 60.0 | 73.0 | JENDL-2 |

| ENERGY (MEV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|-----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| -113.0 | 0 | 0.5 | 51.5 | 28.0 | 23.5 | | JENDL-2 |
| -89.0 | 0 | 0.5 | 48.5 | 25.0 | 23.5 | | JENDL-2 |
| -65.0 | 0 | 0.5 | 44.5 | 21.0 | 23.5 | | JENDL-2 |
| -41.0 | 0 | 0.5 | 35.35 | 11.85 | 23.5 | | JENDL-2 |
| 4.404 | 1 | 0.5 | 18.4001 | 1.11 -4 | 18.4 | | JENDL-2 |
| 6.672 | 0 | 0.5 | 25.2 | 1.5 | 23.7 | 9.2 -6 | JENDL-2 |
| 10.235 | 1 | 0.5 | 23.6016 | 0.00159 | 23.5 | | JENDL-2 |
| 11.307 | 1 | 0.5 | 23.6004 | 3.69 -4 | 23.6 | | JENDL-2 |
| 16.28 | 1 | 0.5 | 23.6001 | 5.04 -5 | 23.6 | | JENDL-2 |
| 19.524 | 1 | 0.5 | 23.8014 | 0.00136 | 23.8 | | JENDL-2 |
| 20.864 | 0 | 0.5 | 33.1 | 10.1 | 23.0 | 4.8 -5 | JENDL-2 |
| 36.671 | 0 | 0.5 | 56.8 | 33.3 | 23.5 | 1.2 -5 | JENDL-2 |
| 45.176 | 1 | 0.5 | 27.0014 | 0.00436 | 27.0 | | JENDL-2 |
| 49.626 | 1 | 0.5 | 24.9009 | 9.22 -4 | 24.9 | | JENDL-2 |
| 63.504 | 1 | 0.5 | 23.9098 | 0.00978 | 23.9 | | JENDL-2 |
| 66.015 | 0 | 0.5 | 47.8001 | 24.9 | 22.9 | 5.1 -5 | JENDL-2 |
| 80.729 | 0 | 0.5 | 26.2701 | 1.87 | 24.4 | 6.6 -5 | JENDL-2 |
| 83.66 | 1 | 0.5 | 24.4104 | 0.0104 | 24.4 | | JENDL-2 |
| 89.219 | 1 | 0.5 | 24.0851 | 8.509-2 | 24.0 | | JENDL-2 |
| 93.109 | 1 | 0.5 | 24.4054 | 0.00538 | 24.4 | | JENDL-2 |
| 102.54 | 0 | 0.5 | 96.0 | 70.9 | 25.1 | 1.2 -5 | JENDL-2 |
| 111.25 | 1 | 0.5 | 23.1084 | 0.00842 | 23.1 | | JENDL-2 |
| 116.87 | 0 | 0.5 | 48.7 | 25.6 | 23.1 | | JENDL-2 |
| 124.89 | 1 | 0.5 | 24.0206 | 0.0206 | 24.0 | | JENDL-2 |
| 133.29 | 1 | 0.5 | 23.4083 | 0.00835 | 23.4 | | JENDL-2 |
| 145.63 | 0 | 0.5 | 23.909 | 0.909 | 23.0 | | JENDL-2 |
| 152.41 | 1 | 0.5 | 24.0468 | 0.0468 | 24.0 | | JENDL-2 |
| 158.97 | 1 | 0.5 | 24.6134 | 0.0134 | 24.6 | | JENDL-2 |
| 160.8 | 1 | 0.5 | 23.605 | 0.005 | 23.6 | | JENDL-2 |
| 165.26 | 0 | 0.5 | 27.21 | 3.31 | 23.9 | | JENDL-2 |
| 173.18 | 1 | 0.5 | 23.8451 | 0.0461 | 23.8 | | JENDL-2 |
| 189.64 | 0 | 0.5 | 199.1 | 176.0 | 23.1 | 4.8 -5 | JENDL-2 |
| 194.73 | 1 | 0.5 | 24.7455 | 0.0455 | 24.7 | | JENDL-2 |
| 200.68 | 1 | 0.5 | 24.1557 | 0.0557 | 24.1 | | JENDL-2 |
| 203.05 | 1 | 0.5 | 23.6344 | 0.0344 | 23.6 | | JENDL-2 |
| 208.47 | 0 | 0.5 | 71.8001 | 49.5 | 22.3 | 8.8 -5 | JENDL-2 |
| 214.86 | 1 | 0.5 | 24.3595 | 0.0595 | 24.3 | | JENDL-2 |
| 218.37 | 1 | 0.5 | 23.5302 | 0.0302 | 23.5 | | JENDL-2 |
| 224.57 | 1 | 0.5 | 23.62 | 0.02 | 23.6 | | JENDL-2 |
| 237.34 | 0 | 0.5 | 50.7001 | 26.5 | 24.2 | 0.00006 | JENDL-2 |
| 242.71 | 1 | 0.5 | 23.689 | 0.189 | 23.5 | | JENDL-2 |
| 253.89 | 1 | 0.5 | 23.507 | 0.107 | 23.4 | | JENDL-2 |
| 257.19 | 1 | 0.5 | 24.0176 | 0.0176 | 24.0 | | JENDL-2 |
| 263.94 | 1 | 0.5 | 23.868 | 0.268 | 23.5 | | JENDL-2 |
| 273.62 | 0 | 0.5 | 48.4 | 25.3 | 23.1 | | JENDL-2 |
| 275.2 | 1 | 0.5 | 23.792 | 0.192 | 23.5 | | JENDL-2 |
| 282.44 | 1 | 0.5 | 23.708 | 0.108 | 23.6 | | JENDL-2 |
| 290.96 | 0 | 0.5 | 39.6 | 16.5 | 23.1 | | JENDL-2 |
| 311.28 | 0 | 0.5 | 24.35 | 1.05 | 23.3 | | JENDL-2 |
| 322.85 | 1 | 0.5 | 22.0417 | 0.0417 | 22.0 | | JENDL-2 |
| 332.02 | 1 | 0.5 | 23.1518 | 0.0518 | 23.1 | | JENDL-2 |
| 337.27 | 1 | 0.5 | 23.708 | 0.108 | 23.6 | | JENDL-2 |
| 347.75 | 0 | 0.5 | 102.1 | 79.2 | 22.9 | 2.68 -4 | JENDL-2 |
| 351.86 | 1 | 0.5 | 23.633 | 0.233 | 23.4 | | JENDL-2 |
| 372.91 | 1 | 0.5 | 24.34 | 0.04 | 24.3 | | JENDL-2 |
| 376.89 | 0 | 0.5 | 25.8502 | 1.25 | 24.6 | 2.05 -4 | JENDL-2 |
| 395.33 | 1 | 0.5 | 21.4709 | 0.0709 | 21.4 | | JENDL-2 |
| 397.58 | 0 | 0.5 | 30.52 | 6.12 | 24.4 | | JENDL-2 |
| 408.15 | 1 | 0.5 | 23.8807 | 0.0807 | 23.8 | | JENDL-2 |
| 410.21 | 0 | 0.5 | 42.3 | 19.8 | 22.5 | | JENDL-2 |
| 434.04 | 0 | 0.5 | 33.86 | 9.76 | 24.1 | | JENDL-2 |
| 439.75 | 1 | 0.5 | 23.888 | 0.288 | 23.6 | | JENDL-2 |
| 448.5 | 1 | 0.5 | 23.9452 | 0.0462 | 23.9 | | JENDL-2 |
| 454.06 | 1 | 0.5 | 24.022 | 0.422 | 23.6 | | JENDL-2 |
| 463.14 | 0 | 0.5 | 28.6415 | 5.54 | 23.1 | 0.00147 | JENDL-2 |
| 467.21 | 1 | 0.5 | 24.4613 | 0.0613 | 24.4 | | JENDL-2 |
| 478.4 | 0 | 0.5 | 27.8402 | 4.14 | 23.7 | 2.41 -4 | JENDL-2 |
| 485.3 | 1 | 0.5 | 23.742 | 0.142 | 23.6 | | JENDL-2 |
| 488.87 | 1 | 0.5 | 24.614 | 0.814 | 23.8 | | JENDL-2 |
| 498.96 | 1 | 0.5 | 23.207 | 0.107 | 23.1 | | JENDL-2 |
| 518.33 | 0 | 0.5 | 73.0003 | 48.9 | 24.1 | 2.93 -4 | JENDL-2 |
| 523.35 | 1 | 0.5 | 23.686 | 0.286 | 23.4 | | JENDL-2 |
| 532.44 | 1 | 0.5 | 23.1687 | 0.0587 | 23.1 | | JENDL-2 |
| 535.28 | 0 | 0.5 | 67.7004 | 43.6 | 24.1 | 3.67 -4 | JENDL-2 |
| 542.41 | 1 | 0.5 | 25.452 | 0.152 | 25.3 | | JENDL-2 |
| 550.71 | 1 | 0.5 | 23.5855 | 8.549-2 | 23.5 | | JENDL-2 |
| 556.25 | 1 | 0.5 | 24.398 | 0.898 | 23.5 | | JENDL-2 |
| 580.08 | 0 | 0.5 | 61.6 | 36.5 | 25.1 | | JENDL-2 |
| 584.47 | 1 | 0.5 | 23.911 | 0.111 | 23.8 | | JENDL-2 |
| 595.01 | 0 | 0.5 | 108.901 | 85.8 | 23.1 | 0.0011 | JENDL-2 |
| 605.73 | 1 | 0.5 | 23.564 | 0.264 | 23.3 | | JENDL-2 |
| 615.78 | 1 | 0.5 | 23.449 | 0.149 | 23.3 | | JENDL-2 |
| 619.95 | 0 | 0.5 | 53.5002 | 30.2 | 23.3 | 2.15 -4 | JENDL-2 |
| 624.23 | 1 | 0.5 | 24.303 | 0.803 | 23.5 | | JENDL-2 |
| 628.53 | 0 | 0.5 | 30.2 | 6.3 | 23.9 | | JENDL-2 |
| 633.34 | 1 | 0.5 | 23.52 | 0.12 | 23.4 | | JENDL-2 |
| 661.14 | 0 | 0.5 | 150.9 | 126.0 | 24.9 | | JENDL-2 |

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 668.55 | 1 | 0.5 | 23.706 | 0.206 | 23.5 | | JENDL-2 |
| 677.75 | 1 | 0.5 | 24.3 | 0.7 | 23.6 | | JENDL-2 |
| 681.67 | 1 | 0.5 | 22.6525 | 0.0525 | 22.6 | | JENDL-2 |
| 693.05 | 0 | 0.5 | 63.3 | 40.4 | 22.9 | | JENDL-2 |
| 698.14 | 1 | 0.5 | 24.392 | 0.292 | 24.1 | | JENDL-2 |
| 708.27 | 0 | 0.5 | 46.626 | 21.1 | 25.5 | 0.026 | JENDL-2 |
| 710.52 | 1 | 0.5 | 25.85 | 1.05 | 24.8 | | JENDL-2 |
| 713.54 | 1 | 0.5 | 23.917 | 0.217 | 23.7 | | JENDL-2 |
| 721.58 | 0 | 0.5 | 26.49 | 1.76 | 23.7 | 1.03 | JENDL-2 |
| 730.12 | 0 | 0.5 | 24.884 | 1.0 | 23.8 | 0.084 | JENDL-2 |
| 732.48 | 1 | 0.5 | 26.38 | 1.78 | 24.6 | | JENDL-2 |
| 734.9 | 1 | 0.5 | 22.363 | 0.163 | 22.2 | | JENDL-2 |
| 743.14 | 1 | 0.5 | 23.759 | 0.359 | 23.4 | | JENDL-2 |
| 756.2 | 1 | 0.5 | 24.129 | 0.529 | 23.6 | | JENDL-2 |
| 765.05 | 0 | 0.5 | 31.0773 | 7.57 | 23.5 | 0.0073 | JENDL-2 |
| 770.89 | 1 | 0.5 | 23.72 | 0.12 | 23.6 | | JENDL-2 |
| 772.6 | 1 | 0.5 | 23.74 | 0.14 | 23.6 | | JENDL-2 |
| 779.31 | 1 | 0.5 | 25.64 | 2.14 | 23.5 | | JENDL-2 |
| 785.9 | 1 | 0.5 | 26.35 | 0.15 | 26.2 | | JENDL-2 |
| 787.3 | 1 | 0.5 | 24.473 | 0.473 | 24.0 | | JENDL-2 |
| 790.82 | 0 | 0.5 | 30.24 | 6.84 | 23.4 | | JENDL-2 |
| 808.2 | 1 | 0.5 | 23.903 | 0.403 | 23.5 | | JENDL-2 |
| 821.55 | C | 0.5 | 88.9 | 65.3 | 23.6 | | JENDL-2 |
| 828.46 | 1 | 0.5 | 24.486 | 0.186 | 24.3 | | JENDL-2 |
| 833.86 | 1 | 0.5 | 25.2947 | 0.0947 | 25.2 | | JENDL-2 |
| 846.68 | 1 | 0.5 | 24.269 | 0.869 | 23.4 | | JENDL-2 |
| 850.99 | C | 0.5 | 86.9011 | 62.9 | 24.0 | 0.0011 | JENDL-2 |
| 856.08 | C | 0.5 | 10.301 | 86.6 | 23.7 | 0.001 | JENDL-2 |
| 859.44 | 1 | 0.5 | 24.114 | 0.414 | 23.7 | | JENDL-2 |
| 866.42 | C | 0.5 | 28.91 | 5.41 | 23.5 | | JENDL-2 |
| 891.23 | 1 | 0.5 | 24.197 | 0.697 | 23.5 | | JENDL-2 |
| 905.03 | C | 0.5 | 77.9 | 54.2 | 23.7 | | JENDL-2 |
| 910.01 | 1 | 0.5 | 24.85 | 1.35 | 23.5 | | JENDL-2 |
| 925.11 | C | 0.5 | 40.0 | 14.0 | 26.0 | | JENDL-2 |
| 932.65 | 1 | 0.5 | 23.029 | 0.229 | 22.8 | | JENDL-2 |
| 937.02 | 0 | 0.5 | 173.7 | 150.0 | 23.7 | | JENDL-2 |
| 940.84 | 1 | 0.5 | 24.557 | 0.657 | 23.9 | | JENDL-2 |
| 958.52 | 0 | 0.5 | 227.8 | 205.0 | 22.8 | | JENDL-2 |
| 964.58 | 1 | 0.5 | 24.404 | 0.304 | 24.1 | | JENDL-2 |
| 977.34 | 1 | 0.5 | 24.172 | 0.772 | 23.4 | | JENDL-2 |
| 982.32 | 1 | 0.5 | 23.69 | 0.09 | 23.6 | | JENDL-2 |
| 985.17 | 1 | 0.5 | 24.969 | 0.169 | 24.8 | | JENDL-2 |
| 991.63 | 0 | 0.5 | 407.2 | 378.0 | 29.2 | | JENDL-2 |
| 1003.67 | 1 | 0.5 | 28.107 | 0.107 | 28.0 | | JENDL-2 |
| 1011.44 | 1 | 0.5 | 25.46 | 1.86 | 23.6 | | JENDL-2 |
| 1022.96 | 0 | 0.5 | 31.25 | 8.45 | 22.8 | | JENDL-2 |
| 1029.12 | 1 | 0.5 | 25.81 | 2.31 | 23.5 | | JENDL-2 |
| 1033.38 | 1 | 0.5 | 23.833 | 0.733 | 23.1 | | JENDL-2 |
| 1047.27 | 1 | 0.5 | 23.897 | 0.397 | 23.5 | | JENDL-2 |
| 1054.45 | 0 | 0.5 | 117.8 | 94.6 | 23.2 | | JENDL-2 |
| 1062.69 | 1 | 0.5 | 24.387 | 0.787 | 23.6 | | JENDL-2 |
| 1057.88 | 1 | 0.5 | 25.02 | 1.12 | 23.9 | | JENDL-2 |
| 1074.07 | 1 | 0.5 | 24.323 | 0.923 | 23.4 | | JENDL-2 |
| 1081.7 | 1 | 0.5 | 25.25 | 1.55 | 23.7 | | JENDL-2 |
| 1095.18 | 1 | 0.5 | 25.88 | 2.28 | 23.6 | | JENDL-2 |
| 1098.62 | 0 | 0.5 | 45.2 | 21.4 | 23.8 | | JENDL-2 |
| 1102.9 | 1 | 0.5 | 25.84 | 2.24 | 23.6 | | JENDL-2 |
| 1109.08 | C | 0.5 | 58.0 | 34.6 | 23.4 | | JENDL-2 |
| 1118.97 | 1 | 0.5 | 23.221 | 0.521 | 22.7 | | JENDL-2 |
| 1131.37 | 1 | 0.5 | 27.61 | 3.71 | 23.9 | | JENDL-2 |
| 1140.35 | C | 0.5 | 258.701 | 235.0 | 23.7 | 0.0015 | JENDL-2 |
| 1145.47 | 1 | 0.5 | 23.61 | 0.01 | 23.6 | | JENDL-2 |
| 1147.97 | 1 | 0.5 | 23.7 | 0.3 | 23.4 | | JENDL-2 |
| 1152.57 | 1 | 0.5 | 25.176 | 0.476 | 24.7 | | JENDL-2 |
| 1155.07 | 1 | 0.5 | 23.925 | 0.825 | 23.1 | | JENDL-2 |
| 1159.38 | 1 | 0.5 | 23.44 | 0.74 | 22.7 | | JENDL-2 |
| 1167.63 | C | 0.5 | 109.911 | 86.8 | 23.1 | 0.011 | JENDL-2 |
| 1177.07 | C | 0.5 | 91.9 | 69.2 | 22.7 | | JENDL-2 |
| 1194.81 | C | 0.5 | 115.7 | 94.6 | 21.1 | | JENDL-2 |
| 1201.57 | 1 | 0.5 | 23.724 | 0.524 | 23.2 | | JENDL-2 |
| 1211.11 | C | 0.5 | 33.495 | 9.64 | 23.6 | 0.255 | JENDL-2 |
| 1219.51 | 1 | 0.5 | 24.861 | 0.581 | 24.3 | | JENDL-2 |
| 1230.08 | 1 | 0.5 | 23.899 | 0.399 | 23.5 | | JENDL-2 |
| 1233.17 | 1 | 0.5 | 23.908 | 0.408 | 23.5 | | JENDL-2 |
| 1236.36 | 1 | 0.5 | 23.166 | 0.466 | 22.7 | | JENDL-2 |
| 1245.06 | 0 | 0.5 | 276.8 | 254.0 | 22.8 | | JENDL-2 |
| 1249.85 | 1 | 0.5 | 23.9 | 0.3 | 23.6 | | JENDL-2 |
| 1251.42 | 1 | 0.5 | 24.606 | 0.606 | 24.0 | | JENDL-2 |
| 1260.94 | 1 | 0.5 | 23.708 | 0.208 | 23.5 | | JENDL-2 |
| 1267.04 | 0 | 0.5 | 54.3041 | 29.6 | 24.7 | 0.0041 | JENDL-2 |
| 1272.97 | 0 | 0.5 | 52.0 | 28.3 | 23.7 | | JENDL-2 |
| 1276.53 | 1 | 0.5 | 24.142 | 0.542 | 23.6 | | JENDL-2 |
| 1278.04 | 1 | 0.5 | 24.3 | 0.7 | 23.6 | | JENDL-2 |
| 1283.64 | 1 | 0.5 | 24.0 | 0.4 | 23.6 | | JENDL-2 |
| 1285.4 | 1 | 0.5 | 22.91 | 0.41 | 22.5 | | JENDL-2 |
| 1289.04 | 1 | 0.5 | 24.45 | 0.25 | 24.2 | | JENDL-2 |
| 1296.14 | 1 | 0.5 | 23.7 | 0.1 | 23.6 | | JENDL-2 |

U-238

3

| ENERGY (MEV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|-----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 1298.69 | 0 | 0.5 | 27.09 | 3.49 | 23.6 | | JENDL-2 |
| 1310.99 | 1 | 0.5 | 23.125 | 0.225 | 22.9 | | JENDL-2 |
| 1317.01 | 1 | 0.5 | 28.29 | 4.99 | 23.3 | | JENDL-2 |
| 1324.85 | 1 | 0.5 | 22.915 | 0.315 | 22.6 | | JENDL-2 |
| 1331.48 | 1 | 0.5 | 25.05 | 1.35 | 23.7 | | JENDL-2 |
| 1361.21 | 1 | 0.5 | 25.706 | 0.506 | 25.2 | | JENDL-2 |
| 1386.15 | 1 | 0.5 | 27.329 | 0.329 | 27.0 | | JENDL-2 |
| 1387.22 | 1 | 0.5 | 23.68 | 0.08 | 23.6 | | JENDL-2 |
| 1393.81 | 0 | 0.5 | 235.2 | 211.0 | 24.2 | | JENDL-2 |
| 1405.43 | 0 | 0.5 | 98.2 | 72.8 | 25.4 | | JENDL-2 |
| 1416.92 | 1 | 0.5 | 27.47 | 3.47 | 24.0 | | JENDL-2 |
| 1419.76 | 0 | 0.5 | 32.66 | 9.16 | 23.5 | | JENDL-2 |
| 1428.01 | 0 | 0.5 | 53.9 | 28.5 | 25.4 | | JENDL-2 |
| 1438.3 | 1 | 0.5 | 23.941 | 0.441 | 23.5 | | JENDL-2 |
| 1444.05 | 0 | 0.5 | 37.7 | 15.0 | 22.7 | | JENDL-2 |
| 1447.65 | 1 | 0.5 | 24.95 | 1.15 | 23.8 | | JENDL-2 |
| 1455.1 | 1 | 0.5 | 26.504 | 0.204 | 26.3 | | JENDL-2 |
| 1456.7 | 1 | 0.5 | 23.84 | 0.24 | 23.6 | | JENDL-2 |
| 1473.82 | 0 | 0.5 | 144.9 | 121.0 | 23.9 | | JENDL-2 |
| 1487.04 | 1 | 0.5 | 27.025 | 0.225 | 26.8 | | JENDL-2 |
| 1504.3 | 1 | 0.5 | 27.83 | 0.23 | 27.6 | | JENDL-2 |
| 1508.1 | 1 | 0.5 | 23.9 | 0.4 | 23.5 | | JENDL-2 |
| 1510.53 | 1 | 0.5 | 25.044 | 0.844 | 24.2 | | JENDL-2 |
| 1522.7 | 0 | 0.5 | 268.8 | 245.0 | 23.8 | | JENDL-2 |
| 1527.86 | 1 | 0.5 | 24.394 | 0.794 | 23.6 | | JENDL-2 |
| 1534.79 | 1 | 0.5 | 24.086 | 0.786 | 23.3 | | JENDL-2 |
| 1547.18 | 1 | 0.5 | 27.81 | 3.81 | 24.0 | | JENDL-2 |
| 1550.3 | 1 | 0.5 | 28.18 | 3.18 | 25.0 | | JENDL-2 |
| 1555.36 | 1 | 0.5 | 23.14 | 0.34 | 22.8 | | JENDL-2 |
| 1565.45 | 0 | 0.5 | 28.97 | 5.67 | 23.3 | | JENDL-2 |
| 1568.23 | 1 | 0.5 | 24.87 | 1.27 | 23.6 | | JENDL-2 |
| 1591.52 | 1 | 0.5 | 24.77 | 1.17 | 23.6 | | JENDL-2 |
| 1597.89 | 0 | 0.5 | 400.1 | 378.0 | 22.1 | | JENDL-2 |
| 1622.67 | 0 | 0.5 | 123.3 | 101.0 | 22.3 | | JENDL-2 |
| 1638.07 | 0 | 0.5 | 73.8 | 50.8 | 23.0 | | JENDL-2 |
| 1646.89 | 1 | 0.5 | 22.775 | 0.475 | 22.3 | | JENDL-2 |
| 1662.45 | 0 | 0.5 | 248.1 | 224.0 | 24.1 | | JENDL-2 |
| 1672.74 | 1 | 0.5 | 24.6952 | 9.519-2 | 24.6 | | JENDL-2 |
| 1688.78 | 0 | 0.5 | 130.5 | 107.0 | 23.5 | | JENDL-2 |
| 1695.99 | 1 | 0.5 | 22.986 | 0.386 | 22.6 | | JENDL-2 |
| 1706.7 | 1 | 0.5 | 24.9 | 1.4 | 23.5 | | JENDL-2 |
| 1709.85 | 0 | 0.5 | 115.5 | 89.5 | 27.0 | | JENDL-2 |
| 1722.89 | 0 | 0.5 | 40.1 | 17.4 | 22.7 | | JENDL-2 |
| 1745.65 | 1 | 0.5 | 24.69 | 1.69 | 23.0 | | JENDL-2 |
| 1755.89 | 0 | 0.5 | 165.0 | 139.0 | 26.0 | | JENDL-2 |
| 1776.4 | 1 | 0.5 | 24.185 | 0.685 | 23.5 | | JENDL-2 |
| 1781.34 | 1 | 0.5 | 24.7 | 1.2 | 23.5 | | JENDL-2 |
| 1782.69 | 0 | 0.5 | 685.6 | 652.0 | 23.6 | | JENDL-2 |
| 1797.35 | 1 | 0.5 | 27.12 | 2.92 | 24.2 | | JENDL-2 |
| 1808.4 | 0 | 0.5 | 38.1 | 19.0 | 19.1 | | JENDL-2 |
| 1823.59 | 1 | 0.5 | 24.188 | 0.788 | 23.4 | | JENDL-2 |
| 1834.22 | 1 | 0.5 | 25.01 | 0.41 | 24.6 | | JENDL-2 |
| 1846.1 | 0 | 0.5 | 30.4 | 11.1 | 19.3 | | JENDL-2 |
| 1868.03 | 1 | 0.5 | 27.66 | 1.16 | 26.5 | | JENDL-2 |
| 1869.64 | 1 | 0.5 | 26.42 | 2.52 | 23.9 | | JENDL-2 |
| 1881.09 | 1 | 0.5 | 24.97 | 1.47 | 23.5 | | JENDL-2 |
| 1893.88 | 1 | 0.5 | 25.05 | 1.55 | 23.5 | | JENDL-2 |
| 1902.83 | 0 | 0.5 | 68.3 | 44.2 | 24.1 | | JENDL-2 |
| 1913.28 | 1 | 0.5 | 35.66 | 3.56 | 32.1 | | JENDL-2 |
| 1917.16 | 0 | 0.5 | 62.5 | 39.8 | 22.7 | | JENDL-2 |
| 1925.43 | 1 | 0.5 | 24.551 | 0.951 | 23.6 | | JENDL-2 |
| 1942.7 | 1 | 0.5 | 24.077 | 0.677 | 23.4 | | JENDL-2 |
| 1953.79 | 0 | 0.5 | 27.95 | 4.25 | 23.7 | | JENDL-2 |
| 1958.98 | 0 | 0.5 | 850.8 | 822.0 | 28.8 | | JENDL-2 |
| 1974.91 | 0 | 0.5 | 461.4 | 438.0 | 23.4 | | JENDL-2 |
| 1990.23 | 1 | 0.5 | 25.09 | 1.39 | 23.7 | | JENDL-2 |
| 2001.15 | 1 | 0.5 | 22.768 | 0.568 | 22.2 | | JENDL-2 |
| 2023.58 | 0 | 0.5 | 250.4 | 227.0 | 23.4 | | JENDL-2 |
| 2030.49 | 0 | 0.5 | 69.9 | 46.9 | 23.0 | | JENDL-2 |
| 2049.02 | 1 | 0.5 | 25.48 | 2.18 | 23.3 | | JENDL-2 |
| 2052.8 | 1 | 0.5 | 24.56 | 0.86 | 23.7 | | JENDL-2 |
| 2063.38 | 1 | 0.5 | 23.85 | 0.25 | 23.6 | | JENDL-2 |
| 2071.42 | 1 | 0.5 | 31.41 | 2.11 | 29.3 | | JENDL-2 |
| 2080.71 | 1 | 0.5 | 25.22 | 1.62 | 23.6 | | JENDL-2 |
| 2086.04 | 1 | 0.5 | 27.99 | 4.39 | 23.6 | | JENDL-2 |
| 2088.62 | 0 | 0.5 | 48.4 | 25.6 | 22.8 | | JENDL-2 |
| 2098.29 | 0 | 0.5 | 50.6 | 26.3 | 24.3 | | JENDL-2 |
| 2104.07 | 1 | 0.5 | 25.14 | 1.44 | 23.7 | | JENDL-2 |
| 2110.37 | 1 | 0.5 | 24.2 | 0.6 | 23.6 | | JENDL-2 |
| 2114.05 | 1 | 0.5 | 27.745 | 0.845 | 26.9- | | JENDL-2 |
| 2121.27 | 1 | 0.5 | 23.85 | 0.25 | 23.6 | | JENDL-2 |
| 2124.18 | 1 | 0.5 | 28.0 | 3.7 | 24.3 | | JENDL-2 |
| 2140.67 | 1 | 0.5 | 24.6 | 1.0 | 23.6 | | JENDL-2 |
| 2145.56 | 0 | 0.5 | 98.4 | 74.7 | 23.7 | | JENDL-2 |
| 2152.76 | 0 | 0.5 | 324.4 | 300.0 | 24.4 | | JENDL-2 |
| 2173.12 | 1 | 0.5 | 25.89 | 2.19 | 23.7 | | JENDL-2 |
| 2178.96 | 1 | 0.5 | 24.4 | 0.8 | 23.6 | | JENDL-2 |

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 2186.58 | 0 | 0.5 | 815.2 | 591.0 | 24.2 | | JENDL-2 |
| 2201.26 | 0 | 0.5 | 130.2 | 105.0 | 25.2 | | JENDL-2 |
| 2215.44 | 1 | 0.5 | 27.02 | 3.42 | 23.6 | | JENDL-2 |
| 2241.41 | 1 | 0.5 | 26.32 | 1.02 | 25.3 | | JENDL-2 |
| 2259.7 | 0 | 0.5 | 134.3 | 109.0 | 25.3 | | JENDL-2 |
| 2266.54 | 0 | 0.5 | 256.0 | 234.0 | 22.0 | | JENDL-2 |
| 2270.15 | 1 | 0.5 | 27.58 | 3.88 | 23.7 | | JENDL-2 |
| 2281.92 | 0 | 0.5 | 209.0 | 188.0 | 21.0 | | JENDL-2 |
| 2293.95 | 1 | 0.5 | 24.8 | 1.3 | 23.5 | | JENDL-2 |
| 2296.56 | 1 | 0.5 | 30.41 | 5.61 | 24.8 | | JENDL-2 |
| 2315.93 | 0 | 0.5 | 43.1 | 19.1 | 24.0 | | JENDL-2 |
| 2327.28 | 1 | 0.5 | 30.24 | 1.14 | 29.1 | | JENDL-2 |
| 2334.83 | 1 | 0.5 | 26.86 | 1.66 | 25.2 | | JENDL-2 |
| 2338.59 | 0 | 0.5 | 32.35 | 8.65 | 23.7 | | JENDL-2 |
| 2352.75 | 0 | 0.5 | 83.4 | 55.2 | 28.2 | | JENDL-2 |
| 2355.73 | 0 | 0.5 | 102.0 | 77.9 | 24.1 | | JENDL-2 |
| 2368.75 | 1 | 0.5 | 30.38 | 5.78 | 24.6 | | JENDL-2 |
| 2383.87 | 1 | 0.5 | 24.0 | 0.5 | 23.5 | | JENDL-2 |
| 2394.94 | 1 | 0.5 | 26.6 | 2.0 | 24.6 | | JENDL-2 |
| 2391.98 | 0 | 0.5 | 54.1 | 30.1 | 24.0 | | JENDL-2 |
| 2397.8 | 1 | 0.5 | 29.9 | 5.2 | 24.7 | | JENDL-2 |
| 2401.82 | 1 | 0.5 | 28.22 | 4.42 | 23.8 | | JENDL-2 |
| 2411.24 | 0 | 0.5 | 29.93 | 5.63 | 24.3 | | JENDL-2 |
| 2418.17 | 1 | 0.5 | 26.169 | 0.969 | 25.2 | | JENDL-2 |
| 2426.89 | 0 | 0.5 | 180.7 | 157.0 | 23.7 | | JENDL-2 |
| 2446.7 | 0 | 0.5 | 246.6 | 223.0 | 23.6 | | JENDL-2 |
| 2447.31 | 1 | 0.5 | 24.0 | 0.4 | 23.6 | | JENDL-2 |
| 2455.75 | 0 | 0.5 | 41.3 | 17.3 | 24.0 | | JENDL-2 |
| 2489.18 | 0 | 0.5 | 129.4 | 105.0 | 24.4 | | JENDL-2 |
| 2502.22 | 1 | 0.5 | 27.45 | 3.85 | 23.6 | | JENDL-2 |
| 2521.49 | 0 | 0.5 | 43.3 | 19.0 | 24.3 | | JENDL-2 |
| 2527.08 | 1 | 0.5 | 24.4 | 0.9 | 23.5 | | JENDL-2 |
| 2548.19 | 0 | 0.5 | 761.5 | 738.0 | 23.5 | | JENDL-2 |
| 2559.59 | 0 | 0.5 | 301.7 | 278.0 | 23.7 | | JENDL-2 |
| 2581.15 | 0 | 0.5 | 470.6 | 447.0 | 23.6 | | JENDL-2 |
| 2597.81 | 0 | 0.5 | 783.7 | 761.0 | 22.7 | | JENDL-2 |
| 2605.23 | 1 | 0.5 | 26.95 | 3.25 | 23.7 | | JENDL-2 |
| 2612.02 | 1 | 0.5 | 28.53 | 4.93 | 23.6 | | JENDL-2 |
| 2620.05 | 0 | 0.5 | 71.9 | 48.1 | 23.8 | | JENDL-2 |
| 2632.73 | 1 | 0.5 | 28.64 | 4.44 | 24.2 | | JENDL-2 |
| 2636.85 | 1 | 0.5 | 26.56 | 2.86 | 23.7 | | JENDL-2 |
| 2654.08 | 1 | 0.5 | 24.6 | 1.0 | 23.6 | | JENDL-2 |
| 2658.73 | 1 | 0.5 | 27.97 | 4.17 | 23.8 | | JENDL-2 |
| 2672.22 | 0 | 0.5 | 312.0 | 288.0 | 24.0 | | JENDL-2 |
| 2682.61 | 1 | 0.5 | 26.22 | 2.32 | 23.9 | | JENDL-2 |
| 2696.5 | 0 | 0.5 | 55.2 | 31.2 | 24.0 | | JENDL-2 |
| 2701.95 | 1 | 0.5 | 25.93 | 1.93 | 24.0 | | JENDL-2 |
| 2717.33 | 0 | 0.5 | 200.6 | 177.0 | 23.6 | | JENDL-2 |
| 2750.74 | 0 | 0.5 | 65.6 | 41.7 | 23.9 | | JENDL-2 |
| 2762.66 | 0 | 0.5 | 42.7 | 18.9 | 23.8 | | JENDL-2 |
| 2766.69 | 1 | 0.5 | 27.13 | 3.23 | 23.9 | | JENDL-2 |
| 2774.55 | 1 | 0.5 | 25.14 | 1.54 | 23.6 | | JENDL-2 |
| 2778.46 | 1 | 0.5 | 24.9 | 1.3 | 23.6 | | JENDL-2 |
| 2787.43 | 0 | 0.5 | 39.6 | 15.0 | 24.6 | | JENDL-2 |
| 2799.52 | 1 | 0.5 | 29.43 | 5.13 | 24.3 | | JENDL-2 |
| 2806.38 | 0 | 0.5 | 34.8 | 10.2 | 24.6 | | JENDL-2 |
| 2811.62 | 1 | 0.5 | 29.05 | 5.05 | 24.0 | | JENDL-2 |
| 2815.93 | 1 | 0.5 | 25.05 | 1.35 | 23.7 | | JENDL-2 |
| 2823.35 | 1 | 0.5 | 25.6 | 2.0 | 23.6 | | JENDL-2 |
| 2829.32 | 0 | 0.5 | 44.4 | 20.8 | 23.6 | | JENDL-2 |
| 2845.95 | 1 | 0.5 | 24.2 | 0.6 | 23.6 | | JENDL-2 |
| 2865.39 | 0 | 0.5 | 240.2 | 218.0 | 22.2 | | JENDL-2 |
| 2877.57 | 1 | 0.5 | 26.04 | 2.24 | 23.8 | | JENDL-2 |
| 2882.78 | 0 | 0.5 | 632.4 | 608.0 | 24.4 | | JENDL-2 |
| 2897.23 | 0 | 0.5 | 41.7 | 17.8 | 23.9 | | JENDL-2 |
| 2918.38 | 1 | 0.5 | 30.86 | 6.86 | 24.0 | | JENDL-2 |
| 2922.92 | 1 | 0.5 | 29.97 | 5.07 | 24.9 | | JENDL-2 |
| 2925.57 | 1 | 0.5 | 31.45 | 6.85 | 24.6 | | JENDL-2 |
| 2933.65 | 0 | 0.5 | 62.4 | 38.3 | 24.1 | | JENDL-2 |
| 2945.37 | 1 | 0.5 | 25.98 | 2.08 | 23.9 | | JENDL-2 |
| 2956.93 | 0 | 0.5 | 46.3 | 21.8 | 24.5 | | JENDL-2 |
| 2967.52 | 1 | 0.5 | 27.39 | 3.79 | 23.6 | | JENDL-2 |
| 2988.56 | 1 | 0.5 | 30.39 | 6.59 | 23.8 | | JENDL-2 |
| 3003.62 | 0 | 0.5 | 146.7 | 122.0 | 24.7 | | JENDL-2 |
| 3014.99 | 1 | 0.5 | 24.68 | 1.18 | 23.7 | | JENDL-2 |
| 3024.7 | 1 | 0.5 | 27.9 | 4.4 | 23.5 | | JENDL-2 |
| 3028.61 | 0 | 0.5 | 160.7 | 137.0 | 23.7 | | JENDL-2 |
| 3043.72 | 1 | 0.5 | 27.69 | 3.49 | 24.2 | | JENDL-2 |
| 3059.64 | 0 | 0.5 | 57.2 | 32.9 | 24.3 | | JENDL-2 |
| 3072.14 | 1 | 0.5 | 25.18 | 1.08 | 24.1 | | JENDL-2 |
| 3081.21 | 1 | 0.5 | 25.34 | 1.74 | 23.6 | | JENDL-2 |
| 3088.71 | 1 | 0.5 | 27.21 | 3.51 | 23.7 | | JENDL-2 |
| 3103.55 | 1 | 0.5 | 26.37 | 2.07 | 24.3 | | JENDL-2 |
| 3109.91 | 0 | 0.5 | 253.6 | 230.0 | 23.6 | | JENDL-2 |
| 3130.16 | 1 | 0.5 | 26.72 | 3.12 | 23.6 | | JENDL-2 |
| 3133.86 | 1 | 0.5 | 33.11 | 8.91 | 24.2 | | JENDL-2 |
| 3149.03 | 0 | 0.5 | 136.6 | 113.0 | 23.6 | | JENDL-2 |

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 3169.8 | 0 | 0.5 | 34.5 | 10.9 | 23.6 | | JENDL-2 |
| 3178.83 | 0 | 0.5 | 117.3 | 93.5 | 23.8 | | JENDL-2 |
| 3189.91 | 0 | 0.5 | 133.1 | 111.0 | 22.1 | | JENDL-2 |
| 3205.81 | 0 | 0.5 | 120.0 | 96.2 | 23.8 | | JENDL-2 |
| 3219.67 | 0 | 0.5 | 34.32 | 9.52 | 24.8 | | JENDL-2 |
| 3226.34 | 0 | 0.5 | 49.3 | 24.9 | 24.4 | | JENDL-2 |
| 3240.23 | 1 | 0.5 | 26.45 | 1.45 | 25.0 | | JENDL-2 |
| 3248.86 | 0 | 0.5 | 49.3 | 26.2 | 23.1 | | JENDL-2 |
| 3263.89 | 1 | 0.5 | 27.31 | 1.71 | 25.6 | | JENDL-2 |
| 3267.53 | 1 | 0.5 | 33.8 | 9.5 | 24.3 | | JENDL-2 |
| 3273.29 | 0 | 0.5 | 43.0 | 13.6 | 29.4 | | JENDL-2 |
| 3279.51 | 0 | 0.5 | 308.6 | 285.0 | 23.6 | | JENDL-2 |
| 3297.47 | 0 | 0.5 | 35.6 | 10.1 | 25.5 | | JENDL-2 |
| 3307.81 | 1 | 0.5 | 28.5 | 5.0 | 23.5 | | JENDL-2 |
| 3312.18 | 0 | 0.5 | 189.6 | 166.0 | 23.6 | | JENDL-2 |
| 3321.64 | 0 | 0.5 | 161.7 | 139.0 | 22.7 | | JENDL-2 |
| 3333.66 | 0 | 0.5 | 130.1 | 106.0 | 24.1 | | JENDL-2 |
| 3341.25 | 1 | 0.5 | 27.75 | 4.15 | 23.6 | | JENDL-2 |
| 3346.82 | 1 | 0.5 | 25.0 | 1.5 | 23.5 | | JENDL-2 |
| 3355.81 | 0 | 0.5 | 148.8 | 125.0 | 23.8 | | JENDL-2 |
| 3366.78 | 1 | 0.5 | 24.5 | 0.9 | 23.6 | | JENDL-2 |
| 3378.3 | 1 | 0.5 | 31.35 | 7.75 | 23.6 | | JENDL-2 |
| 3383.59 | 1 | 0.5 | 27.95 | 3.35 | 24.6 | | JENDL-2 |
| 3389.74 | 0 | 0.5 | 50.9 | 26.0 | 24.9 | | JENDL-2 |
| 3399.28 | 1 | 0.5 | 31.43 | 7.73 | 23.7 | | JENDL-2 |
| 3408.77 | 0 | 0.5 | 256.7 | 243.0 | 23.7 | | JENDL-2 |
| 3417.93 | 1 | 0.5 | 28.22 | 3.92 | 24.3 | | JENDL-2 |
| 3436.49 | 0 | 0.5 | 448.9 | 425.0 | 23.9 | | JENDL-2 |
| 3458.14 | 0 | 0.5 | 755.7 | 731.0 | 24.7 | | JENDL-2 |
| 3485.8 | 0 | 0.5 | 122.6 | 98.8 | 23.8 | | JENDL-2 |
| 3495.64 | 0 | 0.5 | 35.7 | 10.7 | 25.0 | | JENDL-2 |
| 3513.02 | 1 | 0.5 | 25.52 | 1.92 | 23.6 | | JENDL-2 |
| 3514.66 | 1 | 0.5 | 25.2 | 1.6 | 23.6 | | JENDL-2 |
| 3522.39 | 1 | 0.5 | 26.08 | 2.18 | 23.9 | | JENDL-2 |
| 3528.51 | 1 | 0.5 | 30.04 | 6.34 | 23.7 | | JENDL-2 |
| 3561.59 | 0 | 0.5 | 293.6 | 270.0 | 23.6 | | JENDL-2 |
| 3574.04 | 0 | 0.5 | 460.6 | 437.0 | 23.6 | | JENDL-2 |
| 3595.02 | 0 | 0.5 | 81.4 | 57.6 | 23.8 | | JENDL-2 |
| 3623.24 | 0 | 0.5 | 52.3 | 24.3 | 28.0 | | JENDL-2 |
| 3629.8 | 0 | 0.5 | 558.6 | 535.0 | 23.6 | | JENDL-2 |
| 3637.05 | 1 | 0.5 | 31.59 | 7.99 | 23.6 | | JENDL-2 |
| 3653.99 | 1 | 0.5 | 26.63 | 2.63 | 24.0 | | JENDL-2 |
| 3662.39 | 1 | 0.5 | 26.83 | 2.53 | 24.3 | | JENDL-2 |
| 3673.35 | 1 | 0.5 | 28.74 | 5.14 | 29.6 | | JENDL-2 |
| 3683.26 | 1 | 0.5 | 28.2 | 4.6 | 23.6 | | JENDL-2 |
| 3693.19 | 0 | 0.5 | 442.6 | 419.0 | 23.6 | | JENDL-2 |
| 3716.8 | 0 | 0.5 | 137.9 | 114.0 | 23.9 | | JENDL-2 |
| 3724.77 | 1 | 0.5 | 32.11 | 6.81 | 25.3 | | JENDL-2 |
| 3734.21 | 0 | 0.5 | 242.8 | 219.0 | 23.8 | | JENDL-2 |
| 3741.55 | 1 | 0.5 | 25.5 | 2.0 | 23.5 | | JENDL-2 |
| 3742.53 | 1 | 0.5 | 24.4 | 0.8 | 23.6 | | JENDL-2 |
| 3745.43 | 1 | 0.5 | 24.4 | 0.8 | 23.6 | | JENDL-2 |
| 3758.93 | 1 | 0.5 | 25.6 | 2.0 | 23.6 | | JENDL-2 |
| 3765.11 | 0 | 0.5 | 127.9 | 104.0 | 23.9 | | JENDL-2 |
| 3781.96 | 0 | 0.5 | 504.0 | 480.0 | 24.0 | | JENDL-2 |
| 3791.13 | 1 | 0.5 | 26.5 | 2.9 | 23.6 | | JENDL-2 |
| 3809.33 | 1 | 0.5 | 24.25 | 0.65 | 23.6 | | JENDL-2 |
| 3825.68 | 1 | 0.5 | 28.17 | 4.57 | 23.6 | | JENDL-2 |
| 3831.6 | 0 | 0.5 | 38.0 | 13.8 | 24.2 | | JENDL-2 |
| 3857.79 | 0 | 0.5 | 623.6 | 600.0 | 23.6 | | JENDL-2 |
| 3873.09 | 0 | 0.5 | 203.9 | 180.0 | 23.9 | | JENDL-2 |
| 3880.06 | 1 | 0.5 | 26.68 | 2.98 | 23.7 | | JENDL-2 |
| 3894.84 | 1 | 0.5 | 32.49 | 8.49 | 24.0 | | JENDL-2 |
| 3902.22 | 0 | 0.5 | 324.3 | 300.0 | 24.3 | | JENDL-2 |
| 3915.03 | 0 | 0.5 | 130.1 | 107.0 | 23.1 | | JENDL-2 |
| 3927.9 | 1 | 0.5 | 36.4 | 12.0 | 24.4 | | JENDL-2 |
| 3930.21 | 1 | 0.5 | 37.6 | 14.0 | 23.6 | | JENDL-2 |
| 3933.38 | 1 | 0.5 | 36.2 | 12.7 | 23.5 | | JENDL-2 |
| 3940.06 | 0 | 0.5 | 204.1 | 180.0 | 24.1 | | JENDL-2 |
| 3948.81 | 1 | 0.5 | 27.6 | 4.0 | 23.6 | | JENDL-2 |
| 3954.94 | 0 | 0.5 | 151.9 | 128.0 | 23.9 | | JENDL-2 |
| 3992.71 | 1 | 0.5 | 26.6 | 3.0 | 23.6 | | JENDL-2 |
| 4009.11 | 1 | 0.5 | 27.6 | 4.0 | 23.6 | | JENDL-2 |
| 4014.11 | 1 | 0.5 | 26.2 | 2.6 | 23.6 | | JENDL-2 |
| 4024.9 | 1 | 0.5 | 25.0 | 1.4 | 23.6 | | JENDL-2 |
| 4040.62 | 0 | 0.5 | 88.9 | 64.6 | 24.3 | | JENDL-2 |
| 4063.92 | 0 | 0.5 | 45.3 | 20.2 | 25.1 | | JENDL-2 |
| 4080.4 | 1 | 0.5 | 27.4 | 3.8 | 23.6 | | JENDL-2 |
| 4083.6 | 1 | 0.5 | 27.6 | 4.0 | 23.6 | | JENDL-2 |
| 4090.29 | 0 | 0.5 | 117.6 | 93.4 | 24.2 | | JENDL-2 |
| 4099.1 | 1 | 0.5 | 25.3 | 1.7 | 23.6 | | JENDL-2 |
| 4103.8 | 1 | 0.5 | 25.6 | 2.0 | 23.6 | | JENDL-2 |
| 4125.12 | 0 | 0.5 | 65.3 | 41.4 | 23.9 | | JENDL-2 |
| 4132.19 | 1 | 0.5 | 40.6 | 17.0 | 23.6 | | JENDL-2 |
| 4148.19 | 1 | 0.5 | 27.9 | 4.3 | 23.6 | | JENDL-2 |
| 4167.95 | 0 | 0.5 | 229.3 | 205.0 | 24.3 | | JENDL-2 |
| 4179.31 | 0 | 0.5 | 55.4 | 31.5 | 23.9 | | JENDL-2 |

U-238

6

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 4201.99 | 1 | 0.5 | 27.6 | 4.0 | 23.6 | | JENDL-2 |
| 4210.72 | 0 | 0.5 | 62.9 | 36.4 | 24.5 | | JENDL-2 |
| 4225.52 | 1 | 0.5 | 33.6 | 10.0 | 23.6 | | JENDL-2 |
| 4258.76 | 0 | 0.5 | 55.8 | 31.2 | 24.6 | | JENDL-2 |
| 4299.54 | 0 | 0.5 | 162.0 | 136.0 | 24.0 | | JENDL-2 |
| 4307.04 | 0 | 0.5 | 134.3 | 110.0 | 24.3 | | JENDL-2 |
| 4325.15 | 0 | 0.5 | 106.0 | 81.3 | 24.7 | | JENDL-2 |
| 4371.0 | 0 | 0.5 | 176.1 | 152.0 | 24.1 | | JENDL-2 |
| 4435.55 | 0 | 0.5 | 124.5 | 100.0 | 24.5 | | JENDL-2 |
| 4511.74 | 0 | 0.5 | 607.4 | 583.0 | 24.4 | | JENDL-2 |
| 4543.45 | 0 | 0.5 | 117.8 | 93.1 | 24.7 | | JENDL-2 |
| 4567.76 | 0 | 0.5 | 68.1 | 43.6 | 24.5 | | JENDL-2 |
| 4594.67 | 0 | 0.5 | 48.3 | 22.8 | 25.5 | | JENDL-2 |
| 4632.17 | 0 | 0.5 | 52.1 | 27.6 | 24.5 | | JENDL-2 |
| 4662.9 | 0 | 0.5 | 170.2 | 146.0 | 24.2 | | JENDL-2 |
| 4705.73 | 0 | 0.5 | 356.1 | 332.0 | 24.1 | | JENDL-2 |
| 4727.89 | 0 | 0.5 | 43.8 | 19.4 | 24.4 | | JENDL-2 |

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| -0.22 | 0 | 0 | 504.644 | 0.0437 | 46.6 | 458.0 | JENDL-2 |
| 0.297 | 0 | 0 | 98.84 | 0.24 | 38.2 | 60.4 | JENDL-2 |
| 7.82 | 0 | 1.0 | 88.3997 | 0.7997 | 40.0 | 47.6 | JENDL-2 |
| 10.93 | 0 | 1.0 | 199.877 | 1.8769 | 55.0 | 143.0 | JENDL-2 |
| 11.89 | 0 | 1.0 | 57.0179 | 1.0179 | 42.0 | 24.0 | JENDL-2 |
| 14.31 | 0 | 1.0 | 101.601 | 0.6015 | 34.0 | 67.0 | JENDL-2 |
| 14.68 | 0 | 1.0 | 69.8903 | 1.8903 | 38.0 | 30.0 | JENDL-2 |
| 15.46 | 0 | 0 | 994.4 | 2.4 | 42.0 | 950.0 | JENDL-2 |
| 17.66 | 0 | 1.0 | 74.8109 | 1.8109 | 39.0 | 34.0 | JENDL-2 |
| 22.29 | 0 | 1.0 | 108.644 | 2.6437 | 44.0 | 62.0 | JENDL-2 |
| 23.94 | 0 | 0.5 | 70.1288 | 0.1288 | 32.0 | 38.0 | JENDL-2 |
| 26.24 | 0 | 1.0 | 83.454 | 1.454 | 38.0 | 44.0 | JENDL-2 |
| 27.24 | 0 | 0.5 | 42.2082 | 0.2082 | 37.0 | 5.0 | JENDL-2 |
| 32.31 | 0 | 0 | 151.833 | 0.8328 | 41.0 | 110.0 | JENDL-2 |
| 34.6 | 0 | 0.5 | 91.5198 | 0.0198 | 41.5 | 50.0 | JENDL-2 |
| 35.5 | 0 | 1.0 | 47.2841 | 0.2841 | 43.0 | 4.0 | JENDL-2 |
| 41.42 | 0 | 1.0 | 52.0977 | 4.0977 | 44.0 | 4.0 | JENDL-2 |
| 41.66 | 0 | 0.5 | 106.003 | 2.0026 | 58.0 | 46.0 | JENDL-2 |
| 44.48 | 0 | 1.0 | 58.5895 | 6.5895 | 47.0 | 5.0 | JENDL-2 |
| 47.6 | 0 | 0 | 311.671 | 5.6708 | 58.0 | 248.0 | JENDL-2 |
| 49.71 | 0 | 0 | 800.362 | 4.362 | 50.0 | 746.0 | JENDL-2 |
| 50.08 | 0 | 1.0 | 57.0072 | 3.0072 | 41.0 | 13.0 | JENDL-2 |
| 52.6 | 0 | 1.0 | 68.3785 | 10.3785 | 49.0 | 9.0 | JENDL-2 |
| 55.63 | 0 | 1.0 | 58.454 | 1.454 | 36.0 | 21.0 | JENDL-2 |
| 57.44 | 0 | 0 | 499.888 | 12.888 | 42.0 | 445.0 | JENDL-2 |
| 58.84 | 0 | 0 | 1099.91 | 10.9052 | 42.0 | 1047.0 | JENDL-2 |
| 59.22 | 0 | 1.0 | 180.42 | 5.4196 | 52.0 | 123.0 | JENDL-2 |
| 60.94 | 0 | 0 | 6797.83 | 19.828 | 42.0 | 6736.0 | JENDL-2 |
| 63.08 | 0 | 0.5 | 155.19 | 1.1896 | 43.0 | 111.0 | JENDL-2 |
| 65.36 | 0 | 0.5 | 92.0354 | 0.5354 | 41.5 | 50.0 | JENDL-2 |
| 65.71 | 0 | 1.0 | 137.042 | 12.0421 | 54.0 | 71.0 | JENDL-2 |
| 74.05 | 0 | 1.0 | 71.1393 | 3.1393 | 36.0 | 32.0 | JENDL-2 |
| 74.95 | 0 | 1.0 | 146.943 | 21.9427 | 41.0 | 84.0 | JENDL-2 |
| 78.95 | 0 | 0.5 | 91.66 | 0.16 | 41.5 | 50.0 | JENDL-2 |
| 81.76 | 0 | 0 | 2047.91 | 9.914 | 42.0 | 1996.0 | JENDL-2 |
| 82.68 | 0 | 0.5 | 70.7436 | 0.7436 | 40.0 | 30.0 | JENDL-2 |
| 83.52 | 0 | 0 | 1750.38 | 2.3792 | 42.0 | 1706.0 | JENDL-2 |
| 85.32 | 0 | 0 | 2096.0 | 52.0 | 42.0 | 2002.0 | JENDL-2 |
| 85.48 | 0 | 1.0 | 74.7989 | 7.7989 | 51.0 | 16.0 | JENDL-2 |
| 90.75 | 0 | 1.0 | 59.7941 | 12.1941 | 39.0 | 8.6 | JENDL-2 |
| 92.97 | 0 | 0.5 | 57.041 | 1.041 | 47.0 | 9.0 | JENDL-2 |
| 95.36 | 0 | 1.0 | 98.0819 | 2.0819 | 66.0 | 30.0 | JENDL-2 |
| 96.491 | 0 | 0 | 1700.24 | 13.2448 | 42.0 | 1645.0 | JENDL-2 |
| 100.25 | 0 | 0 | 6000.1 | 11.1036 | 42.0 | 5947.0 | JENDL-2 |
| 102.99 | 0 | 1.0 | 47.5993 | 1.5993 | 36.0 | 10.0 | JENDL-2 |
| 105.3 | 0 | 1.0 | 48.0 | 4.6 | 38.0 | 5.4 | JENDL-2 |
| 106.67 | 0 | 1.0 | 75.6265 | 9.2265 | 40.0 | 26.4 | JENDL-2 |
| 110.38 | 0 | 0.5 | 43.6542 | 0.6542 | 30.0 | 13.0 | JENDL-2 |
| 114.44 | 0 | 0 | 1499.39 | 1.398 | 42.0 | 1456.0 | JENDL-2 |
| 115.1 | 0 | 0.5 | 205.317 | 0.3172 | 40.0 | 165.0 | JENDL-2 |
| 116.303 | 0 | 0 | 267.727 | 10.7268 | 39.0 | 218.0 | JENDL-2 |
| 118.83 | 0 | 1.0 | 102.831 | 17.8307 | 43.0 | 42.0 | JENDL-2 |
| 120.99 | 0 | 0 | 78.336 | 7.336 | 32.0 | 39.0 | JENDL-2 |
| 123.44 | 0 | 0.5 | 63.694 | 0.694 | 24.0 | 39.0 | JENDL-2 |
| 126.22 | 0 | 0 | 95.6686 | 5.6686 | 70.0 | 20.0 | JENDL-2 |
| 127.51 | 0 | 0.5 | 64.7634 | 0.7634 | 40.0 | 24.0 | JENDL-2 |
| 131.75 | 0 | 0 | 3799.69 | 35.6904 | 42.0 | 3722.0 | JENDL-2 |
| 133.78 | 0 | 1.0 | 55.5385 | 5.5385 | 44.0 | 6.0 | JENDL-2 |
| 136.75 | 0 | 0 | 70.1516 | 10.1516 | 32.0 | 28.0 | JENDL-2 |
| 139.28 | 0 | 0.5 | 321.878 | 0.1784 | 41.5 | 280.0 | JENDL-2 |
| 142.92 | 0 | 1.0 | 137.212 | 3.2121 | 52.0 | 82.0 | JENDL-2 |
| 143.47 | 0 | 1.0 | 83.0448 | 4.0448 | 48.0 | 31.0 | JENDL-2 |
| 146.25 | 0 | 1.0 | 69.9927 | 6.9927 | 50.5 | 12.5 | JENDL-2 |
| 147.44 | 0 | 0 | 1000.38 | 2.3792 | 42.0 | 956.0 | JENDL-2 |
| 148.21 | 0 | 0.5 | 149.694 | 0.694 | 47.0 | 102.0 | JENDL-2 |
| 149.42 | 0 | 0.5 | 119.597 | 2.5974 | 67.0 | 50.0 | JENDL-2 |
| 157.08 | 0 | 0 | 621.6 | 33.6 | 48.0 | 540.0 | JENDL-2 |
| 160.8 | 0 | 0.5 | 141.208 | 0.2081 | 41.0 | 100.0 | JENDL-2 |
| 161.96 | 0 | 0.5 | 150.208 | 0.2081 | 40.0 | 110.0 | JENDL-2 |
| 164.54 | 0 | 1.0 | 78.7587 | 27.7587 | 43.0 | 8.0 | JENDL-2 |
| 167.1 | 0 | 1.0 | 111.783 | 5.7831 | 37.0 | 69.0 | JENDL-2 |
| 170.49 | 0 | 0.5 | 158.853 | 0.0526 | 38.0 | 120.0 | JENDL-2 |
| 171.08 | 0 | 0 | 999.765 | 1.7648 | 42.0 | 956.0 | JENDL-2 |
| 174.56 | 0 | 0.5 | 241.559 | 0.0594 | 41.5 | 200.0 | JENDL-2 |
| 175.98 | 0 | 0.5 | 73.1126 | 3.1126 | 39.0 | 31.0 | JENDL-2 |
| 177.22 | 0 | 1.0 | 51.5425 | 3.5425 | 41.5 | 6.5 | JENDL-2 |
| 178.9 | 0 | 1.0 | 58.2095 | 1.2095 | 43.0 | 14.0 | JENDL-2 |
| 183.64 | 0 | 0.5 | 72.2702 | 2.2702 | 42.0 | 28.0 | JENDL-2 |
| 184.87 | 0 | 0 | 2098.64 | 18.638 | 42.0 | 2038.0 | JENDL-2 |
| 188.27 | 0 | 0.5 | 52.912 | 0.912 | 43.0 | 9.0 | JENDL-2 |
| 190.64 | 0 | 0 | 66.9768 | 4.9768 | 49.0 | 13.0 | JENDL-2 |
| 195.36 | 0 | 0 | 446.484 | 59.484 | 52.0 | 335.0 | JENDL-2 |
| 196.69 | 0 | 1.0 | 111.653 | 4.6529 | 53.0 | 54.0 | JENDL-2 |
| 199.39 | 0 | 1.0 | 132.577 | 9.5768 | 43.0 | 80.0 | JENDL-2 |
| 203.46 | 0 | 0.5 | 72.4484 | 5.9484 | 41.5 | 25.0 | JENDL-2 |
| 203.93 | 0 | 0 | 440.6 | 53.6 | 42.0 | 345.0 | JENDL-2 |
| 207.37 | 0 | 1.0 | 56.9397 | 6.9397 | 44.0 | 6.0 | JENDL-2 |

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 211.09 | 0 | 0 | 789.776 | 2.776 | 42.0 | 745.0 | JENDL-2 |
| 212.02 | 0 | 0 | 1500.38 | 2.3792 | 42.0 | 1455.0 | JENDL-2 |
| 213.28 | 0 | 0.5 | 199.694 | 0.694 | 42.0 | 157.0 | JENDL-2 |
| 216.35 | 0 | 1.0 | 67.2127 | 6.2127 | 50.0 | 11.0 | JENDL-2 |
| 219.49 | 0 | 1.0 | 70.5425 | 3.5425 | 41.0 | 26.0 | JENDL-2 |
| 220.22 | 0 | 1.0 | 52.3627 | 7.3627 | 34.0 | 11.0 | JENDL-2 |
| 223.16 | 0 | 1.0 | 59.3639 | 3.3639 | 47.0 | 9.0 | JENDL-2 |
| 224.89 | 0 | 0.5 | 85.5378 | 2.5378 | 58.0 | 25.0 | JENDL-2 |
| 227.77 | 0 | 0 | 8096.03 | 30.5348 | 41.5 | 8024.0 | JENDL-2 |
| 227.89 | 0 | 1.0 | 66.6787 | 1.6787 | 33.0 | 32.0 | JENDL-2 |
| 231.4 | 0 | 1.0 | 53.7645 | 11.7645 | 37.0 | 5.0 | JENDL-2 |
| 232.63 | 0 | 0.5 | 120.654 | 0.6544 | 40.0 | 80.0 | JENDL-2 |
| 234.32 | 0 | 1.0 | 74.1452 | 10.1452 | 49.0 | 15.0 | JENDL-2 |
| 239.04 | 0 | 1.0 | 72.3865 | 6.3865 | 51.0 | 16.0 | JENDL-2 |
| 240.6 | 0 | 0.5 | 241.55 | 0.0496 | 41.5 | 200.0 | JENDL-2 |
| 242.88 | 0 | 1.0 | 95.5564 | 6.5564 | 34.0 | 56.0 | JENDL-2 |
| 247.5 | 0 | 0.5 | 260.348 | 1.3482 | 45.0 | 234.0 | JENDL-2 |
| 248.86 | 0 | 1.0 | 61.6253 | 14.6253 | 42.0 | 5.0 | JENDL-2 |
| 251.23 | 0 | 1.0 | 82.2293 | 27.2293 | 43.0 | 12.0 | JENDL-2 |
| 254.5 | 0 | 1.0 | 54.7759 | 2.7759 | 27.0 | 25.0 | JENDL-2 |
| 256.11 | 0 | 1.0 | 91.2788 | 6.2788 | 53.0 | 32.0 | JENDL-2 |
| 259.0 | 0 | 0.5 | 241.897 | 0.3966 | 41.5 | 200.0 | JENDL-2 |
| 262.73 | 0 | 0 | 6299.14 | 99.14 | 42.0 | 6158.0 | JENDL-2 |
| 262.74 | 0 | 0.5 | 59.6086 | 3.6086 | 46.0 | 10.0 | JENDL-2 |
| 264.23 | 0 | 0.5 | 341.748 | 0.2478 | 41.5 | 300.0 | JENDL-2 |
| 269.11 | 0 | 0.5 | 130.082 | 2.0818 | 42.0 | 86.0 | JENDL-2 |
| 269.54 | 0 | 1.0 | 71.8333 | 3.8333 | 40.0 | 28.0 | JENDL-2 |
| 272.52 | 0 | 1.0 | 91.626 | 27.526 | 33.0 | 31.0 | JENDL-2 |
| 274.8 | 0 | 0.5 | 791.88 | 13.8796 | 42.0 | 736.0 | JENDL-2 |
| 275.57 | 0 | 1.0 | 149.199 | 23.1987 | 54.0 | 72.0 | JENDL-2 |
| 277.23 | 0 | 0 | 5299.85 | 17.8452 | 42.0 | 5240.0 | JENDL-2 |
| 279.59 | 0 | 0 | 111.097 | 21.0968 | 34.0 | 56.0 | JENDL-2 |
| 282.92 | 0 | 1.0 | 84.983 | 24.983 | 49.0 | 11.0 | JENDL-2 |
| 285.73 | 0 | 0.5 | 341.599 | 9.919-2 | 41.5 | 300.0 | JENDL-2 |
| 288.0 | 0 | 0 | 6498.55 | 28.552 | 42.0 | 6428.0 | JENDL-2 |
| 288.3 | 0 | 0.5 | 341.579 | 7.939-2 | 41.5 | 300.0 | JENDL-2 |
| 292.33 | 0 | 0 | 114.54 | 11.5396 | 31.0 | 72.0 | JENDL-2 |
| 296.46 | 0 | 1.0 | 81.2319 | 3.2319 | 48.0 | 30.0 | JENDL-2 |
| 298.59 | 0 | 1.0 | 73.4427 | 10.4427 | 43.0 | 20.0 | JENDL-2 |
| 301.81 | 0 | 1.0 | 108.043 | 18.043 | 42.0 | 48.0 | JENDL-2 |
| 308.2 | 0 | 0.5 | 150.362 | 4.362 | 48.0 | 98.0 | JENDL-2 |
| 309.01 | 0 | 1.0 | 84.945 | 13.945 | 47.0 | 24.0 | JENDL-2 |
| 311.12 | 0 | 0.5 | 82.2238 | 0.7238 | 41.5 | 40.0 | JENDL-2 |
| 313.62 | 0 | 1.0 | 61.483 | 13.483 | 38.0 | 10.0 | JENDL-2 |
| 316.5 | 0 | 1.0 | 73.1221 | 5.1221 | 43.0 | 25.0 | JENDL-2 |
| 320.0 | 0 | 0.5 | 5061.5 | 20.0 | 41.5 | 5000.0 | JENDL-2 |
| 321.75 | 0 | 0.5 | 341.698 | 0.1982 | 41.5 | 300.0 | JENDL-2 |
| 323.36 | 0 | 0 | 159.88 | 59.88 | 53.0 | 47.0 | JENDL-2 |
| 325.3 | 0 | 1.0 | 104.46 | 6.4599 | 50.0 | 46.0 | JENDL-2 |
| 329.65 | 0 | 0 | 1999.71 | 10.7068 | 42.0 | 1947.0 | JENDL-2 |
| 333.91 | 0 | 1.0 | 67.446 | 5.446 | 52.0 | 10.0 | JENDL-2 |
| 335.93 | 0 | 1.0 | 82.58 | 17.58 | 47.0 | 18.0 | JENDL-2 |
| 337.95 | 0 | 1.0 | 73.991 | 7.991 | 55.0 | 11.0 | JENDL-2 |
| 339.24 | 0 | 0 | 80.7552 | 9.7552 | 37.0 | 34.0 | JENDL-2 |
| 343.18 | 0 | 1.0 | 74.657 | 15.657 | 41.0 | 18.0 | JENDL-2 |
| 346.56 | 0 | 0 | 1200.31 | 10.3104 | 42.0 | 1148.0 | JENDL-2 |
| 350.3 | 0 | 1.0 | 97.315 | 21.315 | 41.0 | 35.0 | JENDL-2 |
| 352.82 | 0 | 1.0 | 68.8597 | 3.8597 | 48.0 | 17.0 | JENDL-2 |
| 354.89 | 0 | 0.5 | 79.0948 | 0.5948 | 41.5 | 37.0 | JENDL-2 |
| 357.87 | 0 | 0 | 5999.92 | 8.9224 | 42.0 | 5949.0 | JENDL-2 |
| 359.99 | 0 | 0.5 | 113.646 | 1.6458 | 32.0 | 80.0 | JENDL-2 |
| 361.28 | 0 | 0.5 | 341.827 | 0.3272 | 41.5 | 300.0 | JENDL-2 |
| 364.0 | 0 | 0.5 | 3051.5 | 10.0 | 41.5 | 3000.0 | JENDL-2 |
| 366.0 | 0 | 0 | 4999.71 | 10.7058 | 42.0 | 4947.0 | JENDL-2 |
| 368.33 | 0 | 0.5 | 162.095 | 0.5948 | 41.5 | 120.0 | JENDL-2 |
| 370.31 | 0 | 0.5 | 89.8664 | 3.8664 | 57.0 | 29.0 | JENDL-2 |
| 371.72 | 0 | 0 | 3399.8 | 22.802 | 42.0 | 3335.0 | JENDL-2 |
| 375.02 | 0 | 0 | 42.9312 | 7.9312 | 29.0 | 6.0 | JENDL-2 |
| 377.1 | 0 | 0.5 | 99.9542 | 2.9542 | 58.0 | 39.0 | JENDL-2 |
| 378.04 | 0 | 0.5 | 224.364 | 1.8638 | 41.5 | 181.0 | JENDL-2 |
| 382.43 | 0 | 0.5 | 129.625 | 0.6246 | 43.0 | 86.0 | JENDL-2 |
| 384.26 | 0 | 1.0 | 108.851 | 5.6509 | 28.0 | 75.0 | JENDL-2 |
| 385.9 | 0 | 0 | 999.776 | 2.776 | 42.0 | 955.0 | JENDL-2 |
| 389.51 | 0 | 0.5 | 74.072 | 2.072 | 51.0 | 21.0 | JENDL-2 |
| 391.52 | 0 | 0.5 | 124.874 | 1.8738 | 55.0 | 68.0 | JENDL-2 |
| 394.43 | 0 | 1.0 | 106.464 | 6.4639 | 48.0 | 52.0 | JENDL-2 |
| 396.91 | 0 | 0.5 | 108.143 | 3.1426 | 44.0 | 61.0 | JENDL-2 |
| 401.56 | 0 | 1.0 | 219.232 | 19.232 | 46.0 | 154.0 | JENDL-2 |
| 404.24 | 0 | 1.0 | 155.0 | 23.0 | 56.0 | 76.0 | JENDL-2 |
| 406.03 | 0 | 0.5 | 321.206 | 2.7064 | 41.5 | 277.0 | JENDL-2 |
| 406.95 | 0 | 0.5 | 331.447 | 1.4474 | 30.0 | 300.0 | JENDL-2 |
| 408.71 | 0 | 0.5 | 114.924 | 1.9238 | 55.0 | 58.0 | JENDL-2 |
| 412.31 | 0 | 1.0 | 144.863 | 8.8631 | 66.0 | 70.0 | JENDL-2 |
| 415.66 | 0 | 0.5 | 61.8478 | 4.8478 | 50.0 | 7.0 | JENDL-2 |
| 417.6 | 0 | 0.5 | 230.399 | 2.3992 | 50.0 | 178.0 | JENDL-2 |
| 419.85 | 0 | 1.0 | 139.021 | 6.0211 | 59.0 | 74.0 | JENDL-2 |
| 425.67 | 0 | 0.5 | 341.897 | 0.3966 | 41.5 | 300.0 | JENDL-2 |

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 426.37 | 0 | 0 | 6996.35 | 29.3452 | 42.0 | 6926.0 | JENDL-2 |
| 429.64 | 0 | 0.5 | 779.411 | 5.4112 | 42.0 | 732.0 | JENDL-2 |
| 431.29 | 0 | 0.5 | 3491.44 | 6.9398 | 41.5 | 3443.0 | JENDL-2 |
| 432.73 | 0 | 0.5 | 341.027 | 1.5268 | 41.5 | 298.0 | JENDL-2 |
| 437.76 | 0 | 1.0 | 61.6701 | 2.6701 | 49.0 | 10.0 | JENDL-2 |
| 438.72 | 0 | 1.0 | 60.8835 | 2.8835 | 55.0 | 3.0 | JENDL-2 |
| 440.07 | 0 | 0.5 | 341.916 | 0.4164 | 41.5 | 300.0 | JENDL-2 |
| 442.41 | 0 | 0 | 411.819 | 20.819 | 44.0 | 347.0 | JENDL-2 |
| 449.75 | 0 | 0.5 | 133.483 | 1.9828 | 41.5 | 90.0 | JENDL-2 |
| 451.35 | 0 | 1.0 | 59.145 | 13.945 | 41.5 | 3.7 | JENDL-2 |
| 454.45 | 0 | 0.5 | 402.194 | 0.694 | 41.5 | 360.0 | JENDL-2 |
| 455.73 | 0 | 0 | 615.216 | 78.715 | 41.5 | 495.0 | JENDL-2 |
| 457.33 | 0 | 0.5 | 170.504 | 11.0044 | 41.5 | 118.0 | JENDL-2 |
| 458.8 | 0 | 1.0 | 79.0604 | 4.5604 | 41.5 | 33.0 | JENDL-2 |
| 461.26 | 0 | 0.5 | 97.3698 | 3.4698 | 41.5 | 52.4 | JENDL-2 |
| 462.64 | 0 | 0.5 | 128.293 | 0.7932 | 41.5 | 86.0 | JENDL-2 |
| 468.2 | 0 | 0.5 | 2092.94 | 6.444 | 41.5 | 2045.0 | JENDL-2 |
| 470.0 | 0 | 0.5 | 5086.37 | 14.871 | 41.5 | 5030.0 | JENDL-2 |
| 473.1 | 0 | 1.0 | 55.5977 | 4.0977 | 41.5 | 10.0 | JENDL-2 |
| 475.31 | 0 | 0.5 | 582.052 | 5.5518 | 41.5 | 535.0 | JENDL-2 |
| 476.9 | 0 | 0.5 | 1994.18 | 2.6766 | 41.5 | 1950.0 | JENDL-2 |
| 479.24 | 0 | 0.5 | 201.698 | 0.1982 | 41.5 | 160.0 | JENDL-2 |
| 484.15 | 0 | 0.5 | 59.8664 | 3.8664 | 41.5 | 14.5 | JENDL-2 |
| 487.29 | 0 | 0.5 | 224.772 | 3.2716 | 41.5 | 180.0 | JENDL-2 |
| 487.81 | 0 | 0.5 | 226.655 | 5.1552 | 41.5 | 180.0 | JENDL-2 |
| 490.65 | 0 | 0.5 | 2281.33 | 19.826 | 41.5 | 2220.0 | JENDL-2 |
| 494.1 | 0 | 1.0 | 116.06 | 4.5604 | 41.5 | 70.0 | JENDL-2 |
| 495.63 | 0 | 0.5 | 202.69 | 1.1899 | 41.5 | 160.0 | JENDL-2 |
| 500.5 | 0 | 1.0 | 76.8707 | 3.3707 | 41.5 | 32.0 | JENDL-2 |
| 502.86 | 0 | 1.0 | 85.2645 | 11.7545 | 41.5 | 32.0 | JENDL-2 |
| 505.78 | 0 | 0.5 | 442.392 | 0.8922 | 41.5 | 400.0 | JENDL-2 |
| 508.22 | 0 | 0.5 | 692.194 | 0.694 | 41.5 | 650.0 | JENDL-2 |
| 509.74 | 0 | 1.0 | 260.184 | 51.684 | 41.5 | 167.0 | JENDL-2 |
| 511.52 | 0 | 0.5 | 3354.29 | 12.789 | 41.5 | 3300.0 | JENDL-2 |
| 515.16 | 0 | 0.5 | 482.491 | 0.9914 | 41.5 | 440.0 | JENDL-2 |
| 516.57 | 0 | 0.5 | 321.797 | 0.2974 | 41.5 | 280.0 | JENDL-2 |
| 517.98 | 0 | 0.5 | 362.194 | 0.694 | 41.5 | 320.0 | JENDL-2 |
| 520.22 | 0 | 1.0 | 99.304 | 14.804 | 41.5 | 43.0 | JENDL-2 |
| 524.21 | 0 | 1.0 | 91.836 | 30.336 | 41.5 | 20.0 | JENDL-2 |
| 525.4 | 0 | 0.5 | 10661.4 | 119.898 | 41.5 | 10500.0 | JENDL-2 |
| 526.0 | 0 | 0.5 | 92.987 | 1.487 | 41.5 | 50.0 | JENDL-2 |
| 527.38 | 0 | 0.5 | 58.987 | 1.487 | 41.5 | 16.0 | JENDL-2 |
| 530.52 | 0 | 0 | 243.0 | 126.5 | 41.5 | 75.0 | JENDL-2 |
| 539.17 | 0 | 1.0 | 55.2019 | 11.3019 | 41.5 | 2.4 | JENDL-2 |
| 540.71 | 0 | 0.5 | 85.4656 | 3.9656 | 41.5 | 40.0 | JENDL-2 |
| 541.65 | 0 | 0.5 | 89.431 | 7.931 | 41.5 | 40.0 | JENDL-2 |
| 543.08 | 0 | 1.0 | 58.1324 | 11.6324 | 41.5 | 5.0 | JENDL-2 |
| 545.85 | 0 | 0.5 | 1178.85 | 17.3494 | 41.5 | 1120.0 | JENDL-2 |
| 547.14 | 0 | 0.5 | 843.285 | 1.7846 | 41.5 | 800.0 | JENDL-2 |
| 549.67 | 0 | 1.0 | 60.1984 | 11.6984 | 41.5 | 7.0 | JENDL-2 |
| 550.5 | 0 | 0.5 | 61.3538 | 16.8538 | 41.5 | 3.0 | JENDL-2 |
| 554.13 | 0 | 0.5 | 1233.25 | 51.75 | 41.5 | 1140.0 | JENDL-2 |
| 555.72 | 0 | 0.5 | 446.358 | 4.8578 | 41.5 | 400.0 | JENDL-2 |
| 559.16 | 0 | 1.0 | 89.4653 | 26.9653 | 41.5 | 21.0 | JENDL-2 |
| 562.84 | 0 | 0.5 | 274.638 | 53.138 | 41.5 | 180.0 | JENDL-2 |
| 564.03 | 0 | 0.5 | 53.2156 | 9.7156 | 41.5 | 2.0 | JENDL-2 |
| 565.81 | 0 | 0.5 | 60.5778 | 14.0778 | 41.5 | 5.0 | JENDL-2 |
| 571.11 | 0 | 1.0 | 83.026 | 8.526 | 41.5 | 33.0 | JENDL-2 |
| 574.0 | 0 | 0 | 419.132 | 157.632 | 41.5 | 220.0 | JENDL-2 |
| 575.77 | 0 | 1.0 | 88.957 | 39.457 | 41.5 | 8.0 | JENDL-2 |
| 578.0 | 0 | 0.5 | 79.9784 | 2.4784 | 41.5 | 36.0 | JENDL-2 |
| 579.04 | 0 | 1.0 | 55.3076 | 6.8076 | 41.5 | 7.0 | JENDL-2 |
| 584.81 | 0 | 0.5 | 322.194 | 0.694 | 41.5 | 280.0 | JENDL-2 |
| 588.09 | 0 | 1.0 | 62.6697 | 11.1697 | 41.5 | 10.0 | JENDL-2 |
| 589.94 | 0 | 0.5 | 441.996 | 0.4956 | 41.5 | 400.0 | JENDL-2 |
| 593.52 | 0 | 0.5 | 48.6724 | 3.1724 | 41.5 | 4.0 | JENDL-2 |
| 597.35 | 0 | 1.0 | 55.026 | 8.526 | 41.5 | 5.0 | JENDL-2 |
| 598.04 | 0 | 0.5 | 5977.32 | 20.818 | 41.5 | 5915.0 | JENDL-2 |
| 604.01 | 0 | 1.0 | 69.8506 | 24.8506 | 41.5 | 3.5 | JENDL-2 |
| 607.64 | 0 | 1.0 | 58.8496 | 9.6496 | 41.5 | 7.7 | JENDL-2 |
| 609.29 | 0 | 1.0 | 63.6973 | 15.5973 | 41.5 | 6.6 | JENDL-2 |
| 612.8 | 0 | 0.5 | 64.2242 | 8.7242 | 41.5 | 14.0 | JENDL-2 |
| 620.48 | 0 | 1.0 | 58.6645 | 11.7645 | 41.5 | 5.4 | JENDL-2 |
| 622.59 | 0 | 1.0 | 61.0156 | 9.7156 | 41.5 | 9.8 | JENDL-2 |
| 625.17 | 0 | 1.0 | 56.7989 | 7.7989 | 41.5 | 7.5 | JENDL-2 |
| 628.21 | 0 | 0.5 | 52.681 | 2.181 | 41.5 | 9.0 | JENDL-2 |
| 632.97 | 0 | 0.5 | 3875.21 | 33.706 | 41.5 | 3800.0 | JENDL-2 |
| 636.47 | 0 | 0.5 | 65.431 | 7.931 | 41.5 | 16.0 | JENDL-2 |
| 639.28 | 0 | 1.0 | 56.6669 | 9.1869 | 41.5 | 6.0 | JENDL-2 |
| 641.42 | 0 | 0.5 | 522.194 | 0.694 | 41.5 | 480.0 | JENDL-2 |
| 644.94 | 0 | 1.0 | 50.3161 | 5.8161 | 41.5 | 3.0 | JENDL-2 |
| 646.65 | 0 | 0.5 | 242.987 | 1.487 | 41.5 | 200.0 | JENDL-2 |
| 658.29 | 0 | 1.0 | 141.133 | 80.633 | 41.5 | 19.0 | JENDL-2 |

Pu-240

1

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | CALCULATED WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|---------------------------|------------------------|-----------|
| -4.099 | 0 | 0.5 | 34.0582 | 4.0492 | 30.0 | 0.009 | JENDL-2 |
| 1.056 | 0 | 0.5 | 32.0457 | 2.44 | 29.6 | 0.0057 | JENDL-2 |
| 20.46 | 0 | 0.5 | 32.42 | 2.2 | 30.0 | 0.22 | JENDL-2 |
| 38.34 | 0 | 0.5 | 47.22 | 17.0 | 30.0 | 0.22 | JENDL-2 |
| 41.64 | 0 | 0.5 | 48.72 | 15.5 | 33.0 | 0.22 | JENDL-2 |
| 66.66 | 0 | 0.5 | 81.22 | 50.0 | 31.0 | 0.22 | JENDL-2 |
| 72.83 | 0 | 0.5 | 53.22 | 21.0 | 32.0 | 0.22 | JENDL-2 |
| 90.78 | 0 | 0.5 | 42.52 | 12.8 | 29.5 | 0.22 | JENDL-2 |
| 92.5 | 0 | 0.5 | 32.92 | 3.2 | 29.5 | 0.22 | JENDL-2 |
| 105.05 | 0 | 0.5 | 78.72 | 43.0 | 35.5 | 0.22 | JENDL-2 |
| 121.67 | 0 | 0.5 | 44.22 | 14.5 | 29.5 | 0.22 | JENDL-2 |
| 130.9 | 0 | 0.5 | 30.41 | 0.19 | 30.0 | 0.22 | JENDL-2 |
| 135.3 | 0 | 0.5 | 47.72 | 18.0 | 29.5 | 0.22 | JENDL-2 |
| 151.9 | 0 | 0.5 | 44.12 | 14.4 | 29.5 | 0.22 | JENDL-2 |
| 162.7 | 0 | 0.5 | 38.72 | 9.0 | 29.5 | 0.22 | JENDL-2 |
| 170.1 | 0 | 0.5 | 44.82 | 15.1 | 29.5 | 0.22 | JENDL-2 |
| 185.8 | 0 | 0.5 | 45.92 | 16.2 | 29.5 | 0.22 | JENDL-2 |
| 192.2 | 0 | 0.5 | 30.52 | 0.3 | 30.0 | 0.22 | JENDL-2 |
| 199.6 | 0 | 0.5 | 30.72 | 1.0 | 29.5 | 0.22 | JENDL-2 |
| 239.3 | 0 | 0.5 | 42.82 | 13.1 | 29.5 | 0.22 | JENDL-2 |
| 260.5 | 0 | 0.5 | 55.42 | 23.2 | 32.0 | 0.22 | JENDL-2 |
| 287.1 | 0 | 0.5 | 155.22 | 125.0 | 30.0 | 0.22 | JENDL-2 |
| 304.9 | 0 | 0.5 | 37.12 | 7.4 | 29.5 | 0.22 | JENDL-2 |
| 318.5 | 0 | 0.5 | 35.92 | 6.2 | 29.5 | 0.22 | JENDL-2 |
| 320.9 | 0 | 0.5 | 49.42 | 19.7 | 29.5 | 0.22 | JENDL-2 |
| 338.4 | 0 | 0.5 | 37.12 | 7.4 | 29.5 | 0.22 | JENDL-2 |
| 346.0 | 0 | 0.5 | 47.42 | 17.7 | 29.5 | 0.22 | JENDL-2 |
| 363.7 | 0 | 0.5 | 67.72 | 32.5 | 35.0 | 0.22 | JENDL-2 |
| 372.0 | 0 | 0.5 | 44.42 | 14.7 | 29.5 | 0.22 | JENDL-2 |
| 405.0 | 0 | 0.5 | 137.72 | 108.0 | 29.5 | 0.22 | JENDL-2 |
| 419.0 | 0 | 0.5 | 36.82 | 7.1 | 29.5 | 0.22 | JENDL-2 |
| 446.2 | 0 | 0.5 | 32.42 | 2.2 | 30.0 | 0.22 | JENDL-2 |
| 449.8 | 0 | 0.5 | 49.42 | 19.7 | 29.5 | 0.22 | JENDL-2 |
| 466.4 | 0 | 0.5 | 33.12 | 3.4 | 29.5 | 0.22 | JENDL-2 |
| 473.2 | 0 | 0.5 | 34.52 | 4.8 | 29.5 | 0.22 | JENDL-2 |
| 493.9 | 0 | 0.5 | 38.32 | 8.6 | 29.5 | 0.22 | JENDL-2 |
| 499.3 | 0 | 0.5 | 44.57 | 19.3 | 25.05 | 0.22 | JENDL-2 |
| 514.3 | 0 | 0.5 | 67.22 | 31.0 | 36.0 | 0.22 | JENDL-2 |
| 526.1 | 0 | 0.5 | 33.76 | 4.04 | 29.5 | 0.22 | JENDL-2 |
| 530.8 | 0 | 0.5 | 30.42 | 0.7 | 29.5 | 0.22 | JENDL-2 |
| 546.4 | 0 | 0.5 | 60.72 | 31.0 | 29.5 | 0.22 | JENDL-2 |
| 553.2 | 0 | 0.5 | 49.92 | 20.2 | 29.5 | 0.22 | JENDL-2 |
| 566.3 | 0 | 0.5 | 61.22 | 31.5 | 29.5 | 0.22 | JENDL-2 |
| 584.1 | 0 | 0.5 | 30.85 | 1.14 | 29.5 | 0.22 | JENDL-2 |
| 596.8 | 0 | 0.5 | 91.22 | 57.5 | 33.5 | 0.22 | JENDL-2 |
| 608.0 | 0 | 0.5 | 45.945 | 22.685 | 23.2 | 0.06 | JENDL-2 |
| 632.0 | 0 | 0.5 | 36.964 | 13.324 | 23.2 | 0.44 | JENDL-2 |
| 637.0 | 0 | 0.5 | 34.98 | 11.81 | 23.2 | 0.17 | JENDL-2 |
| 665.0 | 0 | 0.5 | 220.697 | 197.017 | 23.2 | 0.48 | JENDL-2 |
| 678.6 | 0 | 0.5 | 50.018 | 26.038 | 23.2 | 0.78 | JENDL-2 |
| 712.1 | 0 | 0.5 | 25.334 | 1.334 | 23.2 | 0.8 | JENDL-2 |
| 743.0 | 0 | 0.5 | 27.209 | 1.009 | 23.2 | 3.0 | JENDL-2 |
| 750.0 | 0 | 0.5 | 104.091 | 68.191 | 23.2 | 12.7 | JENDL-2 |
| 759.0 | 0 | 0.5 | 30.681 | 6.061 | 23.2 | 1.42 | JENDL-2 |
| 778.3 | 0 | 0.5 | 124.4 | 1.2 | 23.2 | 100.0 | JENDL-2 |
| 782.4 | 0 | 0.5 | 1476.0 | 2.8 | 23.2 | 1450.0 | JENDL-2 |
| 791.0 | 0 | 0.5 | 59.612 | 23.912 | 23.2 | 12.5 | JENDL-2 |
| 810.5 | 0 | 0.5 | 248.955 | 214.155 | 23.2 | 11.6 | JENDL-2 |
| 819.9 | 0 | 0.5 | 35.2981 | 10.9981 | 23.2 | 1.1 | JENDL-2 |
| 845.6 | 0 | 0.5 | 34.31 | 10.18 | 23.2 | 0.93 | JENDL-2 |
| 854.9 | 0 | 0.5 | 71.454 | 47.954 | 23.2 | 0.3 | JENDL-2 |
| 876.5 | 0 | 0.5 | 38.071 | 13.911 | 23.2 | 0.96 | JENDL-2 |
| 891.5 | 0 | 0.5 | 118.845 | 94.325 | 23.2 | 1.32 | JENDL-2 |
| 904.0 | 0 | 0.5 | 45.819 | 21.949 | 23.2 | 0.67 | JENDL-2 |
| 909.0 | 0 | 0.5 | 102.252 | 78.992 | 23.2 | 0.06 | JENDL-2 |
| 915.3 | 0 | 0.5 | 59.756 | 35.996 | 23.2 | 0.56 | JENDL-2 |
| 943.5 | 0 | 0.5 | 146.353 | 122.833 | 23.2 | 0.32 | JENDL-2 |
| 958.4 | 0 | 0.5 | 94.888 | 71.498 | 23.2 | 0.19 | JENDL-2 |
| 971.3 | 0 | 0.5 | 104.005 | 80.395 | 23.2 | 0.41 | JENDL-2 |
| 979.2 | 0 | 0.5 | 31.496 | 7.196 | 23.2 | 1.1 | JENDL-2 |
| 1001.8 | 0 | 0.5 | 122.449 | 98.129 | 23.2 | 1.12 | JENDL-2 |
| 1024.1 | 0 | 0.5 | 34.72 | 5.0 | 29.5 | 0.22 | JENDL-2 |
| 1041.6 | 0 | 0.5 | 36.919 | 12.589 | 23.2 | 1.13 | JENDL-2 |
| 1045.7 | 0 | 0.5 | 33.72 | 4.0 | 29.5 | 0.22 | JENDL-2 |
| 1072.6 | 0 | 0.5 | 132.917 | 109.407 | 23.2 | 0.31 | JENDL-2 |
| 1099.8 | 0 | 0.5 | 107.654 | 84.204 | 23.2 | 0.25 | JENDL-2 |
| 1115.7 | 0 | 0.5 | 32.32 | 2.6 | 29.5 | 0.22 | JENDL-2 |
| 1129.0 | 0 | 0.5 | 73.295 | 49.395 | 23.2 | 0.7 | JENDL-2 |
| 1134.0 | 0 | 0.5 | 30.535 | 6.735 | 23.2 | 0.6 | JENDL-2 |
| 1143.0 | 0 | 0.5 | 63.89 | 40.57 | 23.2 | 0.12 | JENDL-2 |
| 1159.0 | 0 | 0.5 | 45.609 | 22.129 | 23.2 | 0.28 | JENDL-2 |
| 1185.5 | 0 | 0.5 | 180.817 | 157.317 | 23.2 | 0.3 | JENDL-2 |
| 1191.0 | 0 | 0.5 | 138.461 | 114.921 | 23.2 | 0.34 | JENDL-2 |
| 1208.9 | 0 | 0.5 | 86.239 | 62.909 | 23.2 | 0.13 | JENDL-2 |
| 1228.0 | 0 | 0.5 | 39.72 | 10.0 | 29.5 | 0.22 | JENDL-2 |
| 1236.5 | 0 | 0.5 | 35.04 | 11.25 | 23.2 | 0.59 | JENDL-2 |
| 1255.01 | 0 | 0.5 | 101.864 | 76.874 | 23.2 | 1.79 | JENDL-2 |

Pu-240

2

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 1281.4 | 0 | 0.5 | 34.02 | 4.3 | 29.5 | 0.22 | JENDL-2 |
| 1300.3 | 0 | 0.5 | 269.581 | 244.911 | 23.2 | 1.47 | JENDL-2 |
| 1328.1 | 0 | 0.5 | 393.336 | 369.296 | 23.2 | 0.84 | JENDL-2 |
| 1345.0 | 0 | 0.5 | 49.709 | 26.099 | 23.2 | 0.47 | JENDL-2 |
| 1350.9 | 0 | 0.5 | 36.02 | 8.3 | 29.5 | 0.22 | JENDL-2 |
| 1363.0 | 0 | 0.5 | 31.284 | 7.384 | 23.2 | 0.7 | JENDL-2 |
| 1377.0 | 0 | 0.5 | 88.868 | 64.568 | 23.2 | 1.1 | JENDL-2 |
| 1389.0 | 0 | 0.5 | 42.362 | 14.162 | 23.2 | 5.0 | JENDL-2 |
| 1402.2 | 0 | 0.5 | 2028.44 | 5.24 | 23.2 | 2000.0 | JENDL-2 |
| 1408.5 | 0 | 0.5 | 1524.29 | 1.09 | 23.2 | 1500.0 | JENDL-2 |
| 1426.0 | 0 | 0.5 | 65.13 | 36.63 | 23.2 | 5.3 | JENDL-2 |
| 1429.0 | 0 | 0.5 | 39.926 | 15.126 | 23.2 | 1.6 | JENDL-2 |
| 1450.0 | 0 | 0.5 | 90.212 | 63.592 | 23.2 | 3.42 | JENDL-2 |
| 1462.9 | 0 | 0.5 | 46.969 | 21.059 | 23.2 | 2.71 | JENDL-2 |
| 1481.2 | 0 | 0.5 | 34.145 | 9.245 | 23.2 | 1.7 | JENDL-2 |
| 1540.7 | 0 | 0.5 | 130.72 | 101.0 | 29.5 | 0.22 | JENDL-2 |
| 1549.5 | 0 | 0.5 | 186.42 | 156.7 | 29.5 | 0.22 | JENDL-2 |
| 1563.7 | 0 | 0.5 | 144.42 | 114.7 | 29.5 | 0.22 | JENDL-2 |
| 1575.3 | 0 | 0.5 | 149.952 | 126.242 | 23.2 | 0.51 | JENDL-2 |
| 1609.6 | 0 | 0.5 | 59.229 | 34.909 | 23.2 | 1.12 | JENDL-2 |
| 1621.4 | 0 | 0.5 | 58.32 | 28.6 | 29.5 | 0.22 | JENDL-2 |
| 1643.0 | 0 | 0.5 | 136.82 | 107.1 | 29.5 | 0.22 | JENDL-2 |
| 1662.6 | 0 | 0.5 | 93.62 | 63.9 | 29.5 | 0.22 | JENDL-2 |
| 1688.0 | 0 | 0.5 | 57.138 | 32.866 | 23.2 | 1.07 | JENDL-2 |
| 1724.0 | 0 | 0.5 | 108.817 | 83.457 | 23.2 | 2.16 | JENDL-2 |
| 1741.6 | 0 | 0.5 | 49.072 | 25.042 | 23.2 | 0.83 | JENDL-2 |
| 1764.0 | 0 | 0.5 | 75.51 | 51.66 | 23.2 | 0.65 | JENDL-2 |
| 1771.4 | 0 | 0.5 | 39.52 | 9.8 | 29.5 | 0.22 | JENDL-2 |
| 1779.0 | 0 | 0.5 | 520.72 | 491.0 | 29.5 | 0.22 | JENDL-2 |
| 1841.0 | 0 | 0.5 | 159.617 | 125.717 | 23.2 | 10.7 | JENDL-2 |
| 1853.0 | 0 | 0.5 | 61.787 | 34.437 | 23.2 | 4.15 | JENDL-2 |
| 1873.0 | 0 | 0.5 | 105.578 | 77.468 | 23.2 | 4.91 | JENDL-2 |
| 1901.0 | 0 | 0.5 | 235.482 | 209.282 | 23.2 | 3.0 | JENDL-2 |
| 1916.6 | 0 | 0.5 | 129.103 | 35.903 | 23.2 | 70.0 | JENDL-2 |
| 1936.0 | 0 | 0.5 | 2225.18 | 1.98 | 23.2 | 2200.0 | JENDL-2 |
| 1943.3 | 0 | 0.5 | 37.82 | 8.1 | 29.5 | 0.22 | JENDL-2 |
| 1944.0 | 0 | 0.5 | 32.936 | 7.936 | 23.2 | 1.8 | JENDL-2 |
| 1949.1 | 0 | 0.5 | 112.077 | 82.577 | 23.2 | 6.3 | JENDL-2 |
| 1956.2 | 0 | 0.5 | 309.204 | 261.004 | 23.2 | 25.0 | JENDL-2 |
| 1973.0 | 0 | 0.5 | 92.96 | 67.96 | 23.2 | 1.8 | JENDL-2 |
| 1991.5 | 0 | 0.5 | 144.22 | 114.5 | 29.5 | 0.22 | JENDL-2 |
| 1998.3 | 0 | 0.5 | 35.32 | 5.6 | 29.5 | 0.22 | JENDL-2 |
| 2016.7 | 0 | 0.5 | 78.363 | 52.523 | 23.2 | 2.64 | JENDL-2 |
| 2022.9 | 0 | 0.5 | 85.22 | 55.5 | 29.5 | 0.22 | JENDL-2 |
| 2033.4 | 0 | 0.5 | 134.465 | 101.475 | 23.2 | 9.79 | JENDL-2 |
| 2056.0 | 0 | 0.5 | 97.398 | 68.468 | 23.2 | 5.73 | JENDL-2 |
| 2082.8 | 0 | 0.5 | 128.52 | 98.8 | 29.5 | 0.22 | JENDL-2 |
| 2110.7 | 0 | 0.5 | 43.42 | 13.7 | 29.5 | 0.22 | JENDL-2 |
| 2154.0 | 0 | 0.5 | 39.867 | 14.387 | 23.2 | 2.28 | JENDL-2 |
| 2182.0 | 0 | 0.5 | 115.32 | 85.6 | 29.5 | 0.22 | JENDL-2 |
| 2198.2 | 0 | 0.5 | 159.72 | 130.0 | 29.5 | 0.22 | JENDL-2 |
| 2240.6 | 0 | 0.5 | 63.82 | 34.1 | 29.5 | 0.22 | JENDL-2 |
| 2256.6 | 0 | 0.5 | 164.22 | 134.5 | 29.5 | 0.22 | JENDL-2 |
| 2277.9 | 0 | 0.5 | 458.72 | 427.0 | 29.5 | 0.22 | JENDL-2 |
| 2290.7 | 0 | 0.5 | 238.22 | 208.5 | 29.5 | 0.22 | JENDL-2 |
| 2303.3 | 0 | 0.5 | 46.92 | 17.2 | 29.5 | 0.22 | JENDL-2 |
| 2334.4 | 0 | 0.5 | 66.32 | 36.6 | 29.5 | 0.22 | JENDL-2 |
| 2350.9 | 0 | 0.5 | 61.32 | 31.6 | 29.5 | 0.22 | JENDL-2 |
| 2365.8 | 0 | 0.5 | 270.72 | 241.0 | 29.5 | 0.22 | JENDL-2 |
| 2373.4 | 0 | 0.5 | 39.44 | 9.74 | 29.5 | 0.2 | JENDL-2 |
| 2386.1 | 0 | 0.5 | 48.42 | 18.7 | 29.5 | 0.22 | JENDL-2 |
| 2405.0 | 0 | 0.5 | 54.82 | 25.1 | 29.5 | 0.22 | JENDL-2 |
| 2415.0 | 0 | 0.5 | 94.62 | 64.9 | 29.5 | 0.22 | JENDL-2 |
| 2434.3 | 0 | 0.5 | 234.72 | 205.0 | 29.5 | 0.22 | JENDL-2 |
| 2459.4 | 0 | 0.5 | 55.32 | 25.6 | 29.5 | 0.22 | JENDL-2 |
| 2470.8 | 0 | 0.5 | 75.22 | 45.5 | 29.5 | 0.22 | JENDL-2 |
| 2485.3 | 0 | 0.5 | 50.92 | 21.2 | 29.5 | 0.22 | JENDL-2 |
| 2521.0 | 0 | 0.5 | 139.22 | 109.5 | 29.5 | 0.22 | JENDL-2 |
| 2538.6 | 0 | 0.5 | 317.22 | 287.5 | 29.5 | 0.22 | JENDL-2 |
| 2549.2 | 0 | 0.5 | 109.42 | 79.7 | 29.5 | 0.22 | JENDL-2 |
| 2575.3 | 0 | 0.5 | 71.398 | 47.718 | 23.2 | 0.48 | JENDL-2 |
| 2639.5 | 0 | 0.5 | 460.587 | 425.867 | 29.5 | 5.22 | JENDL-2 |
| 2652.0 | 0 | 0.5 | 74.223 | 36.563 | 23.2 | 14.46 | JENDL-2 |
| 2692.8 | 0 | 0.5 | 531.905 | 344.705 | 23.2 | 164.0 | JENDL-2 |
| 2717.0 | 0 | 0.5 | 69.162 | 40.672 | 23.2 | 5.29 | JENDL-2 |
| 2739.2 | 0 | 0.5 | 208.24 | 177.0 | 29.5 | 1.74 | JENDL-2 |
| 2748.4 | 0 | 0.5 | 136.629 | 102.259 | 23.2 | 11.17 | JENDL-2 |
| 2817.6 | 0 | 0.5 | 66.594 | 41.414 | 23.2 | 1.98 | JENDL-2 |
| 2843.5 | 0 | 0.5 | 180.705 | 156.815 | 23.2 | 0.69 | JENDL-2 |
| 2860.0 | 0 | 0.5 | 53.284 | 27.274 | 23.2 | 2.81 | JENDL-2 |
| 2882.0 | 0 | 0.5 | 59.72 | 30.0 | 29.5 | 0.22 | JENDL-2 |
| 2895.6 | 0 | 0.5 | 89.72 | 60.0 | 29.5 | 0.22 | JENDL-2 |
| 2905.0 | 0 | 0.5 | 144.72 | 115.0 | 29.5 | 0.22 | JENDL-2 |
| 2938.0 | 0 | 0.5 | 161.72 | 132.0 | 29.5 | 0.22 | JENDL-2 |
| 2968.6 | 0 | 0.5 | 114.72 | 85.0 | 29.5 | 0.22 | JENDL-2 |
| 2980.5 | 0 | 0.5 | 137.72 | 108.0 | 29.5 | 0.22 | JENDL-2 |
| 2986.2 | 0 | 0.5 | 42.22 | 12.5 | 29.5 | 0.22 | JENDL-2 |

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 2994.7 | 0 | 0.5 | 85.72 | 56.0 | 29.5 | 0.22 | JENDL-2 |
| 3004.0 | 0 | 0.5 | 106.22 | 76.5 | 29.5 | 0.22 | JENDL-2 |
| 3018.0 | 0 | 0.5 | 146.72 | 117.0 | 29.5 | 0.22 | JENDL-2 |
| 3029.0 | 0 | 0.5 | 50.72 | 21.0 | 29.5 | 0.22 | JENDL-2 |
| 3054.7 | 0 | 0.5 | 76.72 | 47.0 | 29.5 | 0.22 | JENDL-2 |
| 3077.4 | 0 | 0.5 | 157.72 | 128.0 | 29.5 | 0.22 | JENDL-2 |
| 3088.0 | 0 | 0.5 | 64.72 | 35.0 | 29.5 | 0.22 | JENDL-2 |
| 3112.7 | 0 | 0.5 | 68.22 | 38.5 | 29.5 | 0.22 | JENDL-2 |
| 3172.5 | 0 | 0.5 | 254.72 | 225.0 | 29.5 | 0.22 | JENDL-2 |
| 3192.5 | 0 | 0.5 | 378.72 | 349.0 | 29.5 | 0.22 | JENDL-2 |
| 3237.5 | 0 | 0.5 | 101.72 | 72.0 | 29.5 | 0.22 | JENDL-2 |
| 3268.5 | 0 | 0.5 | 183.72 | 134.0 | 29.5 | 0.22 | JENDL-2 |
| 3332.0 | 0 | 0.5 | 44.22 | 14.5 | 29.5 | 0.22 | JENDL-2 |
| 3423.0 | 0 | 0.5 | 64.22 | 34.5 | 29.5 | 0.22 | JENDL-2 |
| 3458.0 | 0 | 0.5 | 97.72 | 68.0 | 29.5 | 0.22 | JENDL-2 |
| 3465.5 | 0 | 0.5 | 373.72 | 344.0 | 29.5 | 0.22 | JENDL-2 |
| 3493.5 | 0 | 0.5 | 94.72 | 65.0 | 29.5 | 0.22 | JENDL-2 |
| 3555.0 | 0 | 0.5 | 120.72 | 91.0 | 29.5 | 0.22 | JENDL-2 |
| 3567.5 | 0 | 0.5 | 191.72 | 162.0 | 29.5 | 0.22 | JENDL-2 |
| 3595.0 | 0 | 0.5 | 58.22 | 28.5 | 29.5 | 0.22 | JENDL-2 |
| 3657.0 | 0 | 0.5 | 322.72 | 293.0 | 29.5 | 0.22 | JENDL-2 |
| 3665.0 | 0 | 0.5 | 84.22 | 54.5 | 29.5 | 0.22 | JENDL-2 |
| 3702.0 | 0 | 0.5 | 80.72 | 51.0 | 29.5 | 0.22 | JENDL-2 |
| 3723.0 | 0 | 0.5 | 89.72 | 60.0 | 29.5 | 0.22 | JENDL-2 |
| 3800.0 | 0 | 0.5 | 130.72 | 101.0 | 29.5 | 0.22 | JENDL-2 |
| 3844.0 | 0 | 0.5 | 105.72 | 76.0 | 29.5 | 0.22 | JENDL-2 |
| 3852.0 | 0 | 0.5 | 127.72 | 98.0 | 29.5 | 0.22 | JENDL-2 |
| 3872.0 | 0 | 0.5 | 75.72 | 46.0 | 29.5 | 0.22 | JENDL-2 |
| 3900.0 | 0 | 0.5 | 238.72 | 209.0 | 29.5 | 0.22 | JENDL-2 |
| 3917.0 | 0 | 0.5 | 192.72 | 163.0 | 29.5 | 0.22 | JENDL-2 |
| 3954.0 | 0 | 0.5 | 121.72 | 92.0 | 29.5 | 0.22 | JENDL-2 |
| 3975.0 | 0 | 0.5 | 131.72 | 102.0 | 29.5 | 0.22 | JENDL-2 |
| 3990.0 | 0 | 0.5 | 58.72 | 29.0 | 29.5 | 0.22 | JENDL-2 |
| 4031.0 | 0 | 0.5 | 138.72 | 109.0 | 29.5 | 0.22 | JENDL-2 |
| 4084.0 | 0 | 0.5 | 149.72 | 120.0 | 29.5 | 0.22 | JENDL-2 |
| 4100.0 | 0 | 0.5 | 286.72 | 257.0 | 29.5 | 0.22 | JENDL-2 |
| 4122.0 | 0 | 0.5 | 526.72 | 497.0 | 29.5 | 0.22 | JENDL-2 |
| 4134.0 | 0 | 0.5 | 96.72 | 67.0 | 29.5 | 0.22 | JENDL-2 |
| 4149.0 | 0 | 0.5 | 294.72 | 265.0 | 29.5 | 0.22 | JENDL-2 |
| 4161.0 | 0 | 0.5 | 116.72 | 89.0 | 29.5 | 0.22 | JENDL-2 |
| 4203.0 | 0 | 0.5 | 457.72 | 438.0 | 29.5 | 0.22 | JENDL-2 |
| 4221.0 | 0 | 0.5 | 97.72 | 68.0 | 29.5 | 0.22 | JENDL-2 |
| 4270.0 | 0 | 0.5 | 188.72 | 159.0 | 29.5 | 0.22 | JENDL-2 |
| 4288.0 | 0 | 0.5 | 345.72 | 316.0 | 29.5 | 0.22 | JENDL-2 |
| 4329.0 | 0 | 0.5 | 331.72 | 302.0 | 29.5 | 0.22 | JENDL-2 |
| 4378.0 | 0 | 0.5 | 111.72 | 82.0 | 29.5 | 0.22 | JENDL-2 |
| 4386.0 | 0 | 0.5 | 61.72 | 32.0 | 29.5 | 0.22 | JENDL-2 |
| 4398.0 | 0 | 0.5 | 107.72 | 78.0 | 29.5 | 0.22 | JENDL-2 |
| 4422.0 | 0 | 0.5 | 90.72 | 61.0 | 29.5 | 0.22 | JENDL-2 |
| 4433.0 | 0 | 0.5 | 76.72 | 47.0 | 29.5 | 0.22 | JENDL-2 |
| 4458.0 | 0 | 0.5 | 131.72 | 102.0 | 29.5 | 0.22 | JENDL-2 |
| 4570.0 | 0 | 0.5 | 249.72 | 220.0 | 29.5 | 0.22 | JENDL-2 |
| 4588.0 | 0 | 0.5 | 555.72 | 526.0 | 29.5 | 0.22 | JENDL-2 |
| 4599.0 | 0 | 0.5 | 104.72 | 75.0 | 29.5 | 0.22 | JENDL-2 |
| 4615.0 | 0 | 0.5 | 291.72 | 262.0 | 29.5 | 0.22 | JENDL-2 |
| 4646.0 | 0 | 0.5 | 178.72 | 149.0 | 29.5 | 0.22 | JENDL-2 |
| 4721.0 | 0 | 0.5 | 539.72 | 510.0 | 29.5 | 0.22 | JENDL-2 |
| 4745.0 | 0 | 0.5 | 274.72 | 245.0 | 29.5 | 0.22 | JENDL-2 |
| 4755.0 | 0 | 0.5 | 85.72 | 56.0 | 29.5 | 0.22 | JENDL-2 |
| 4766.0 | 0 | 0.5 | 44.72 | 15.0 | 29.5 | 0.22 | JENDL-2 |
| 4771.0 | 0 | 0.5 | 51.72 | 22.0 | 29.5 | 0.22 | JENDL-2 |
| 4779.0 | 0 | 0.5 | 63.72 | 34.0 | 29.5 | 0.22 | JENDL-2 |
| 4792.0 | 0 | 0.5 | 162.72 | 133.0 | 29.5 | 0.22 | JENDL-2 |
| 4812.0 | 0 | 0.5 | 201.72 | 172.0 | 29.5 | 0.22 | JENDL-2 |
| 4823.0 | 0 | 0.5 | 92.72 | 63.0 | 29.5 | 0.22 | JENDL-2 |
| 4894.0 | 0 | 0.5 | 68.72 | 59.0 | 29.5 | 0.22 | JENDL-2 |
| 4958.0 | 0 | 0.5 | 320.72 | 291.0 | 29.5 | 0.22 | JENDL-2 |
| 4969.0 | 0 | 0.5 | 187.72 | 158.0 | 29.5 | 0.22 | JENDL-2 |
| 4993.0 | 0 | 0.5 | 121.72 | 92.0 | 29.5 | 0.22 | JENDL-2 |
| 5072.0 | 0 | 0.5 | 538.72 | 509.0 | 29.5 | 0.22 | JENDL-2 |
| 5113.0 | 0 | 0.5 | 122.72 | 93.0 | 29.5 | 0.22 | JENDL-2 |
| 5134.0 | 0 | 0.5 | 71.72 | 42.0 | 29.5 | 0.22 | JENDL-2 |
| 5148.0 | 0 | 0.5 | 79.72 | 50.0 | 29.5 | 0.22 | JENDL-2 |
| 5162.0 | 0 | 0.5 | 69.72 | 40.0 | 29.5 | 0.22 | JENDL-2 |
| 5194.0 | 0 | 0.5 | 342.72 | 313.0 | 29.5 | 0.22 | JENDL-2 |
| 5215.0 | 0 | 0.5 | 192.72 | 163.0 | 29.5 | 0.22 | JENDL-2 |
| 5249.0 | 0 | 0.5 | 553.72 | 524.0 | 29.5 | 0.22 | JENDL-2 |
| 5279.0 | 0 | 0.5 | 169.72 | 140.0 | 29.5 | 0.22 | JENDL-2 |
| 5299.0 | 0 | 0.5 | 299.72 | 270.0 | 29.5 | 0.22 | JENDL-2 |
| 5334.0 | 0 | 0.5 | 232.72 | 203.0 | 29.5 | 0.22 | JENDL-2 |
| 5350.0 | 0 | 0.5 | 182.72 | 153.0 | 29.5 | 0.22 | JENDL-2 |
| 5367.0 | 0 | 0.5 | 99.72 | 70.0 | 29.5 | 0.22 | JENDL-2 |
| 5393.0 | 0 | 0.5 | 113.72 | 84.0 | 29.5 | 0.22 | JENDL-2 |
| 5417.0 | 0 | 0.5 | 284.72 | 255.0 | 29.5 | 0.22 | JENDL-2 |
| 5489.0 | 0 | 0.5 | 79.72 | 50.0 | 29.5 | 0.22 | JENDL-2 |
| 5499.0 | 0 | 0.5 | 116.72 | 87.0 | 29.5 | 0.22 | JENDL-2 |
| 5510.0 | 0 | 0.5 | 384.72 | 355.0 | 29.5 | 0.22 | JENDL-2 |

Pu-240

4

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 5522.0 | 0 | 0.5 | 201.72 | 172.0 | 29.5 | 0.22 | JENDL-2 |
| 5544.0 | 0 | 0.5 | 611.72 | 582.0 | 29.5 | 0.22 | JENDL-2 |
| 5574.0 | 0 | 0.5 | 787.72 | 758.0 | 29.5 | 0.22 | JENDL-2 |
| 5592.0 | 0 | 0.5 | 236.72 | 207.0 | 29.5 | 0.22 | JENDL-2 |
| 5615.0 | 0 | 0.5 | 91.72 | 62.0 | 29.5 | 0.22 | JENDL-2 |
| 5681.0 | 0 | 0.5 | 135.72 | 106.0 | 29.5 | 0.22 | JENDL-2 |
| 5692.0 | 0 | 0.5 | 120.72 | 91.0 | 29.5 | 0.22 | JENDL-2 |

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| -0.209 | 0 | 3.0 | 132.063 | 0.063 | 35.0 | 97.0 | JENDL-2 |
| 0.257 | 0 | 3.0 | 132.051 | 0.05143 | 35.0 | 97.0 | JENDL-2 |
| 4.28 | 0 | 3.0 | 95.69 | 0.69 | 50.0 | 45.0 | JENDL-2 |
| 4.58 | 0 | 2.0 | 184.42 | 0.42 | 49.0 | 135.0 | JENDL-2 |
| 6.11 | 0 | 2.0 | 1398.24 | 3.24 | 35.0 | 1300.0 | JENDL-2 |
| 6.93 | 0 | 3.0 | 155.72 | 0.72 | 35.0 | 120.0 | JENDL-2 |
| 8.62 | 0 | 3.0 | 141.94 | 0.94 | 41.0 | 100.0 | JENDL-2 |
| 9.57 | 0 | 2.0 | 385.528 | 0.528 | 35.0 | 350.0 | JENDL-2 |
| 10.06 | 0 | 2.0 | 636.32 | 1.32 | 35.0 | 600.0 | JENDL-2 |
| 12.79 | 0 | 3.0 | 280.677 | 0.67714 | 50.0 | 230.0 | JENDL-2 |
| 13.42 | 0 | 2.0 | 123.55 | 3.55 | 60.0 | 60.0 | JENDL-2 |
| 14.75 | 0 | 3.0 | 183.4 | 5.4 | 48.0 | 130.0 | JENDL-2 |
| 15.97 | 0 | 3.0 | 556.42 | 1.42 | 35.0 | 520.0 | JENDL-2 |
| 16.67 | 0 | 2.0 | 227.28 | 1.28 | 42.0 | 184.0 | JENDL-2 |
| 17.85 | 0 | 2.0 | 64.98 | 2.98 | 39.0 | 23.0 | JENDL-2 |
| 18.22 | 0 | 2.5 | 75.15 | 0.15 | 35.0 | 40.0 | JENDL-2 |
| 20.69 | 0 | 3.0 | 105.309 | 0.30857 | 43.0 | 62.0 | JENDL-2 |
| 21.05 | 0 | 2.5 | 335.01 | 0.01 | 35.0 | 300.0 | JENDL-2 |
| 21.91 | 0 | 2.5 | 70.17 | 0.17 | 50.0 | 20.0 | JENDL-2 |
| 23.0 | 0 | 3.0 | 370.986 | 0.98571 | 35.0 | 335.0 | JENDL-2 |
| 23.7 | 0 | 2.5 | 380.39 | 0.39 | 55.0 | 325.0 | JENDL-2 |
| 24.04 | 0 | 3.0 | 127.183 | 1.18286 | 46.0 | 80.0 | JENDL-2 |
| 24.61 | 0 | 2.5 | 549.15 | 0.15 | 40.0 | 509.0 | JENDL-2 |
| 26.39 | 0 | 3.0 | 313.857 | 3.85714 | 45.0 | 265.0 | JENDL-2 |
| 28.89 | 0 | 2.0 | 700.76 | 5.76 | 40.0 | 655.0 | JENDL-2 |
| 29.42 | 0 | 3.0 | 125.471 | 0.47143 | 40.0 | 85.0 | JENDL-2 |
| 31.03 | 0 | 3.0 | 299.203 | 2.20286 | 56.0 | 241.0 | JENDL-2 |
| 32.5 | 0 | 2.5 | 2541.0 | 1.0 | 40.0 | 2500.0 | JENDL-2 |
| 33.3 | 0 | 2.5 | 160.17 | 0.17 | 40.0 | 120.0 | JENDL-2 |
| 33.77 | 0 | 2.5 | 140.3 | 0.3 | 40.0 | 100.0 | JENDL-2 |
| 34.9 | 0 | 2.5 | 1142.07 | 2.07 | 40.0 | 1100.0 | JENDL-2 |
| 34.98 | 0 | 2.5 | 55.41 | 0.41 | 40.0 | 15.0 | JENDL-2 |
| 37.5 | 0 | 2.5 | 640.15 | 0.15 | 40.0 | 600.0 | JENDL-2 |
| 38.17 | 0 | 2.5 | 240.5 | 0.5 | 40.0 | 200.0 | JENDL-2 |
| 39.35 | 0 | 2.5 | 201.49 | 1.49 | 40.0 | 160.0 | JENDL-2 |
| 39.89 | 0 | 2.5 | 154.59 | 1.59 | 53.0 | 100.0 | JENDL-2 |
| 40.87 | 0 | 2.5 | 1042.12 | 2.12 | 40.0 | 1000.0 | JENDL-2 |
| 42.77 | 0 | 2.5 | 240.28 | 0.28 | 40.0 | 200.0 | JENDL-2 |
| 43.45 | 0 | 2.5 | 70.25 | 0.25 | 40.0 | 30.0 | JENDL-2 |
| 46.57 | 0 | 2.5 | 281.5 | 1.5 | 40.0 | 240.0 | JENDL-2 |
| 48.11 | 0 | 2.5 | 626.2 | 6.2 | 40.0 | 580.0 | JENDL-2 |
| 50.35 | 0 | 2.5 | 540.69 | 0.69 | 40.0 | 500.0 | JENDL-2 |
| 52.07 | 0 | 2.5 | 140.04 | 0.04 | 40.0 | 100.0 | JENDL-2 |
| 58.37 | 0 | 2.5 | 621.75 | 1.75 | 40.0 | 580.0 | JENDL-2 |
| 59.28 | 0 | 2.5 | 582.2 | 2.2 | 40.0 | 540.0 | JENDL-2 |
| 60.53 | 0 | 2.5 | 281.3 | 4.3 | 27.0 | 250.0 | JENDL-2 |
| 62.25 | 0 | 2.5 | 644.62 | 4.62 | 40.0 | 600.0 | JENDL-2 |
| 63.0 | 0 | 2.5 | 1242.0 | 2.0 | 40.0 | 1200.0 | JENDL-2 |
| 64.52 | 0 | 2.5 | 315.25 | 0.25 | 40.0 | 275.0 | JENDL-2 |
| 65.68 | 0 | 2.5 | 344.26 | 5.26 | 39.0 | 300.0 | JENDL-2 |
| 66.55 | 0 | 2.5 | 243.04 | 3.04 | 40.0 | 200.0 | JENDL-2 |
| 58.22 | 0 | 2.5 | 141.18 | 1.18 | 40.0 | 100.0 | JENDL-2 |
| 69.18 | 0 | 2.5 | 160.7 | 0.7 | 40.0 | 120.0 | JENDL-2 |
| 71.77 | 0 | 2.5 | 100.07 | 0.07 | 53.0 | 47.0 | JENDL-2 |
| 72.17 | 0 | 2.5 | 411.53 | 1.53 | 40.0 | 370.0 | JENDL-2 |
| 73.8 | 0 | 2.5 | 53.5 | 0.5 | 40.0 | 13.0 | JENDL-2 |
| 75.94 | 0 | 2.5 | 159.76 | 4.76 | 52.0 | 103.0 | JENDL-2 |
| 77.06 | 0 | 2.5 | 80.45 | 4.45 | 58.0 | 18.0 | JENDL-2 |
| 77.73 | 0 | 2.5 | 1698.7 | 1.7 | 60.0 | 1637.0 | JENDL-2 |
| 80.14 | 0 | 2.5 | 124.87 | 4.87 | 40.0 | 80.0 | JENDL-2 |
| 81.36 | 0 | 2.5 | 261.9 | 5.9 | 40.0 | 215.0 | JENDL-2 |
| 81.98 | 0 | 2.5 | 1017.9 | 2.9 | 40.0 | 975.0 | JENDL-2 |
| 83.12 | 0 | 2.5 | 118.02 | 5.02 | 40.0 | 73.0 | JENDL-2 |
| 85.35 | 0 | 2.5 | 200.5 | 3.5 | 52.0 | 145.0 | JENDL-2 |
| 85.67 | 0 | 2.5 | 272.8 | 2.8 | 40.0 | 230.0 | JENDL-2 |
| 86.0 | 0 | 2.5 | 350.72 | 0.72 | 40.0 | 310.0 | JENDL-2 |
| 86.93 | 0 | 2.5 | 130.4 | 7.4 | 43.0 | 80.0 | JENDL-2 |
| 87.8 | 0 | 2.5 | 322.35 | 2.35 | 40.0 | 280.0 | JENDL-2 |
| 89.12 | 0 | 2.5 | 792.23 | 2.23 | 40.0 | 750.0 | JENDL-2 |
| 90.6 | 0 | 2.5 | 216.7 | 1.7 | 40.0 | 175.0 | JENDL-2 |
| 91.4 | 0 | 2.5 | 60.1 | 0.1 | 39.0 | 21.0 | JENDL-2 |
| 91.88 | 0 | 2.5 | 60.12 | 0.12 | 35.0 | 25.0 | JENDL-2 |
| 93.77 | 0 | 2.5 | 296.4 | 0.4 | 46.0 | 250.0 | JENDL-2 |
| 95.24 | 0 | 2.5 | 683.6 | 0.6 | 40.0 | 643.0 | JENDL-2 |
| 96.18 | 0 | 2.5 | 1041.5 | 1.5 | 40.0 | 1000.0 | JENDL-2 |
| 97.53 | 0 | 2.5 | 499.85 | 0.85 | 40.0 | 459.0 | JENDL-2 |
| 98.28 | 0 | 2.5 | 193.28 | 7.28 | 40.0 | 146.0 | JENDL-2 |
| 99.74 | 0 | 2.5 | 350.16 | 2.16 | 18.0 | 330.0 | JENDL-2 |
| 100.5 | 0 | 2.5 | 55.6 | 1.3 | 40.0 | 14.3 | JENDL-2 |
| 101.42 | 0 | 2.5 | 147.61 | 1.61 | 72.0 | 74.0 | JENDL-2 |
| 102.33 | 0 | 2.5 | 58.7 | 1.4 | 40.0 | 17.3 | JENDL-2 |
| 103.52 | 0 | 2.5 | 48.73 | 1.53 | 40.0 | 7.2 | JENDL-2 |
| 107.54 | 0 | 2.5 | 41.2 | 0.5 | 40.0 | 0.7 | JENDL-2 |
| 107.85 | 0 | 2.5 | 92.2 | 1.2 | 40.0 | 51.0 | JENDL-2 |
| 109.05 | 0 | 2.5 | 491.92 | 1.92 | 40.0 | 450.0 | JENDL-2 |
| 110.2 | 0 | 2.5 | 791.45 | 0.45 | 40.0 | 751.0 | JENDL-2 |
| 113.13 | 0 | 2.5 | 86.75 | 0.75 | 40.0 | 46.0 | JENDL-2 |

Pu-241

2

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 115.4 | 0 | 2.5 | 1581.7 | 1.7 | 40.0 | 1540.0 | JENDL-2 |
| 117.23 | 0 | 2.5 | 357.48 | 3.48 | 40.0 | 314.0 | JENDL-2 |
| 120.33 | 0 | 2.5 | 545.8 | 0.8 | 40.0 | 505.0 | JENDL-2 |
| 122.11 | 0 | 2.5 | 465.95 | 6.95 | 40.0 | 419.0 | JENDL-2 |
| 123.24 | 0 | 2.5 | 101.35 | 2.35 | 40.0 | 59.0 | JENDL-2 |

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 2.67 | 0 | 0.5 | 27.387 | 1.97 | 25.4 | 0.017 | JENDL-2 |
| 14.6 | 0 | 0.5 | 24.311 | 0.061 | 24.2 | 0.05 | JENDL-2 |
| 22.57 | 0 | 0.5 | 20.336 | 0.206 | 20.0 | 0.05 | JENDL-2 |
| 40.95 | 0 | 0.5 | 29.501 | 0.451 | 29.0 | 0.05 | JENDL-2 |
| 53.46 | 0 | 0.5 | 75.8949 | 51.95 | 23.9 | 0.045 | JENDL-2 |
| 67.6 | 0 | 0.5 | 27.1225 | 4.578 | 22.5 | 0.0445 | JENDL-2 |
| 88.45 | 0 | 0.5 | 24.8782 | 0.64 | 24.2 | 0.0382 | JENDL-2 |
| 107.32 | 0 | 0.5 | 38.5394 | 16.99 | 21.5 | 0.0494 | JENDL-2 |
| 131.4 | 0 | 0.5 | 37.0335 | 6.17 | 30.8 | 0.0635 | JENDL-2 |
| 141.43 | 0 | 0.5 | 24.369 | 0.119 | 24.2 | 0.05 | JENDL-2 |
| 149.7 | 0 | 0.5 | 39.2954 | 14.24 | 25.0 | 0.0554 | JENDL-2 |
| 163.5 | 0 | 0.5 | 24.787 | 0.537 | 24.2 | 0.05 | JENDL-2 |
| 204.8 | 0 | 0.5 | 73.5847 | 52.73 | 20.8 | 0.0548 | JENDL-2 |
| 210.0 | 0 | 0.5 | 24.74 | 0.424 | 24.2 | 0.116 | JENDL-2 |
| 215.3 | 0 | 0.5 | 41.384 | 5.2 | 36.0 | 0.184 | JENDL-2 |
| 219.3 | 0 | 0.5 | 24.606 | 0.29 | 24.2 | 0.116 | JENDL-2 |
| 232.7 | 0 | 0.5 | 33.071 | 4.94 | 26.0 | 0.131 | JENDL-2 |
| 264.5 | 0 | 0.5 | 24.697 | 0.381 | 24.2 | 0.116 | JENDL-2 |
| 271.95 | 0 | 0.5 | 24.481 | 0.165 | 24.2 | 0.116 | JENDL-2 |
| 273.8 | 0 | 0.5 | 39.332 | 15.43 | 23.8 | 0.102 | JENDL-2 |
| 274.75 | 0 | 0.5 | 24.486 | 0.17 | 24.2 | 0.116 | JENDL-2 |
| 281.05 | 0 | 0.5 | 24.446 | 0.13 | 24.2 | 0.116 | JENDL-2 |
| 298.7 | 0 | 0.5 | 34.426 | 8.31 | 26.0 | 0.116 | JENDL-2 |
| 303.6 | 0 | 0.5 | 39.987 | 17.42 | 22.5 | 0.067 | JENDL-2 |
| 319.9 | 0 | 0.5 | 256.478 | 232.9 | 23.5 | 0.0783 | JENDL-2 |
| 327.6 | 0 | 0.5 | 24.816 | 0.5 | 24.2 | 0.116 | JENDL-2 |
| 332.4 | 0 | 0.5 | 107.822 | 77.21 | 30.5 | 0.112 | JENDL-2 |
| 374.3 | 0 | 0.5 | 30.696 | 6.38 | 24.2 | 0.116 | JENDL-2 |
| 379.63 | 0 | 0.5 | 24.586 | 0.27 | 24.2 | 0.116 | JENDL-2 |
| 382.2 | 0 | 0.5 | 68.0247 | 44.68 | 23.26 | 0.0847 | JENDL-2 |
| 396.1 | 0 | 0.5 | 26.816 | 2.5 | 24.2 | 0.116 | JENDL-2 |
| 399.9 | 0 | 0.5 | 25.936 | 1.62 | 24.2 | 0.116 | JENDL-2 |
| 410.6 | 0 | 0.5 | 31.646 | 7.33 | 24.2 | 0.116 | JENDL-2 |
| 424.1 | 0 | 0.5 | 28.546 | 4.23 | 24.2 | 0.116 | JENDL-2 |
| 425.15 | 0 | 0.5 | 24.596 | 0.28 | 24.2 | 0.116 | JENDL-2 |
| 473.7 | 0 | 0.5 | 25.106 | 0.79 | 24.2 | 0.116 | JENDL-2 |
| 482.5 | 0 | 0.5 | 44.502 | 20.27 | 23.5 | 0.732 | JENDL-2 |
| 494.75 | 0 | 0.5 | 24.586 | 0.27 | 24.2 | 0.116 | JENDL-2 |
| 503.9 | 0 | 0.5 | 174.386 | 150.0 | 24.2 | 0.186 | JENDL-2 |
| 536.6 | 0 | 0.5 | 121.177 | 100.0 | 21.0 | 0.177 | JENDL-2 |
| 548.6 | 0 | 0.5 | 99.1939 | 74.0 | 25.0 | 0.194 | JENDL-2 |
| 576.1 | 0 | 0.5 | 54.316 | 30.0 | 24.2 | 0.116 | JENDL-2 |
| 595.0 | 0 | 0.5 | 53.0611 | 32.04 | 21.0 | 0.0211 | JENDL-2 |
| 599.8 | 0 | 0.5 | 33.412 | 9.11 | 24.2 | 0.102 | JENDL-2 |
| 610.8 | 0 | 0.5 | 36.214 | 11.95 | 24.2 | 6.399-2 | JENDL-2 |
| 638.5 | 0 | 0.5 | 28.65 | 4.41 | 24.2 | 0.04 | JENDL-2 |
| 665.0 | 0 | 0.5 | 26.966 | 2.7 | 24.2 | 0.066 | JENDL-2 |
| 669.3 | 0 | 0.5 | 37.432 | 13.14 | 24.2 | 9.199-2 | JENDL-2 |
| 693.2 | 0 | 0.5 | 61.052 | 38.65 | 22.0 | 0.402 | JENDL-2 |
| 711.6 | 0 | 0.5 | 141.233 | 121.57 | 19.5 | 0.163 | JENDL-2 |
| 727.6 | 0 | 0.5 | 27.42 | 3.17 | 24.2 | 0.05 | JENDL-2 |
| 736.7 | 0 | 0.5 | 126.566 | 101.59 | 24.2 | 0.776 | JENDL-2 |
| 755.1 | 0 | 0.5 | 159.623 | 135.4 | 21.5 | 2.723 | JENDL-2 |
| 761.2 | 0 | 0.5 | 208.24 | 4.14 | 24.2 | 179.9 | JENDL-2 |
| 788.5 | 0 | 0.5 | 87.274 | 61.4 | 24.2 | 1.674 | JENDL-2 |
| 794.0 | 0 | 0.5 | 230.843 | 206.6 | 24.2 | 0.043 | JENDL-2 |
| 824.5 | 0 | 0.5 | 29.057 | 4.65 | 24.2 | 0.207 | JENDL-2 |
| 837.7 | 0 | 0.5 | 57.491 | 37.45 | 20.0 | 0.041 | JENDL-2 |
| 856.6 | 0 | 0.5 | 57.441 | 35.3 | 22.0 | 0.141 | JENDL-2 |
| 865.6 | 0 | 0.5 | 34.553 | 10.31 | 24.2 | 0.043 | JENDL-2 |
| 878.1 | 0 | 0.5 | 83.0469 | 58.82 | 24.2 | 0.027 | JENDL-2 |
| 886.5 | 0 | 0.5 | 51.7555 | 22.74 | 29.0 | 0.0155 | JENDL-2 |
| 923.2 | 0 | 0.5 | 77.4789 | 59.45 | 18.0 | 0.029 | JENDL-2 |
| 935.4 | 0 | 0.5 | 35.25 | 11.0 | 24.2 | 0.05 | JENDL-2 |
| 939.6 | 0 | 0.5 | 34.25 | 10.0 | 24.2 | 0.05 | JENDL-2 |
| 949.1 | 0 | 0.5 | 40.05 | 14.0 | 26.0 | 0.05 | JENDL-2 |
| 977.9 | 0 | 0.5 | 38.75 | 14.5 | 24.2 | 0.05 | JENDL-2 |
| 1004.0 | 0 | 0.5 | 67.2499 | 43.0 | 24.2 | 0.05 | JENDL-2 |
| 1030.0 | 0 | 0.5 | 70.2499 | 46.0 | 24.2 | 0.05 | JENDL-2 |
| 1045.0 | 0 | 0.5 | 142.25 | 118.0 | 24.2 | 0.05 | JENDL-2 |
| 1062.5 | 0 | 0.5 | 57.25 | 33.0 | 24.2 | 0.05 | JENDL-2 |
| 1087.5 | 0 | 0.5 | 224.25 | 200.0 | 24.2 | 0.05 | JENDL-2 |
| 1117.0 | 0 | 0.5 | 29.25 | 5.0 | 24.2 | 0.05 | JENDL-2 |
| 1129.5 | 0 | 0.5 | 34.25 | 10.0 | 24.2 | 0.05 | JENDL-2 |
| 1148.0 | 0 | 0.5 | 324.25 | 300.0 | 24.2 | 0.05 | JENDL-2 |
| 1182.5 | 0 | 0.5 | 37.25 | 13.0 | 24.2 | 0.05 | JENDL-2 |
| 1197.0 | 0 | 0.5 | 119.25 | 96.0 | 24.2 | 0.05 | JENDL-2 |
| 1207.0 | 0 | 0.5 | 64.2499 | 40.0 | 24.2 | 0.05 | JENDL-2 |
| 1248.0 | 0 | 0.5 | 33.25 | 9.0 | 24.2 | 0.05 | JENDL-2 |
| 1267.0 | 0 | 0.5 | 51.25 | 27.0 | 24.2 | 0.05 | JENDL-2 |
| 1286.0 | 0 | 0.5 | 83.2499 | 59.0 | 24.2 | 0.05 | JENDL-2 |
| 1696.0 | 0 | 0.5 | 63.3609 | 39.1 | 24.2 | 0.061 | JENDL-2 |
| 1708.0 | 0 | 0.5 | 117.401 | 93.2 | 24.2 | 0.001 | JENDL-2 |
| 1737.0 | 0 | 0.5 | 33.385 | 9.1 | 24.2 | 0.085 | JENDL-2 |
| 1739.0 | 0 | 0.5 | 45.789 | 21.5 | 24.2 | 0.089 | JENDL-2 |
| 1751.0 | 0 | 0.5 | 33.685 | 9.4 | 24.2 | 0.085 | JENDL-2 |
| 1762.0 | 0 | 0.5 | 109.616 | 85.4 | 24.2 | 0.016 | JENDL-2 |

Pu-242

2

| ENERGY (EV) | L | J | TOTAL WIDTH (MEV) | NEUTRON WIDTH (MEV) | GAMMA WIDTH (MEV) | FISSION WIDTH (MEV) | REFERENCE |
|----------------|---|-----|----------------------|------------------------|----------------------|------------------------|-----------|
| 1783.0 | 0 | 0.5 | 24.367 | 0.022 | 24.2 | 0.145 | JENDL-2 |
| 1789.0 | 0 | 0.5 | 25.13 | 0.13 | 24.2 | 0.8 | JENDL-2 |
| 1806.0 | 0 | 0.5 | 37.212 | 12.9 | 24.2 | 0.112 | JENDL-2 |
| 1820.0 | 0 | 0.5 | 28.615 | 4.1 | 24.2 | 0.315 | JENDL-2 |
| 1836.0 | 0 | 0.5 | 117.8 | 3.0 | 24.2 | 90.6 | JENDL-2 |
| 1862.0 | 0 | 0.5 | 29.508 | 4.9 | 24.2 | 0.408 | JENDL-2 |
| 1881.0 | 0 | 0.5 | 108.553 | 84.3 | 24.2 | 0.053 | JENDL-2 |
| 1891.0 | 0 | 0.5 | 29.1 | 4.1 | 24.2 | 0.8 | JENDL-2 |